PRAKTIKUM BASIS DATA

MODUL 02

JURNAL

Oleh:

Zakaria 103122400042

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL

1. Buatlah DDL dan DML dari skema relasi berikut:



A. Buatlah setiap tabel diatas, tuliskan script SQL nya dan sertakan tangkapan layarnya.
B. Lakukan insert data pada ke-enam tabel, sertakan tangkapan layar dan keterangannya.
C. Lakukan update data (minimal 5 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.
D. Lakukan hapus data (minimal 2 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

Jawaban:

A. Buatlah setiap tabel diatas, tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. CREATE TABLE Film (
id_film CHAR(5) NOT NULL CONSTRAINT film_pk PRIMARY KEY,
judul VARCHAR2(100),
sinopsis VARCHAR2(1000),
tahun NUMBER(4),
durasi NUMBER(3)
);

```
C:\Users\Asus>sqlplus

SQL*Plus: Release 21.0.0.0.0 - Production on Wed Mar 11 19:45:18 2026
Version 21.3.0.0.0

Copyright (c) 1982, 2021, Oracle.  All rights reserved.

Enter user-name: system
Enter password:
Last Successful login time: Wed Mar 11 2026 19:44:51 +07:00

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> CREATE TABLE Film (
  2      id_film CHAR(5) NOT NULL CONSTRAINT film_pk PRIMARY KEY,
  3      judul VARCHAR2(100),
  4      sinopsis VARCHAR2(1000),
  5      tahun NUMBER(4),
  6      durasi NUMBER(3)
  7  );

Table created.

SQL>
```

b. CREATE TABLE Theater (
id_theater VARCHAR2(10) CONSTRAINT theater_pk PRIMARY KEY,
harga NUMBER(10),
kapasitas NUMBER(3),
kelas VARCHAR2(20)
);

```
SQL> CREATE TABLE Theater (
  2       id_theater VARCHAR2(10) CONSTRAINT theater_pk PRIMARY KEY,
  3       harga NUMBER(10),
  4       kapasitas NUMBER(3),
  5       kelas VARCHAR2(20)
  6   );

Table created.

SQL> _
```

c. CREATE TABLE Member (
id_member CHAR(6) CONSTRAINT member_pk PRIMARY KEY,
nama VARCHAR2(50),
no_hp VARCHAR2(15),
tgl_lahir DATE,
email VARCHAR2(50)
);

```
SQL> CREATE TABLE Member (
  2       id_member CHAR(6) CONSTRAINT member_pk PRIMARY KEY,
  3       nama VARCHAR2(50),
  4       no_hp VARCHAR2(15),
  5       tgl_lahir DATE,
  6       email VARCHAR2(50)
  7   );

Table created.

SQL> _
```

d. CREATE TABLE Inventaris (
id_inventaris VARCHAR2(10) CONSTRAINT inventaris_pk
PRIMARY KEY,
id_theater VARCHAR2(10),
nomor_kursi VARCHAR2(5),
CONSTRAINT inventaris_fk FOREIGN KEY (id_theater)
REFERENCES Theater (id_theater) ON DELETE CASCADE
);

```
SQL> CREATE TABLE Inventaris (
  2      id_inventaris VARCHAR2(10) CONSTRAINT inventaris_pk PRIMARY KEY,
  3      id_theater VARCHAR2(10),
  4      nomor_kursi VARCHAR2(5),
  5      CONSTRAINT inventaris_fk FOREIGN KEY (id_theater) REFERENCES Theater (id_theater) ON DELETE CASCADE
  6  );

Table created.

SQL>
```

e. CREATE TABLE Jadwal (
id_jadwal VARCHAR2(10) CONSTRAINT jadwal_pk PRIMARY
KEY,
id_film CHAR(5),
id_theater VARCHAR2(10),
periode_start DATE,
periode_end DATE,
CONSTRAINT jadwal_fk1 FOREIGN KEY (id_film)
REFERENCES Film (id_film) ON DELETE CASCADE,
CONSTRAINT jadwal_fk2 FOREIGN KEY (id_theater)
REFERENCES Theater (id_theater) ON DELETE CASCADE
);

```
SQL> CREATE TABLE Jadwal (
  2      id_jadwal VARCHAR2(10) CONSTRAINT jadwal_pk PRIMARY KEY,
  3      id_film CHAR(5),
  4      id_theater VARCHAR2(10),
  5      periode_start DATE,
  6      periode_end DATE,
  7      CONSTRAINT jadwal_fk1 FOREIGN KEY (id_film) REFERENCES Film (id_film) ON DELETE CASCADE,
  8      CONSTRAINT jadwal_fk2 FOREIGN KEY (id_theater) REFERENCES Theater (id_theater) ON DELETE CASCADE
  9  );

Table created.

SQL>
```

f. CREATE TABLE Transaksi (
kode_pemesanan VARCHAR2(10) CONSTRAINT transaksi_pk PRIMARY KEY,
id_jadwal VARCHAR2(10),
id_member CHAR(6),
status VARCHAR2(20),
tanggal DATE,
total_harga NUMBER(10),
CONSTRAINT transaksi_fk1 FOREIGN KEY (id_jadwal) REFERENCES Jadwal (id_jadwal) ON DELETE CASCADE,
CONSTRAINT transaksi_fk2 FOREIGN KEY (id_member) REFERENCES Member (id_member) ON DELETE CASCADE
);

```
SQL> CREATE TABLE Transaksi (
  2      kode_pemesanan VARCHAR2(10) CONSTRAINT transaksi_pk PRIMARY KEY,
  3      id_jadwal VARCHAR2(10),
  4      id_member CHAR(6),
  5      status VARCHAR2(20),
  6      tanggal DATE,
  7      total_harga NUMBER(10),
  8      CONSTRAINT transaksi_fk1 FOREIGN KEY (id_jadwal) REFERENCES Jadwal (id_jadwal) ON DELETE CASCADE,
  9      CONSTRAINT transaksi_fk2 FOREIGN KEY (id_member) REFERENCES Member (id_member) ON DELETE CASCADE
 10  );

Table created.

SQL>
```

B. Lakukan insert data pada ke-enam tabel, sertakan tangkapan layar dan keterangannya.

a. INSERT ALL
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0101', 'Keluarga Cemara', 'Kisah keluarga Abah yang pindah desa', 2019, 110)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0102', 'Habibie Ainun 3', 'Kisah masa muda Ainun', 2019, 96)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0103', 'Taufiq', 'Perjalanan hidup politisi Taufiq', 2019, 105)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0104', 'Buya Hamka', 'Kisah kehidupan ulama Buya Hamka', 2019, 110)
SELECT * FROM dual;

```
SQL> INSERT ALL
  2    INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0101', 'Keluarga Cemara', 'Kisah keluarga Abah yang pindah desa', 2019, 110)
  3    INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0102', 'Habibie Ainun 3', 'Kisah masa muda Ainun', 2019, 96)
  4    INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0103', 'Taufiq', 'Perjalanan hidup politisi Taufiq', 2019, 105)
  5    INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES ('F0104', 'Buya Hamka', 'Kisah kehidupan ulama Buya Hamka', 2019, 110)
  6  SELECT * FROM dual;

4 rows created.

SQL>
```

b. INSERT ALL
INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 1', 'Reguler', 30000, 50)
INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 2', 'Sweetbox', 100000, 50)
INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 3', '4D', 75000, 50)
INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 4', 'Velvet', 80000, 50)
INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 5', '3D', 50000, 50)
SELECT * FROM dual;

```
SQL> INSERT ALL
  2    INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 1', 'Reguler', 30000, 50)
  3    INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 2', 'Sweetbox', 100000, 50)
  4    INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 3', '4D', 75000, 50)
  5    INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 4', 'Velvet', 80000, 50)
  6    INTO Theater (id_theater, kelas, harga, kapasitas) VALUES ('Teater 5', '3D', 50000, 50)
  7  SELECT * FROM dual;

5 rows created.

SQL>
```

c. INSERT ALL
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0111', 'Anto', '085267656789', TO_DATE('1989-07-21', 'YYYY-MM-DD'), 'Anto2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0112', 'Budi', '081367589632', TO_DATE('1985-01-03', 'YYYY-MM-DD'), 'Budi2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0113', 'Ari', '081267867543', TO_DATE('1983-11-24', 'YYYY-MM-DD'), 'Ari2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0114', 'Rahmi', '085267935678', TO_DATE('1981-09-01', 'YYYY-MM-DD'), 'Rahmi2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0115', 'Fahmi', '085767298908', TO_DATE('1986-07-15', 'YYYY-MM-DD'), 'Fahmi2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0116', 'Rusli', '085643755398', TO_DATE('1988-02-26', 'YYYY-MM-DD'), 'Rusli2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0117', 'Doni', '081398426789', TO_DATE('1986-04-17', 'YYYY-MM-DD'), 'Doni2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0118', 'Tati', '085245289074', TO_DATE('1985-06-22', 'YYYY-MM-DD'), 'Tati2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0119', 'Dono', '081287234567', TO_DATE('1990-07-03', 'YYYY-MM-DD'), 'Dono2016@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0120', 'Joko', '081223670942', TO_DATE('1988-07-19', 'YYYY-MM-DD'), 'Joko2016@gmail.com')
SELECT * FROM dual;

```
SQL> INSERT ALL
  2    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0111', 'Anto', '085267656789', TO_DATE('1989-07-21', 'YYYY-MM-DD'), 'Anto2016@gmail.com')
  3    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0112', 'Budi', '081367589632', TO_DATE('1985-01-03', 'YYYY-MM-DD'), 'Budi2016@gmail.com')
  4    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0113', 'Ari', '081267867543', TO_DATE('1983-11-24', 'YYYY-MM-DD'), 'Ari2016@gmail.com')
  5    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0114', 'Rahmi', '085267935678', TO_DATE('1981-09-01', 'YYYY-MM-DD'), 'Rahmi2016@gmail.com')
  6    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0115', 'Fahmi', '085767298908', TO_DATE('1986-07-15', 'YYYY-MM-DD'), 'Fahmi2016@gmail.com')
  7    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0116', 'Rusli', '085643755398', TO_DATE('1988-02-26', 'YYYY-MM-DD'), 'Rusli2016@gmail.com')
  8    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0117', 'Doni', '081398426789', TO_DATE('1986-04-17', 'YYYY-MM-DD'), 'Doni2016@gmail.com')
  9    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0118', 'Tati', '085245289074', TO_DATE('1985-06-22', 'YYYY-MM-DD'), 'Tati2016@gmail.com')
 10    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0119', 'Dono', '081287234567', TO_DATE('1990-07-03', 'YYYY-MM-DD'), 'Dono2016@gmail.com')
 11    INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES ('MM0120', 'Joko', '081223670942', TO_DATE('1988-07-19', 'YYYY-MM-DD'), 'Joko2016@gmail.com')
 12  SELECT * FROM dual;

10 rows created.

SQL>
```

d. INSERT ALL
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1001', 'Teater 1', 'A1')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1002', 'Teater 1', 'A2')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1003', 'Teater 1', 'A3')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1004', 'Teater 1', 'A4')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1005', 'Teater 1', 'A5')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1006', 'Teater 2', 'A6')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1007', 'Teater 2', 'A7')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1008', 'Teater 2', 'A8')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1009', 'Teater 2', 'B1')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1010', 'Teater 2', 'B2')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1011', 'Teater 3', 'C1')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1012', 'Teater 3', 'C2')
SELECT * FROM dual;

```
SQL> INSERT ALL
  2    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1001', 'Teater 1', 'A1')
  3    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1002', 'Teater 1', 'A2')
  4    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1003', 'Teater 1', 'A3')
  5    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1004', 'Teater 1', 'A4')
  6    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1005', 'Teater 1', 'A5')
  7    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1006', 'Teater 2', 'A6')
  8    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1007', 'Teater 2', 'A7')
  9    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1008', 'Teater 2', 'A8')
 10    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1009', 'Teater 2', 'B1')
 11    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1010', 'Teater 2', 'B2')
 12    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1011', 'Teater 3', 'C1')
 13    INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES ('IN1012', 'Teater 3', 'C2')
 14  SELECT * FROM dual;

12 rows created.

SQL>
```

e. INSERT ALL
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT001', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT002', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT003', 'F0102', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT004', 'F0101', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT005', 'F0103', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT006', 'F0102', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT007', 'F0104', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT008', 'F0102', 'Teater 3', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT009', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES ('JT010', 'F0102', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
SELECT * FROM dual;



```
SQL> INSERT ALL
  2    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT001', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  3    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT002', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  4    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT003', 'F0102', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  5    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT004', 'F0101', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  6    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT005', 'F0103', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  7    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT006', 'F0102', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  8    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT007', 'F0104', 'Teater 2', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
  9    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT008', 'F0102', 'Teater 3', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
 10    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT009', 'F0101', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
 11    INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES ('JT010', 'F0102', 'Teater 1', TO_DATE('01/07/2019', 'DD/MM/YYYY'), TO_DATE('07/07/2019', 'DD/MM/YYYY'))
 12  SELECT * FROM dual;

10 rows created.

SQL>
```

f. INSERT ALL
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10001', 'JT001', 'MM0111', 'pesan', TO_DATE('15/06/2019', 'DD/MM/YYYY'), 30000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10002', 'JT006', 'MM0112', 'pesan', TO_DATE('16/06/2019', 'DD/MM/YYYY'), 100000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10003', 'JT008', 'MM0113', 'pesan', TO_DATE('17/06/2019', 'DD/MM/YYYY'), 75000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10004', 'JT001', 'MM0114', 'pesan', TO_DATE('18/06/2019', 'DD/MM/YYYY'), 30000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10005', 'JT006', 'MM0115', 'pesan', TO_DATE('19/06/2019', 'DD/MM/YYYY'), 100000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10006', 'JT001', 'MM0116', 'bayar', TO_DATE('20/06/2019', 'DD/MM/YYYY'), 30000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10007', 'JT008', 'MM0117', 'pesan', TO_DATE('21/06/2019', 'DD/MM/YYYY'), 75000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10008', 'JT001', 'MM0118', 'pesan', TO_DATE('22/06/2019', 'DD/MM/YYYY'), 30000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10009', 'JT006', 'MM0119', 'pesan', TO_DATE('23/06/2019', 'DD/MM/YYYY'), 100000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10010', 'JT008', 'MM0120', 'checkin', TO_DATE('24/06/2019', 'DD/MM/YYYY'), 75000)
SELECT * FROM dual;

```
SQL> INSERT ALL
  2    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10001', 'JT001', 'MM0111', 'pesan', TO_DATE('15/06/2019', 'DD/MM/YYYY'), 30000)
  3    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10002', 'JT006', 'MM0112', 'pesan', TO_DATE('16/06/2019', 'DD/MM/YYYY'), 100000)
  4    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10003', 'JT008', 'MM0113', 'pesan', TO_DATE('17/06/2019', 'DD/MM/YYYY'), 75000)
  5    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10004', 'JT001', 'MM0114', 'pesan', TO_DATE('18/06/2019', 'DD/MM/YYYY'), 30000)
  6    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10005', 'JT006', 'MM0115', 'pesan', TO_DATE('19/06/2019', 'DD/MM/YYYY'), 100000)
  7    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10006', 'JT001', 'MM0116', 'bayar', TO_DATE('20/06/2019', 'DD/MM/YYYY'), 30000)
  8    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10007', 'JT008', 'MM0117', 'pesan', TO_DATE('21/06/2019', 'DD/MM/YYYY'), 75000)
  9    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10008', 'JT001', 'MM0118', 'pesan', TO_DATE('22/06/2019', 'DD/MM/YYYY'), 30000)
 10    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10009', 'JT006', 'MM0119', 'pesan', TO_DATE('23/06/2019', 'DD/MM/YYYY'), 100000)
 11    INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('P10010', 'JT008', 'MM0120', 'checkin', TO_DATE('24/06/2019', 'DD/MM/YYYY'), 75000)
 12  SELECT * FROM dual;

10 rows created.

SQL>
```

C. Lakukan update data (minimal 5 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. UPDATE Member
SET no_hp = '08098933333'
WHERE id_member = 'MM0113';

```
SQL> UPDATE Member
  2  SET no_hp = '08098933333'
  3  WHERE id_member = 'MM0113';

1 row updated.

SQL>
```

b. UPDATE Member
SET email = 'doni_inod@gmail.com'
WHERE id_member = 'MM0117';

```
SQL> UPDATE Member
  2  SET email = 'doni_inod@gmail.com'
  3  WHERE id_member = 'MM0117';

1 row updated.

SQL>
```

c. UPDATE Theater
SET harga = 100000
WHERE id_theater = 'Teater 5';

```
SQL> UPDATE Theater
  2  SET harga = 100000
  3  WHERE id_theater = 'Teater 5';

1 row updated.

SQL>
```

d. UPDATE Transaksi
SET status = 'bayar'
WHERE kode_pemesanan = 'P10001';

```
SQL> UPDATE Transaksi
  2  SET status = 'bayar'
  3  WHERE kode_pemesanan = 'P10001';

1 row updated.

SQL>
```

e. UPDATE Film
SET durasi = 100
WHERE id_film = 'F0102';

```
SQL> UPDATE Film
  2  SET durasi = 100
  3  WHERE id_film = 'F0102';

1 row updated.

SQL>
```

D. Lakukan hapus data (minimal 2 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. DELETE FROM Film
WHERE judul = 'Buya Hamka';

```
SQL> DELETE FROM Film
  2  WHERE judul = 'Buya Hamka';

1 row deleted.

SQL>
```

b. DELETE FROM Theater
WHERE id_theater = 'Teater 3';

```
SQL> DELETE FROM Theater
  2  WHERE id_theater = 'Teater 3';

1 row deleted.

SQL>
```