Introduction and Use of GUI Guider Interface Development Tool

1. Introduction

GUI Guider is an upper computer GUI design tool developed by NXP for LVGL. It allows designing LVGL GUI pages by dragging and dropping controls, speeding up GUI design. The designed GUI pages can be simulated and run on a PC. Once the design is confirmed, C code can be generated and integrated into STM32 project.




2. Use Method

2.1 Software Installation


Open the 'Software' folder in the current directory, then double-click to open it. Select 'Simplified Chinese' and click 'OK':




Next, click 'Agree':




It's recommended to change the installation directory to the D drive path, then click 'Install':



Wait for the installation to complete:



After installation, uncheck the box and click 'Finish':



Once all steps are completed in order, you should see the Gui-Guidier software icon on your desktop, indicating successful installation.


Note: To avoid installation failure, please follow the above installation steps in sequence during the installation process!!!

2.2 Use Method


1. Double-click 'GUI-Guider-1.5.1-GA' 

to open the software. The initial interface is in English. Users can adjust it to Chinese for easier project creation in the future.

2. Click 'Create a new project' on the interface:




3. Select the LVGL version. Here, choose version V7.10.1. After selecting, click 'Next':




Note: lvgl8 requires Keil 5.38 or higher with armclang to compile correctly.

4. Select 'Simulator', then click 'Simulator', and finally click 'Next' to proceed to the next step.




5. To quickly experience how to import GUI programs into the LCD screen, choose the pre-edited sample provided by the software (select the first one here).



Select 'ButtonCounter' and click 'Next'.


6. Enter your project name. In this case, set it as 'new_project'. Then browse for the project path you want to create. It's recommended to use an English path. Finally, click 'Create'.



!!! Note: A prompt box may appear at the bottom stating 'java version cannot be identified'. Click 'OK' here, then proceed to '3.1 Java Environment Installation and Check' to configure the environment and resolve this issue before continuing with the next steps!!!



7. Click on the language settings in the upper right corner and set it to Chinese. This will switch the interface language to Chinese.



8. After confirming the design of your interface, click on this button option in the upper right corner of the software interface to generate the code.



If the warning bar shown in the following image appears, select 'Do not remind me again' and then click 'OK' to proceed.



9. If you see a prompt like this at the bottom of the interface, it means the program generation is complete!!!



10. Two folders (custom and generated) will be generated in the project directory previously selected.




Note: If any unknown issues arise during the installation process, you can refer to section 3. Common Problems for assistance. If the issue persists, feel free to contact our after-sales personnel.


3. FAQ:

3.1 Java Environment Installation and Check


1. Open the 'openjdk-20.0.1_windows-x64_bin' folder in the software, copy it to your computer, ensuring it's in an English path (it's recommended to extract it to 'C:\Program Files\openjdk-20.0.1_windows-x64_bin').




2. After extraction, add environment variables. Press the 'Win' key, and search for 'Environment Variables'.




3. Then click on 'Advanced', followed by 'Environment Variables', and add the Java extraction location to the environment variables.




4. Select 'Path' in the Administrator user variables, then click 'Edit'.




5. Click on 'New', then add the paths from points 2, 3, and 4 in the figure below to the options, and finally click 'OK' to return to the previous level interface.




6. Similarly, in the 'System Variables', select 'Path', then click 'Edit':




7. Similarly, click 'New', then add the paths from points 2, 3, and 4 in the figure below to the environment variables, and finally click 'OK'.



8. Close the Environment Variables window, then press the 'Win' key, type 'cmd', and open the Command Prompt:



9. Enter 'java -version' for version verification. If the content shown in the image below appears, it indicates that the Java environment has been added to the system environment, and you can return to Gui-Guider for project editing.


管理员: 命令提示符
Microsoft Windows [版本 10.0.19045.3208]
(c) Microsoft Corporation。保留所有权利。
C:\Users\Administrator>java -version
openjdk version "20.0.1" 2023-04-18
OpenJDK Runtime Environment (build 20.0.1+9-29)
OpenJDK 64-Bit Server VM (build 20.0.1+9-29, mixed mode, sharing)
C:\Users\Administrator>