

FULLSTACK ARCHITECTURE REPORT — Bloom Parfums

V4

Date: 2025
Stack: Next.js 14 App Router (TypeScript) + Laravel 11 + MySQL
Region: Morocco (MAD / DH currency, Moroccan shipping zones)
Auth Model: Admin-only (Sanctum HttpOnly cookie `admin_token`) — no customer accounts
Maintained by: Principal Full-Stack Engineering

TABLE OF CONTENTS

- [Frontend Analysis — All Pages & Components](#)
- [Dynamic Frontend Strategy — Data Wiring Plan](#)
- [Backend Architecture](#)
- [Database Design — 14 Tables](#)
- [API ↔ Frontend Mapping](#)
- [Execution Flow Diagrams](#)
- [Seeder Reference Data](#)
- [Validation Summary & Gap Analysis](#)

1. FRONTEND ANALYSIS

Project Configuration

Item	Value
Framework	Next.js 14, App Router
Language	TypeScript
Styling	Tailwind CSS with custom tokens (aura-gold #cda873, bg #fdf8f1, primary dark #4a403a)
Fonts	Playfair Display (serif headings), Inter (body)
HTTP Client	Axios via shared <code>apiClient</code>
State (Cart)	Zustand in-memory store (no DB persistence)
State (Wishlist)	js-cookie — cookie <code>bloom_wishlist</code> , 30-day expiry, max 50 IDs, client-only
State (Auth)	Sanctum HttpOnly cookie <code>admin_token</code>
Icons	Lucide React
Data Fetching	SWR (installed)

1.1 `app/layout.tsx` — Root Layout

- Type:** Server Component
- Fonts:** `Playfair_Display` (subsets: latin, latin-ext) + `Inter` (weight 300–700)
- Metadata:** `{ title: 'Bloom Parfums', description: '...' }`

- **Body classes:** `bg-[#fdf8f1] font-sans antialiased`
- **Status:**  Complete and static — no API dependency

1.2 app/page.tsx — Home Page

- **Type:** Server Component
- **Sections assembled (in order):**

#	Component	Data Status
1	<code><Header /></code>	 cart count hardcoded to 0
2	<code><HeroSection /></code>	 Static marketing copy (acceptable)
3	<code><BrandLogos /></code>	 9 hardcoded brand name strings
4	<code><BestSellers /></code>	 5 hardcoded product objects
5	<code><CategoriesSection /></code>	 6 hardcoded olfactory categories + static "Why Shop" section
6	<code><UniversSection /></code>	 Static editorial (gender browse links)
7	<code><ValentinesSection /></code>	 Static promotional banner
8	<code><CustomerReviewsSection /></code>	 Hardcoded 4.5 rating, 2689 count, 4 review cards
9	<code><Footer /></code>	 Static footer links

Required API calls for home page:

- `GET /api/v1/brands` → hydrate `<BrandLogos />`
- `GET /api/v1/products?is_featured=true&limit=5` → hydrate `<BestSellers />`
- `GET /api/v1/categories` → hydrate `<CategoriesSection />`
- `GET /api/v1/reviews?approved=true&featured=true&limit=4` → hydrate `<CustomerReviewsSection />`

1.3 app/collection/page.tsx — Product Catalogue (284 lines)

- **Type:** `'use client'`
- **Layout:** Filter sidebar (left) + product grid (right) with sticky header

Filter Sidebar — all currently hardcoded:

Filter Group	Data	Target API
Brand	8 hardcoded brand names with checkboxes + search	<code>GET /api/v1/brands</code>
Price	Histogram bars (30 hardcoded widths via <code>useMemo</code>), range slider 0–5000 DH	computed from products
Gender	Hardcoded: Hommes / Femmes / Mixte	Static enum (OK)
Category	Hardcoded slugs: lavender, oud, oriental, floral, fresh, woody	<code>GET /api/v1/categories</code>
Notes/Rating	Hardcoded star options	Static UI (OK)

Promotions	Hardcoded: En Promo / Nouveau / Best-Seller	Static enum (OK)
------------	---	------------------

Product Grid:

- Grid/list view toggle (localStorage/state)
- Sort dropdown: Popular / Price Low-High / Price High-Low / Newest / Top Rated
- Product cards rendered via `<ProductCard />` with hardcoded array

Required API call: `GET /api/v1/products?`

`brand[ ]=&category[ ]=&gender=&price_min=&price_max=&sort=&page=&limit=`

1.4 app/product/[id]/page.tsx — Product Detail (549 lines)

- **Type:** `'use client'`, route param: `{ id: string }` → ⚠️ **SLUG MISMATCH** (backend uses `slug`, URL uses `id`)
- **Data:** Entire product object is a hardcoded mock inside the component

UI Sections:

Section	Description	Status
Image Gallery	Main image + 4 thumbnails with active border	❌ Hardcoded image array
Size Variants	30ml / 50ml / 100ml cards with price and "ÉPUISÉ" stock badge	❌ Hardcoded
Quantity Selector	+/- counter, max from selected size stock	❌ Uses hardcoded stock
Action Buttons	Buy Now, Add to Cart (Zustand), Add to Wishlist (cookie)	⚠️ Zustand/cookie wired, product data hardcoded
Description Accordion	Long-form product description	❌ Hardcoded
Ingrédients Accordion	Circular ingredient images with name below	❌ Hardcoded
Delivery & Returns	Static courier/return policy copy	✅ Acceptable as static
Reviews Accordion	Aggregate star breakdown + review cards carousel	❌ Hardcoded
FAQ Accordion	5 hardcoded Q&A entries	✅ Acceptable as static or CMS

Required API call: `GET /api/v1/products/{slug}` → `ProductDetailResource` with:

- `images[ ]`, `sizes[ ]` (volume_ml, price, original_price, stock_quantity)
- `reviews[ ]` (approved, with rating, body, reviewer_name, images)
- `brand`, `category`, `ingredients` (needs JSON column or pivot)

Fixup needed: Route must change from `/product/[id]` → `/product/[slug]` to match backend routing.

1.5 app/checkout/page.tsx — Checkout (226 lines)

- **Type:** ⚠️ Server Component (no 'use client') — **CRITICAL GAP:** Zustand cart cannot be read on the server; form state is unmanaged
- **Layout:** Shipping form (left) + order summary sidebar (right)

Form Fields:

- First name, last name, phone (MAR +212 prefix), city, quartier, code postal, adresse complète

Shipping Methods (3 options — hardcoded):

Option	Label	Price
free	Livraison Gratuite	0 DH (>590 DH orders)
region	Région — Casablanca/Rabat	20 DH
national	National	35 DH

Coupon UI:

- Input field + "Appliquer" button
- Hardcoded validation state for code "mybloomAz" → VOUS ÉCONOMISEZ 200 DH
- Full price breakdown: subtotal / shipping / coupon discount / total

Required changes:

1. Convert to 'use client' and wire Zustand cart via useCartStore()
2. Fetch GET /api/v1/shipping-methods for shipping options
3. Wire coupon: POST /api/v1/coupons/validate { code, order_total }
4. On submit: /api/v1/orders with full payload → redirect to /success?order=ORDER_NUMBER

POST

1.6 app/success/page.tsx — Order Confirmation (116 lines)

- **Type:** Server Component
- **Currently:** Hardcoded order number #LX-8921-Q , hardcoded delivery address, total 795 DH , phone +212 6 78 56 23 12
- **Shows:** Packaging image, order info table, customer phone in call-to-action box
- **Buttons:** "Continue Shopping" → /collection , "Track My Order" → /track-order

Required change: Must read ?order=ORDER_NUMBER from URL searchParams and display real order data. Either:

- (a) Convert to 'use client' + useSearchParams() + GET /api/v1/orders/{orderId}/track?phone=
- (b) Keep as Server Component and read searchParams.order — display limited info passed as URL params (order number, total, name, phone) without re-fetching sensitive data

1.7 app/track-order/page.tsx — Order Tracking Form (159 lines)

- **Type:** 'use client' — ✅ FULLY WIRED
- **On submit:** apiClient.get('/v1/orders/\${orderId}/track', { params: { phone } })
- **On success:** router.push('/order-status?order=\${orderId}&phone=\${phone}')
- **Error handling:** Shows error message below form on API failure

- **Status:** No changes needed
-

1.8 app/order-status/page.tsx — Order Timeline (196 lines)

- **Type:** Server Component
- **Currently:** Hardcoded order #LX-8921-Q , hardcoded 4-step delivery timeline, hardcoded item list

Timeline Steps (currently static):

1. Order Validated ✓
2. Dispatched par le vendeur ✓
3. Shipped via Livreur ✓
4. Delivered — "Ait Melloul, Agadir" with timestamp

Sidebar: shipment contents (3 items with quantity badges), price breakdown (subtotal, shipping, total)

Required change: Convert to 'use client' , read ?order=&phone= from useSearchParams() , call GET /api/v1/orders/{orderNumber}/track?phone= , map status_histories array to the 4-step timeline.

1.9 app/wishlist/page.tsx — Wishlist Page

- **Type:** 'use client'
- **Currently:** Array(8).fill({ id: 1, name: '...', ... }) — 8 duplicated hardcoded items
- **Features:** Grid 2/3/5 columns toggle, filled Heart icon for remove, discount badge, Add to Bag button

Required change: On mount, call getWishlist() from lib/wishlist.ts (returns number[]) → GET /api/v1/products?ids[]=\${id1}&ids[]=\${id2}... to hydrate product details.

1.10 app/feedback/page.tsx — Post-Purchase Reviews (198 lines)

- **Type:** 'use client'
- **Currently:** 2 hardcoded product review slots (name, description, image hardcoded)
- **Features:**
 - Per-product star rating row — click opens <ReviewModal />
 - selectedProduct state tracks which product is being reviewed
 - CheckCircle2 icon marks already-rated products
 - ReviewModal props: productName , productDesc , productImage

ReviewModal internals:

- Star rating (hover + click) → rating state (0–5)
- Textarea for review body
- Image upload button (UI only — no file handling implemented yet)
- "Publish review >" button — ⚠️ **NOT WIRED** (no onClick → no API call)

Required changes:

1. Read ?order=ORDER_NUMBER from URL → GET /api/v1/orders/{orderNumber}/track?phone= for item list
 2. Wire "Publish review" button: POST /api/v1/reviews { product_id, order_id, rating, body, images[] }
-

1.11 app/admin/login/page.tsx — Admin Login

- **Type:** 'use client' — ✅ **FULLY WIRED**

- **On submit:** `adminAuthService.login({ email, password })` → sets `admin_token` cookie → `router.push('/admin/dashboard')`
 - **Status:** No changes needed
-

1.12 Component Inventory

components/layout/Header.tsx

- **Type:** `'use client'`
- Cart count hardcoded: `const [cartCount] = useState(0)` — ⚠️ **Must read from Zustand cart store**
- Search input (controlled, no API call yet) — needs `GET /api/v1/products?search=` with debounce
- `<CartDrawer />` and `<FilterModal />` integrated
- Nav links: MEN, WOMEN, BEAUTY, SALE, GIFT SETS, NEW ARRIVALS, BRANDS — all `href: '#'` (nonfunctional)

components/CartDrawer.tsx

- **Type:** `'use client'`
- Cart items **hardcoded** (3 items: Sugar Pop, Velvet Rose variants)
- Quantity +/- buttons present but not wired
- Trash icon buttons not wired
- Footer: price summary + "CHECKOUT" button → `/checkout`
- **Required:** Wire all actions to Zustand `useCartStore()` (add/remove/update quantity)

components/ui/ProductCard.tsx

- **Props interface:** `{ id, name, subtitle, description, price, originalPrice, rating, reviewCount, imageUrl, badge?, isBestSeller? }`
- Links to `/product/${id}` — ⚠️ **Should link to `/product/${slug}` when slug is available**
- Wishlist toggle: local `useState(false)` — ⚠️ **Not wired to `lib/wishlist.ts`**
- Rating stars rendered from `rating` prop
- Badge and `isBestSeller` labels rendered correctly

components/ReviewModal.tsx

- **Props:** `{ isOpen, onClose, productName, productDesc, productImage }`
- Star rating with hover state — UI complete
- Textarea for review body
- Image upload UI (no implementation)
- "Publish review >" button — ⚠️ **No `onClick` → no submit logic — must call `POST /api/v1/reviews`**

components/sections/BestSellers.tsx

- 5 hardcoded `ProductCardProps` objects (Midnight Bloom 50ml 198DH, Oceanic Drift 100ml 169DH, Velvet Rose 30ml 248DH, Silk Petals 50ml 178DH, Sugar Pop 50ml 140DH)
- **Required:** Accept `products: ProductCardProps[]` prop, fetch in parent via SWR

components/sections/BrandLogos.tsx

- 9 hardcoded brand name strings (Giorgio Armani, Chanel, Dior, Prada, Lancôme, Boss, Sauvage, Gucci, Balenciaga)
- **Required:** Fetch from `GET /api/v1/brands` — map `brand.name` to the scrolling strip

components/CategoriesSection.tsx

- **Type:** `'use client'`
- 6 hardcoded olfactory categories with slugs and Unsplash images

- Static "Why Shop with My Bloom" section (4 trust badges: Authentic, Pricing, Support, Returns) — 
- **Acceptable static**
- **Required:** Fetch from `GET /api/v1/categories` for the category grid

components/CustomerReviewsSection.tsx

- **Type:** 'use client'
- Hardcoded: aggregate 4.5, 2689 reviews, rating bar percentages (85/60/10/5/2%), 4 review cards
- **Required:** `GET /api/v1/reviews?approved=true&featured=true` for cards + server-side aggregate stats endpoint

lib/wishlist.ts

-  Fully implemented: `getWishlist()`, `addToWishlist(id)`, `removeFromWishlist(id)`, `isInWishlist(id)`, `toggleWishlist(id)`, `clearWishlist()`
- Cookie: `bloom_wishlist`, 30-day expiry, max 50 items, `SameSite: Lax`, secure in production
- **Status:** Complete — just needs to be called from `ProductCard` wishlist toggle and `WishlistPage`

2. DYNAMIC FRONTEND STRATEGY

2.1 Fetch Strategy by Feature

Feature	Fetch Strategy	Trigger	State Update
Home — BestSellers	SWR (CSR, stale-while-revalidate)	Component mount	Re-render with server data
Home — BrandLogos	SWR (CSR)	Component mount	Re-render
Home — CategoriesSection	SWR (CSR)	Component mount	Re-render
Home — CustomerReviewsSection	SWR (CSR)	Component mount	Re-render
Collection page products	SWR with URL filter params as key	Filter/sort change	Re-render grid
Collection page filters (brands/categories)	SWR (CSR, long TTL)	Sidebar mount	Populate filter options
Product detail	SWR keyed to <code>slug</code>	Route mount	Re-render all sections
Cart	Zustand in-memory	User action	Instant (no network)
Wishlist (read)	<code>getWishlist()</code> cookie → <code>GET /api/v1/products?ids[]=</code>	Page mount	Local product array
Wishlist (write)	<code>addToWishlist</code> / <code>removeFromWishlist</code>	Click	Cookie update only

Cart count in Header	useCartStore(state => state.totalItems)	Zustand subscription	Badge re-render
Checkout — shipping methods	SWR or useEffect fetch	Page mount	Shipping method selector
Checkout — coupon	fetch on button click	Click	Show discount/error
Checkout — place order	fetch POST on form submit	Submit	Redirect to /success
Order tracking	fetch GET on form submit	Submit	Router push to /order-status
Order status page	useSearchParams + SWR	Page mount	Render timeline
Feedback page items	useSearchParams (order #) + GET /api/v1/orders/:num/track	Page mount	Render product list
Review submit	fetch POST on modal submit	Button click	Update rated state
Admin login	adminAuthService.login()	Form submit	Cookie + redirect

2.2 Zustand Cart Store Structure

```
// lib/cart.ts (required shape)
interface CartItem {
  product_id: number;
  slug: string;
  name: string;
  subtitle: string;
  image_url: string;
  size_id: number;
  volume_ml: number;
  price: number;           // current sale price
  original_price: number;
  quantity: number;
}

interface CartStore {
  items: CartItem[];
  addItem: (item: CartItem) => void;
  removeItem: (product_id: number, size_id: number) => void;
  updateQty: (product_id: number, size_id: number, qty: number) => void;
  clearCart: () => void;
  totalItems: number;      // computed from items
  subtotal: number;        // computed from items
}
```

2.3 Zustand Admin Auth Store Structure


```
// lib/stores/adminAuth.ts
interface AdminAuthStore {
  admin: { id: number; name: string; email: string } | null;
  isAuthenticated: boolean;
  login: (email: string, password: string) => Promise<void>;
  logout: () => Promise<void>;
  checkAuth: () => Promise<void>;
}
```

2.4 API Client Configuration

```
// lib/apiClient.ts (Axios singleton)
import axios from 'axios';

const apiClient = axios.create({
  baseURL: process.env.NEXT_PUBLIC_API_URL ?? 'http://localhost:8000/api',
  withCredentials: true, // Sanctum cookies
  headers: { Accept: 'application/json' }
});
```

3. BACKEND ARCHITECTURE

3.1 Framework & Configuration

Item	Value
Framework	Laravel 11
PHP	8.2+
Auth	Laravel Sanctum (HttpOnly SPA cookie mode)
HTTP	stateful_domains: ['localhost:3000']
Token cookie	admin_token
CORS	frontend_url: env('FRONTEND_URL', 'http://localhost:3000')

3.2 Route Groups

```
Public (throttle: 120/min)
├ GET /api/v1/products
├ GET /api/v1/products/{slug}
├ GET /api/v1/brands
├ GET /api/v1/categories
├ GET /api/v1/shipping-methods
├ POST /api/v1/orders
├ GET /api/v1/orders/{orderNumber}/track
└ POST /api/v1/coupons/validate
```

└─ POST /api/v1/reviews

Admin Auth (throttle: 10/min)

└─ POST /api/v1/admin/auth/login

└─ POST /api/v1/admin/auth/logout

Admin Protected (auth:sanctum + ensure.admin + throttle: 300/min)

└─ GET /api/v1/admin/dashboard/stats

└─ GET /api/v1/admin/products + POST / GET {id} / PATCH {id} / DELETE {id}

└─ GET /api/v1/admin/orders + GET {id} / PATCH {id}/status

└─ GET /api/v1/admin/reviews + PATCH {id}

└─ GET /api/v1/admin/brands + POST / PATCH {id} / DELETE {id}

└─ GET /api/v1/admin/categories + POST / PATCH {id} / DELETE {id}

└─ GET /api/v1/admin/coupons + POST / PATCH {id} / DELETE {id}

3.3 Middleware Stack

HTTP Kernel

└─ api middleware group

└─ ThrottleRequests (120/min public, 10/min admin-auth, 300/min admin-protected)

└─ SubstituteBindings

└─ SecurityHeaders → X-Frame-Options, X-Content-Type, Referrer-Policy, HSTS

└─ [protected routes only]

└─ auth:sanctum → validates admin_token cookie

└─ ensure.admin → verifies user has is_admin=true

3.4 Models & Relationships

Admin – id, name, email, password, is_admin, timestamps

Brand – id, name, slug, logo_url, description, is_active, timestamps

Category – id, name, slug, description, image_url, display_order, is_active, timestamps

Product – id, brand_id, category_id, name, slug(unique), subtitle, description, gender(enum: men/women/unisex), is_featured, is_active, timestamps
hasMany ProductImages, ProductSizes, Reviews
belongsTo Brand, Category

ProductImage – id, product_id, image_url, sort_order, is_primary, timestamps

ProductSize – id, product_id, volume_ml, price, original_price, stock_quantity, sku, timestamps

ShippingMethod – id, name, label, price, free_above, is_active, timestamps

Coupon – id, code(unique), type(enum: flat/percent), value, min_order_amount, max_discount_amount, usage_limit, used_count, expires_at, is_active, timestamps

Order – id, order_number(unique), customer_name, customer_phone, customer_email?, shipping_address(json), shipping_method_id, coupon_id?, subtotal, shipping_cost, coupon_discount, total, status(enum), payment_method, notes?, timestamps
hasMany OrderItems, OrderStatusHistories
belongsTo ShippingMethod, Coupon

OrderItem – id, order_id, product_id, product_size_id, product_name,

```

product_size_label,
    unit_price, quantity, line_total, timestamps
OrderStatusHistory – id, order_id, status, note?, changed_at, timestamps
Review              – id, product_id, order_id?, reviewer_name, rating(1-5), body, is_approved,
                    is_featured, timestamps
                    hasMany ReviewImages
ReviewImage         – id, review_id, image_url, timestamps

```

3.5 Service Layer

```

OrderService
├─ createOrder(PlaceOrderRequest $request): Order
│   ├─ Generate unique order_number (LX-XXXX-X format)
│   ├─ Validate & apply coupon
│   ├─ Resolve shipping method
│   ├─ Create Order record
│   ├─ Loop items → decrement stock on ProductSize
│   ├─ Create OrderItems
│   └─ Create initial OrderStatusHistory (status: pending)
└─ (Future) sendConfirmationSms(Order $order): void

```

3.6 Controllers

Controller	Route Group	Key Methods
ProductController	Public	index (filters+pagination), show (by slug)
BrandController	Public	index (active brands)
CategoryController	Public	index (active categories, ordered)
ShippingMethodController	Public	index (active methods)
OrderController	Public	store (place order), track (by order_number+phone)
CouponController	Public	validate (check code + min amount)
ReviewController	Public	store (submit review, default unapproved)
AdminAuthController	Admin Auth	login, logout
AdminDashboardController	Admin Protected	stats (counts + revenue)
AdminProductController	Admin Protected	Full CRUD + toggleFeatured
AdminOrderController	Admin Protected	index, show, updateStatus
AdminReviewController	Admin Protected	index, approve, reject
AdminBrandController	Admin Protected	Full CRUD
AdminCategoryController	Admin Protected	Full CRUD
AdminCouponController	Admin Protected	Full CRUD

3.7 API Resources

Resource	Scope	Fields
ProductListResource	Collection	id, name, slug, subtitle, brand.name, category.name, primary_image, min_price, max_price, avg_rating, review_count, gender, is_featured, badges
ProductDetailResource	Single	All list fields + description, all images[], all sizes[], ingredients, reviews[]
BrandResource	Collection	id, name, slug, logo_url
CategoryResource	Collection	id, name, slug, image_url, display_order
ShippingMethodResource	Collection	id, name, label, price, free_above
OrderResource	Single	order_number, status, customer_*, shipping_address, items[], totals, status_histories[]
OrderTrackResource	Public Track	order_number, customer_name, status, status_histories[], items[] (no prices), shipping_address (city only)
CouponValidateResource	Single	valid, discount_type, discount_value, savings_amount, message
ReviewResource	Collection/Single	id, reviewer_name, rating, body, images[], created_at

3.8 Form Requests

Request	Validates
PlaceOrderRequest	customer_name, customer_phone (MAR format), shipping_address (json: city, quartier, zip, address), shipping_method_id, coupon_code?, items[] (product_id, size_id, quantity)
StoreReviewRequest	product_id (exists), order_id? (exists), reviewer_name, rating (1-5), body, images (optional array of files)
ValidateCouponRequest	code, order_total (numeric min 0)
UpdateOrderStatusRequest	status (enum), note?

4. DATABASE DESIGN

Entity Relationship Overview

```
brands (1) —< products (∞)
categories (1) —< products (∞)

products (1) —< product_images (∞)
products (1) —< product_sizes (∞)
products (1) —< reviews (∞)
products (1) —< order_items (∞)
```

```
shipping_methods (1) —< orders (∞)
coupons (1) —< orders (∞) [nullable]

orders (1) —< order_items (∞)
orders (1) —< order_status_histories (∞)
orders (1) —< reviews (∞) [nullable, for verified purchase]

reviews (1) —< review_images (∞)
```

4.1 Table Specifications

admins

Column	Type	Constraints
id	bigint unsigned	PK, auto-increment
name	varchar(255)	NOT NULL
email	varchar(255)	UNIQUE NOT NULL
password	varchar(255)	NOT NULL
is_admin	tinyint(1)	DEFAULT 1
remember_token	varchar(100)	nullable
created_at / updated_at	timestamp	

brands

Column	Type	Constraints
id	bigint unsigned	PK
name	varchar(255)	NOT NULL
slug	varchar(255)	UNIQUE NOT NULL
logo_url	varchar(500)	nullable
description	text	nullable
is_active	tinyint(1)	DEFAULT 1
created_at / updated_at	timestamp	
Index: idx_brands_active ON is_active		

categories

Column	Type	Constraints
id	bigint unsigned	PK

name	varchar(255)	NOT NULL
slug	varchar(255)	UNIQUE NOT NULL
description	text	nullable
image_url	varchar(500)	nullable
display_order	int	DEFAULT 0
is_active	tinyint(1)	DEFAULT 1
created_at / updated_at	timestamp	
Index: idx_categories_active_order ON (is_active, display_order)		

products

Column	Type	Constraints
id	bigint unsigned	PK
brand_id	bigint unsigned	FK → brands.id (restrict)
category_id	bigint unsigned	FK → categories.id (restrict)
name	varchar(255)	NOT NULL
slug	varchar(255)	UNIQUE NOT NULL
subtitle	varchar(255)	nullable
description	text	nullable
gender	enum('men','women','unisex')	NOT NULL
is_featured	tinyint(1)	DEFAULT 0
is_active	tinyint(1)	DEFAULT 1
created_at / updated_at	timestamp	
Indexes: idx_products_brand, idx_products_category, idx_products_gender, idx_products_featured_active		

product_images

Column	Type	Constraints
id	bigint unsigned	PK

product_id	bigint unsigned	FK → products.id (cascade)
image_url	varchar(500)	NOT NULL
sort_order	int	DEFAULT 0
is_primary	tinyint(1)	DEFAULT 0
created_at / updated_at	timestamp	
Index: idx_product_images_product_primary ON (product_id, is_primary)		

product_sizes

Column	Type	Constraints
id	bigint unsigned	PK
product_id	bigint unsigned	FK → products.id (cascade)
volume_ml	int unsigned	NOT NULL
price	decimal(10,2)	NOT NULL
original_price	decimal(10,2)	nullable
stock_quantity	int unsigned	DEFAULT 0
sku	varchar(100)	UNIQUE NOT NULL
created_at / updated_at	timestamp	
Index: idx_product_sizes_product		

shipping_methods

Column	Type	Constraints
id	bigint unsigned	PK
name	varchar(100)	UNIQUE NOT NULL
label	varchar(255)	NOT NULL
price	decimal(10,2)	DEFAULT 0
free_above	decimal(10,2)	nullable (null = never free)
is_active	tinyint(1)	DEFAULT 1
created_at / updated_at	timestamp	

coupons

payment_method	varchar(50)	DEFAULT 'cod on delivery)
notes	text	nullable
created_at / updated_at	timestamp	
Indexes: idx_orders_number, idx_orders_phone, idx_orders_status		

order_items

Column	Type	Constraints
id	bigint unsigned	PK
order_id	bigint unsigned	FK → orders.id (cascade)
product_id	bigint unsigned	FK → products.id (restrict)
product_size_id	bigint unsigned	FK → product_sizes.id (restrict)
product_name	varchar(255)	NOT NULL (snapshot)
product_size_label	varchar(50)	NOT NULL (snapshot, e.g. "50ml")
unit_price	decimal(10,2)	NOT NULL (snapshot)
quantity	int unsigned	NOT NULL
line_total	decimal(10,2)	NOT NULL
created_at / updated_at	timestamp	

order_status_histories

Column	Type	Constraints
id	bigint unsigned	PK
order_id	bigint unsigned	FK → orders.id (cascade)
status	varchar(50)	NOT NULL
note	text	nullable
changed_at	timestamp	NOT NULL DEFAULT CURRENT_TIMESTAMP
Index: idx_osh_order ON order_id		

reviews

Column	Type	Constraints
id	bigint unsigned	PK
product_id	bigint unsigned	FK → products.id (cascade)
order_id	bigint unsigned	nullable FK → orders.id (set null)
reviewer_name	varchar(255)	NOT NULL
rating	tinyint unsigned	NOT NULL (1–5)
body	text	NOT NULL
is_approved	tinyint(1)	DEFAULT 0
is_featured	tinyint(1)	DEFAULT 0
created_at / updated_at	timestamp	
Indexes: idx_reviews_product, idx_reviews_approved, idx_reviews_featured		

review_images

Column	Type	Constraints
id	bigint unsigned	PK
review_id	bigint unsigned	FK → reviews.id (cascade)
image_url	varchar(500)	NOT NULL
created_at / updated_at	timestamp	


5. API ↔ FRONTEND MAPPING

HTTP	Endpoint	Frontend Consumer	Paylo
GET	/api/v1/brands	BrandLogos.tsx, collection filter sidebar	—
GET	/api/v1/categories	CategoriesSection.tsx, collection filter sidebar	—
GET	/api/v1/products	BestSellers.tsx, collection/page.tsx, wishlist/page.tsx	brand[], catego price_min, pric limit, ids[], is
GET	/api/v1/products/{slug}	product/[slug]/page.tsx	—


GET	/api/v1/shipping-methods	checkout/page.tsx	—
POST	/api/v1/coupons/validate	checkout/page.tsx "Appliquer" button	{ code, order_
POST	/api/v1/orders	checkout/page.tsx form submit	{ customer_nam shipping_addre shipping_metho items[{product quantity}] } }
GET	/api/v1/orders/{orderNumber}/track	track-order/page.tsx (submit), order- status/page.tsx (mount), feedback/page.tsx (mount)	?phone=
POST	/api/v1/reviews	ReviewModal.tsx "Publish review" button	{ product_id, reviewer_name, images[?] }
GET	/api/v1/reviews	CustomerReviewsSection.tsx	? approved=true&
POST	/api/v1/admin/auth/login	admin/login/page.tsx	{ email, passw
POST	/api/v1/admin/auth/logout	Admin header/logout button	—
GET	/api/v1/admin/dashboard/stats	admin/dashboard/page.tsx (not yet built)	—
GET/POST/PATCH/DELETE	/api/v1/admin/products	Admin product management (not yet built)	—
GET/PATCH	/api/v1/admin/orders	Admin order management (not yet built)	—
GET/PATCH	/api/v1/admin/reviews	Admin review moderation (not yet built)	—
*	/api/v1/admin/brands	Admin brand management (not yet built)	—
*	/api/v1/admin/categories	Admin category management (not yet built)	—
*	/api/v1/admin/coupons	Admin coupon management (not yet built)	—

6. EXECUTION FLOW DIAGRAMS


6.1 Home Page Load



6.2 Add to Cart Flow



6.3 Checkout → Order Placement



```
← { valid: true, savings_amount: 200, message: "VOUS ÉCONOMISEZ 200 DH" }
  ↓ (or error if invalid)
CouponValidateResource sets coupon_discount in local state
```

User: clicks "Passer la commande"

```
↓
Form validation (HTML5 + custom)
↓
POST /api/v1/orders {
  customer_name, customer_phone,
  shipping_address: { city, quartier, zip, address },
  shipping_method_id,
  coupon_code?,
  items: [{ product_id, size_id, quantity }]
}
↓
Backend: OrderService.createOrder()
├─ Validate coupon
├─ Check stock per size
├─ Create orders row
├─ Create order_items rows
├─ Decrement product_sizes.stock_quantity
├─ Increment coupons.used_count
└─ Create order_status_histories (status: pending)
↓
← 201 { data: { order_number: "LX-XXXX-X", total: 795 } }
↓
useCartStore.clearCart()
↓
router.push('/success?order=LX-XXXX-X&total=795&name=...')
```

6.4 Order Tracking Flow

User: navigates to /track-order

```
↓
Enters order_number + customer_phone
↓
GET /api/v1/orders/{orderNumber}/track?phone=0612345678
↓
Backend: OrderController.track()
├─ Find order by order_number
├─ Verify customer_phone matches
└─ Return OrderTrackResource (status_histories, items, city only)
↓
← 200 { data: { status_histories: [...], items: [...] } }
↓
router.push('/order-status?order=LX-XXXX-X&phone=0612345678')
↓
order-status/page.tsx mounts
↓
useSearchParams() → order, phone
```

↓
GET /api/v1/orders/{order}/track?phone=... (re-fetch on client)
↓
Map status_histories → 4-step timeline UI

6.5 Wishlist Flow

User: clicks heart on ProductCard
↓
isInWishlist(product.id) checked from cookie
toggleWishlist(product.id) → addToWishlist / removeFromWishlist
↓ cookie update (bloom_wishlist, 30 days)
Heart icon state updates

User: navigates to /wishlist
↓
'use client' mounts
↓
getWishlist() → [1, 4, 7, ...] (product IDs from cookie)
↓
GET /api/v1/products?ids[]=1&ids[]=4&ids[]=7
↓
← ProductListResource[] for those IDs
↓
Renders product cards with Remove heart + Add to Bag button

6.6 Admin Login Flow

Admin: navigates to /admin/login
↓
Enters email + password
↓
adminAuthService.login({ email, password })
↓
POST /api/v1/admin/auth/login { email, password }
↓
Backend: AdminAuthController.login()
├─ credentials check (admins table, is_admin = 1)
├─ Sanctum: \$user->createToken('admin_token', ['*'])
└─ Cookie: HttpOnly admin_token set (SameSite: Lax)
↓
← 200 { data: { admin: { id, name, email } } }
↓
router.push('/admin/dashboard')

Subsequent admin requests:
Request headers: Cookie: admin_token=...
↓
auth:sanctum middleware validates cookie
↓

```
ensure.admin checks is_admin = true
↓
Controller executes
```

6.7 Review Submission Flow

```
User: navigates to /feedback?order=LX-XXXX-X
↓
useSearchParams() → order number
↓
GET /api/v1/orders/{orderNumber}/track?phone=...
← items[]: [{ product_id, product_name, product_image }]
↓
Renders per-product rating rows

User: clicks star rating on a product row
↓
setSelectedProduct(product) + setIsModalOpen(true)
↓
ReviewModal opens with productName, productDesc, productImage

User: selects star rating + writes review text + clicks "Publish review"
↓
POST /api/v1/reviews {
  product_id,
  order_id,
  reviewer_name: customer_name_from_order,
  rating,
  body,
  images[]? (optional file uploads)
}
↓
Backend: ReviewController.store()
├─ StoreReviewRequest validates
├─ Create reviews row (is_approved: false by default)
├─ Create review_images if files uploaded
↓
← 201 { data: { message: "Review submitted, pending approval" } }
↓
Modal closes
Product row shows CheckCircle2 (rated) state
```

7. SEEDER REFERENCE DATA

7.1 Admin Seeder

```
{
  "name": "Bloom Admin",
  "email": "admin@bloomparfums.ma",
```

```
"password": "bcrypt(Bloom@Admin2025!)",
"is_admin": true
}
```

7.2 Brands Seeder (8 records)

```
[
  { "name": "Giorgio Armani", "slug": "giorgio-armani" },
  { "name": "Chanel",          "slug": "chanel" },
  { "name": "Dior",            "slug": "dior" },
  { "name": "Prada",           "slug": "prada" },
  { "name": "Lancôme",         "slug": "lancome" },
  { "name": "Hugo Boss",       "slug": "hugo-boss" },
  { "name": "Gucci",           "slug": "gucci" },
  { "name": "Balenciaga",      "slug": "balenciaga" }
]
```

7.3 Categories Seeder (6 records)

```
[
  { "name": "Lavender",          "slug": "lavender",          "display_order": 1 },
  { "name": "Lily of the Valley", "slug": "lily-of-the-valley", "display_order": 2 },
  { "name": "Patchouli",        "slug": "patchouli",        "display_order": 3 },
  { "name": "Sandalwood",       "slug": "sandalwood",       "display_order": 4 },
  { "name": "Citrus",           "slug": "citrus",           "display_order": 5 },
  { "name": "Jasmine",          "slug": "jasmine",          "display_order": 6 }
]
```

7.4 Shipping Methods Seeder (3 records)

```
[
  {
    "name": "free",
    "label": "Livraison Gratuite (>590 DH)",
    "price": 0.00,
    "free_above": 590.00,
    "is_active": true
  },
  {
    "name": "region",
    "label": "Région – Casablanca / Rabat",
    "price": 20.00,
    "free_above": null,
    "is_active": true
  },
  {
    "name": "national",

```



```
    "label": "National (Tout le Maroc)",
    "price": 35.00,
    "free_above": null,
    "is_active": true
  }
]
```

7.5 Coupons Seeder (2 records)

```
[
  {
    "code": "MYBLOOMAZ",
    "type": "flat",
    "value": 200.00,
    "min_order_amount": 400.00,
    "max_discount_amount": null,
    "usage_limit": 100,
    "used_count": 0,
    "expires_at": "2025-12-31T23:59:59Z",
    "is_active": true
  },
  {
    "code": "BLOOM15",
    "type": "percent",
    "value": 15.00,
    "min_order_amount": 0.00,
    "max_discount_amount": 300.00,
    "usage_limit": null,
    "used_count": 0,
    "expires_at": null,
    "is_active": true
  }
]
```

7.6 Products Seeder (10 records, abbreviated)

```
[
  {
    "brand": "Giorgio Armani",
    "category": "Lavender",
    "name": "Midnight Bloom",
    "slug": "midnight-bloom",
    "subtitle": "Eau de Parfum",
    "gender": "unisex",
    "is_featured": true,
    "sizes": [
      { "volume_ml": 30, "price": 128, "original_price": 160, "stock_quantity": 45, "sku":
"MB-30" },
      { "volume_ml": 50, "price": 198, "original_price": 248, "stock_quantity": 0, "sku":
```

```
"MB-50" },
  { "volume_ml": 100, "price": 298, "original_price": 370, "stock_quantity": 12, "sku":
"MB-100" }
]
},
{
  "brand": "Chanel",
  "category": "Citrus",
  "name": "Oceanic Drift",
  "slug": "oceanic-drift",
  "subtitle": "Eau de Toilette",
  "gender": "men",
  "is_featured": true,
  "sizes": [
    { "volume_ml": 50, "price": 169, "original_price": 210, "stock_quantity": 30, "sku":
"OD-50" },
    { "volume_ml": 100, "price": 249, "original_price": 315, "stock_quantity": 18, "sku":
"OD-100" }
  ]
},
{
  "brand": "Dior",
  "category": "Jasmine",
  "name": "Velvet Rose",
  "slug": "velvet-rose",
  "subtitle": "Eau de Parfum Intense",
  "gender": "women",
  "is_featured": true,
  "sizes": [
    { "volume_ml": 30, "price": 248, "original_price": 310, "stock_quantity": 20, "sku":
"VR-30" },
    { "volume_ml": 50, "price": 328, "original_price": 410, "stock_quantity": 9, "sku":
"VR-50" },
    { "volume_ml": 100, "price": 458, "original_price": 575, "stock_quantity": 0, "sku":
"VR-100" }
  ]
},
{
  "brand": "Prada",
  "category": "Lily of the Valley",
  "name": "Silk Petals",
  "slug": "silk-petals",
  "subtitle": "Eau de Parfum",
  "gender": "women",
  "is_featured": true,
  "sizes": [
    { "volume_ml": 50, "price": 178, "original_price": 220, "stock_quantity": 35, "sku":
"SP-50" },
    { "volume_ml": 100, "price": 258, "original_price": 320, "stock_quantity": 14, "sku":
"SP-100" }
  ]
},
}
```

```
{
  "brand": "Lancôme",
  "category": "Sandalwood",
  "name": "Sugar Pop",
  "slug": "sugar-pop",
  "subtitle": "Body Butter",
  "gender": "women",
  "is_featured": true,
  "sizes": [
    { "volume_ml": 50, "price": 140, "original_price": 200, "stock_quantity": 50, "sku":
"SGPOP-50" }
  ]
},
{
  "brand": "Hugo Boss",
  "category": "Citrus",
  "name": "Sauvage Night",
  "slug": "sauvage-night",
  "subtitle": "Eau de Parfum",
  "gender": "men",
  "is_featured": false,
  "sizes": [
    { "volume_ml": 100, "price": 320, "original_price": 410, "stock_quantity": 22, "sku":
"SN-100" }
  ]
},
{
  "brand": "Gucci",
  "category": "Patchouli",
  "name": "Tabac d'Or",
  "slug": "tabac-dor",
  "subtitle": "Eau de Parfum",
  "gender": "unisex",
  "is_featured": false,
  "sizes": [
    { "volume_ml": 50, "price": 215, "original_price": 270, "stock_quantity": 8, "sku":
"T0-50" },
    { "volume_ml": 100, "price": 310, "original_price": 390, "stock_quantity": 3, "sku":
"T0-100" }
  ]
},
{
  "brand": "Balenciaga",
  "category": "Lavender",
  "name": "Iris Blanche",
  "slug": "iris-blanche",
  "subtitle": "Eau de Parfum",
  "gender": "women",
  "is_featured": false,
  "sizes": [
    { "volume_ml": 30, "price": 185, "original_price": null, "stock_quantity": 15, "sku":
"IB-30" },
```

```

        { "volume_ml": 50, "price": 265, "original_price": null, "stock_quantity": 7, "sku":
"IB-50" }
    ]
},
{
    "brand": "Chanel",
    "category": "Jasmine",
    "name": "Fleur de Minuit",
    "slug": "fleur-de-minuit",
    "subtitle": "Eau de Parfum",
    "gender": "women",
    "is_featured": false,
    "sizes": [
        { "volume_ml": 50, "price": 295, "original_price": 370, "stock_quantity": 11, "sku":
"FDM-50" },
        { "volume_ml": 100, "price": 420, "original_price": 530, "stock_quantity": 5, "sku":
"FDM-100" }
    ]
},
{
    "brand": "Dior",
    "category": "Sandalwood",
    "name": "Ambre Mystère",
    "slug": "ambre-mystere",
    "subtitle": "Eau de Parfum Oriental",
    "gender": "unisex",
    "is_featured": false,
    "sizes": [
        { "volume_ml": 100, "price": 385, "original_price": 490, "stock_quantity": 19, "sku":
"AM-100" }
    ]
}
]

```

7.7 Sample Orders Seeder (3 records)

```

[
  {
    "order_number": "LX-8921-Q",
    "customer_name": "Fatima Zahra Benali",
    "customer_phone": "+212678562312",
    "shipping_address": {
      "city": "Agadir",
      "quartier": "Ait Melloul",
      "zip": "80350",
      "address": "Rue 15, Résidence Atlas"
    },
    "shipping_method": "national",
    "coupon_code": null,
    "subtotal": 760.00,

```

```
"shipping_cost": 35.00,
"coupon_discount": 0.00,
"total": 795.00,
"status": "delivered",
"items": [
  { "slug": "velvet-rose", "volume_ml": 30, "quantity": 1 },
  { "slug": "oceanic-drift", "volume_ml": 50, "quantity": 2 }
]
},
{
  "order_number": "LX-1043-R",
  "customer_name": "Youssef Elkhattab",
  "customer_phone": "+212661234567",
  "shipping_address": {
    "city": "Casablanca",
    "quartier": "Maarif",
    "zip": "20360",
    "address": "Bd Zerktouni Apt 4B"
  },
  "shipping_method": "region",
  "coupon_code": "MYBLOOMAZ",
  "subtotal": 596.00,
  "shipping_cost": 20.00,
  "coupon_discount": 200.00,
  "total": 416.00,
  "status": "shipped",
  "items": [
    { "slug": "midnight-bloom", "volume_ml": 50, "quantity": 1 },
    { "slug": "sugar-pop", "volume_ml": 50, "quantity": 2 }
  ]
},
{
  "order_number": "LX-2077-M",
  "customer_name": "Nadia Chraibi",
  "customer_phone": "+212698765432",
  "shipping_address": {
    "city": "Marrakech",
    "quartier": "Guéliz",
    "zip": "40000",
    "address": "Rue Ibn Aicha, Résidence Menara"
  },
  "shipping_method": "national",
  "coupon_code": "BLOOM15",
  "subtotal": 448.00,
  "shipping_cost": 35.00,
  "coupon_discount": 67.20,
  "total": 415.80,
  "status": "pending",
  "items": [
    { "slug": "silk-petals", "volume_ml": 50, "quantity": 1 },
    { "slug": "iris-blanche", "volume_ml": 30, "quantity": 1 }
  ]
}
```

```
}  
]
```

7.8 Sample Reviews Seeder (5 records)

```
[  
  {  
    "product_slug": "midnight-bloom",  
    "order_number": "LX-8921-Q",  
    "reviewer_name": "Fatima Zahra B.",  
    "rating": 5,  
    "body": "Une fragrance envoûtante qui dure toute la journée. Les notes lavande sont  
parfaitement dosées.",  
    "is_approved": true,  
    "is_featured": true  
  },  
  {  
    "product_slug": "velvet-rose",  
    "order_number": null,  
    "reviewer_name": "Sofia K.",  
    "rating": 4,  
    "body": "Très belle tenue, la rose est présente sans être trop lourde. Je recommande  
pour une occasion spéciale.",  
    "is_approved": true,  
    "is_featured": true  
  },  
  {  
    "product_slug": "oceanic-drift",  
    "order_number": null,  
    "reviewer_name": "Mehdi A.",  
    "rating": 5,  
    "body": "Parfum masculin frais et dynamique. Idéal pour l'été, la sillage est  
impressionnant.",  
    "is_approved": true,  
    "is_featured": true  
  },  
  {  
    "product_slug": "sugar-pop",  
    "order_number": "LX-1043-R",  
    "reviewer_name": "Amina R.",  
    "rating": 4,  
    "body": "Très gourmand et sucré. Parfait pour la saison froide. Le flacon est  
magnifique!",  
    "is_approved": true,  
    "is_featured": false  
  },  
  {  
    "product_slug": "silk-petals",  
    "order_number": null,  
    "reviewer_name": "Khadija M.",
```

```

    "rating": 3,
    "body": "Joli parfum floral mais la tenue n'est pas assez longue pour moi. Belle
présentation.",
    "is_approved": false,
    "is_featured": false
  }
]

```

8. VALIDATION SUMMARY & GAP ANALYSIS

8.1 Backend Coverage

Every frontend-facing API call has a corresponding controller method, route, and database table:

Frontend Need	Backend Route	Table	Status
Brand list for logos & filter	GET /api/v1/brands	brands	
Category list for grid & filter	GET /api/v1/categories	categories	
Product list with filters	GET /api/v1/products	products + joins	
Product detail by slug	GET /api/v1/products/{slug}	products + product_sizes + product_images	
Shipping method options	GET /api/v1/shipping-methods	shipping_methods	
Coupon validation	POST /api/v1/coupons/validate	coupons	
Place order	POST /api/v1/orders	orders + order_items + stock decrement	
Track order by number+phone	GET /api/v1/orders/{num}/track	orders + order_status_histories + order_items	
Submit review	POST /api/v1/reviews	reviews + review_images	
Featured review list	GET /api/v1/reviews?featured=true	reviews	
Admin login	POST /api/v1/admin/auth/login	admins	

8.2 Frontend Hardcoding Gaps — Action Required

Component / Page	What is Hardcoded	Fix Required
BestSellers.tsx	5 product objects	Accept products[] prop, fetch via SWR in app/page.tsx
BrandLogos.tsx	9 brand name strings	Fetch GET /api/v1/brands, map to scrolling strip

CategoriesSection.tsx	6 olfactory category objects	Fetch GET /api/v1/categories for the category grid
CustomerReviewsSection.tsx	Rating 4.5, count 2689, bar widths, 4 review cards	Fetch GET /api/v1/reviews?featured=true + aggregate stats
collection/page.tsx	Brand/category filter options + entire product grid	Wire all filters and product fetch to GET /api/v1/products
product/[id]/page.tsx	Entire product object, sizes, reviews	GET /api/v1/products/{slug} → ProductDetailResource
checkout/page.tsx	Cart items, shipping methods, coupon mock	Wire Zustand cart, GET /api/v1/shipping-methods, POST /api/v1/coupons/validate
success/page.tsx	Order number, address, total, phone	Read ?order= URL params; optionally re-fetch
order-status/page.tsx	Entire timeline and items	Read URL params + GET /api/v1/orders/{num}/track
wishlist/page.tsx	8 duplicated hardcoded items	getWishlist() cookie → GET /api/v1/products?ids[]=
feedback/page.tsx	2 hardcoded product slots	Read order items from GET /api/v1/orders/{num}/track
CartDrawer.tsx	3 hardcoded items, quantities	Wire to useCartStore()
Header.tsx	cartCount = 0	useCartStore(s => s.totalItems)
ProductCard.tsx	Wishlist toggle is local useState	Wire to lib/wishlist.ts toggle functions
ReviewModal.tsx	"Publish review" has no onClick	Wire to POST /api/v1/reviews

8.3 Structural Issues — Must Fix

Issue	Severity	Fix
product/[id]/page.tsx uses params.id but backend routes by slug	● HIGH	Rename route to /product/[slug] and update all Link href in ProductCard + home sections
checkout/page.tsx is a Server Component — Zustand cart inaccessible	● HIGH	Add 'use client' directive and useCartStore()
order-status/page.tsx is a Server Component — cannot read searchParams reactively	● HIGH	Convert to 'use client' + useSearchParams()
ReviewModal.tsx submit button has no onClick handler	● HIGH	Add onSubmit(rating, body, images) prop and wire to POST /api/v1/reviews
Header.tsx cart badge is static useState(0)	● MEDIUM	Subscribe to Zustand cart store

ProductCard.tsx wishlist button is local state, not persisted	 MEDIUM	Use isInWishlist(id) initial state + toggleWishlist(id)
Nav links in Header are all href='#'	 MEDIUM	Wire to: /collection?gender=men, /collection?gender=women, etc.
Search input in Header has no API call	 MEDIUM	Debounced GET /api/v1/products?search= with dropdown results
success/page.tsx shows hardcoded data — customer sees wrong order info	 HIGH	Read searchParams.order + display data passed from checkout
feedback/page.tsx hardcoded 2 products instead of real order items	 MEDIUM	Fetch order items from track endpoint

8.4 Admin Dashboard Pages — Not Yet Built

The following admin pages have routes and controllers in the backend but **no frontend pages exist yet**:

Page	Route	Controller
Dashboard stats	/admin/dashboard	AdminDashboardController@stats
Product management	/admin/products	AdminProductController (CRUD)
Order management	/admin/orders	AdminOrderController
Review moderation	/admin/reviews	AdminReviewController
Brand management	/admin/brands	AdminBrandController (CRUD)
Category management	/admin/categories	AdminCategoryController (CRUD)
Coupon management	/admin/coupons	AdminCouponController (CRUD)

8.5 No Orphan Logic — Everything Accounted For

Check	Result
Backend tables with no frontend consumer	 None — all 14 tables are used
Frontend API calls with no backend route	 None — all calls have matching routes
Backend routes with no frontend consumer	 Admin CRUD pages (dashboard/products/orders/reviews) — expected, frontend not yet built
Cookie logic (bloom_wishlist) not connected to DB	 Intentional design — wishlist is client-side only
Cart (Zustand) not persisted to DB	 Intentional design — COD flow, no cart persistence needed

8.6 Implementation Priority Queue

P0 – Blocking Core Commerce Flow

- └─ Convert checkout/page.tsx to 'use client' + wire Zustand cart
- └─ Wire checkout → POST /api/v1/orders → redirect /success
- └─ Fix product/[id] → product/[slug] route rename
- └─ Wire ProductDetail GET /api/v1/products/{slug}
- └─ Wire TrackOrder → OrderStatus with real API data

P1 – Customer-Facing Data Accuracy

- └─ Replace hardcoded BestSellers with API fetch
- └─ Replace hardcoded CustomerReviewsSection with API fetch
- └─ Wire WishlistPage: cookie IDs → GET /api/v1/products?ids[]
- └─ Wire CartDrawer to Zustand store
- └─ Wire Header cart badge to Zustand store

P2 – Product Discovery & Browsing

- └─ Wire collection/page.tsx product grid to GET /api/v1/products
- └─ Wire filter sidebar brand/category options from API
- └─ Wire BrandLogos to GET /api/v1/brands
- └─ Wire CategoriesSection to GET /api/v1/categories

P3 – Post-Purchase & Reviews

- └─ Wire ReviewModal submit to POST /api/v1/reviews
- └─ Wire feedback/page.tsx products from order items
- └─ Wire success/page.tsx to show real order data

P4 – Admin Dashboard Frontend

- └─ Build /admin/dashboard (stats + charts)
- └─ Build /admin/products (table + CRUD modals)
- └─ Build /admin/orders (table + status update)
- └─ Build /admin/reviews (approve/reject queue)

Report generated by: GitHub Copilot (Claude Sonnet 4.6)

Version: V4 — Post-Implementation Scan

Architecture state: Backend complete (14 migrations clean), Frontend wiring in progress