


[View All Notifications](#)

## Form View

[Go Back to Tender/Proposal Document](#)

## Tender/Proposal Detail

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                            |                                  |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|
| Tender/Proposal ID :     | 601115                                                                                                                                                                                                                                                                                                                                                                                                                                          | Invitation Reference No. : | ET/LAK/RKBLK/407, Dt: 29/08/2021 |
| Closing Date and Time :  | 12-Oct-2021 12:50                                                                                                                                                                                                                                                                                                                                                                                                                               | Opening Date and Time :    | 12-Oct-2021 12:50                |
| Procuring Entity :       | Lakshmipur O&M Division                                                                                                                                                                                                                                                                                                                                                                                                                         |                            |                                  |
| Brief :                  | River bank protective work along the left bank of Meghna river from km 139.117 to km 139.417 = 300 m in c/w "Protection work at the bank of Meghna river at Borokheri, Ludhuabazar and Kaderponditer hat areas in Ramgati and Kamal Nagar upazila under Lakshmipur District" Project in Upazila-Kamalnagar, Dist.-Lakshmipur under Lakshmipur O&M Division, BWDB, Lakshmipur during the year 2021-2022 (Package No.- Lak/W-13/Lot-3/2021-2022). |                            |                                  |
| Tender/Proposal Status : | Live                                                                                                                                                                                                                                                                                                                                                                                                                                            |                            |                                  |

[View Notice](#)

Form Name : Bill of Quantities

**Tender ID-601115**  
**Form Header :** River bank protective work along the left bank of Meghna river from km 139.117 to km 139.417 = 300 m in c/w "Protection work at the bank of Meghna river at Borokheri, Ludhuabazar and Kaderponditer hat areas in Ramgati and Kamal Nagar upazila under Lakshmipur District" Project in Upazila-Kamalnagar, Dist.-Lakshmipur under Lakshmipur O&M Division, BWDB, Lakshmipur during the year 2021-2022 (Package No.- Lak/W-13/Lot-3/2021-2022).

Table Name : Bill of Quantities

| Item no. | Group  | Item Code (if any) | Description of Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Measurement Unit | Quantity  | Unit Price<br>In figures (BDT)                                       | Unit Price<br>In Words (BDT) | Total Price<br>In Figures (BDT) | Total Price<br>In Words (BDT) |
|----------|--------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------|----------------------------------------------------------------------|------------------------------|---------------------------------|-------------------------------|
| 1        | 16-200 | 16-200-10          | Earth work by carried earth by truck/boat or any other means supplied at contractor's own cost (including royalty) in constructing/ resectioning of the embankment/ canal bank/ road etc. in clayey soil (minimum 30% clay, 0-40% silt and 0-30% sand) beyond the initial lead of 300m including throwing the spoils to a profile in layers not exceeding 150mm in thickness, breaking clods, benching the side slopes, stripping the base of embankment and borrow pit area, dug bailing, cutting trees upto 200mm girth with uprooting stumps, clearing jungles, bail out of water, rough dressing and 150mm cambering at the centre of the crest etc. complete as per design, specification and direction of Engineer in charge.<br>300m. to 1.00 km. | Cum              | 17611.740 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 2        | 16-150 | 16-150-20          | Compaction of earth in constructing/resectioning of embankment/ canal bank/ road/river slopes etc. by mechanical equipment to attain 85% /90% maximum dry density at optimum moisture content with reference to laboratory density test AASTHO-180 modified hammer in all kinds of soils as per direction of Engineer in charge.<br>0.0m to 6.0m height and above, with 90% compaction.                                                                                                                                                                                                                                                                                                                                                                  | Cum              | 20665.740 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 3        | 16-410 | 16-410             | Earth work by Mechanical Excavator ( Long Boom ) in all kinds of soil in excavation / re-excavation of channel/canal/khal etc. Including disposal of spoil-soil upto 30m away from the point of excavation with rough dressing and levelling etc. complete as per direction of Engineer-in-Charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Cum              | 1832.400  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 4        | 16-490 | 16-490-10          | Earth work by manual labour in all kinds of soil for excavation/re-excavation of pond/ tank and constructing bank as per design and specification, throwing the spoil earth in layers of 150mm including breaking clods, dressing, profiling etc. complete with all leads and lifts as per direction of Engineer in charge.<br>For ordinary soil.                                                                                                                                                                                                                                                                                                                                                                                                        | Cum              | 1221.600  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 5        | 40-550 | 40-550-30          | Supplying and laying sand as filter layers as per specific size ranges and gradation including preparation of surface, compacting in layer etc. complete with supply of all materials and as per direction of Engineer in charge.<br>FM:1.0 to 1.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Cum              | 628.200   | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 6        | 40-520 | 40-520-20          | Supplying and laying dry 1st class or pick jhama chips as filter in two layers (top and bottom) as per specific size, range and gradation, including breaking chips, grading, preparation of surface, compacting each layer etc. complete with supply of all materials and as per direction of Engineer in charge:<br>well graded between 40mm to 20mm size:                                                                                                                                                                                                                                                                                                                                                                                             | Cum              | 308.100   | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 7        | 40-520 | 40-520-30          | Supplying and laying dry 1st class or pick jhama chips as filter in two layers (top and bottom) as per specific size, range and gradation, including breaking chips, grading, preparation of surface, compacting each layer etc. complete with supply of all materials and as per direction of Engineer in charge:<br>well graded between 20mm to 5mm size:                                                                                                                                                                                                                                                                                                                                                                                              | Cum              | 308.100   | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto                         | Auto                            | Auto                          |
| 8        | 40-500 | 40-500-            | Supplying and placing non-woven needle punched type geotextile fabric (97% Polypropylene Fabric with 3% additives, unit weight : 855 Kg/m3 to                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Sqm              | 6732.000  | Fill By Tenderer/Consultant                                          | Auto                         | Auto                            | Auto                          |

|    |        |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      |           |                                                                      |      |      |      |
|----|--------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|----------------------------------------------------------------------|------|------|------|
|    |        | 40        | 946 Kg/m <sup>3</sup> ) as filter materials of elongation at maximum force machine direction (MD) >=60% and <= 100 % , elongation at maximum force (CMD) => 40% and <= 100% ,horizontal and vertical permeability (under 2 kn/m <sup>2</sup> ressure)=>2x10E-3 m/sec. for effective erosion protection in hydraulic structures/river training works including local handling, placing in position, providing machine seamed joints (with 100% polypropylene or nylon thread) or 35cm lap in dry condition or minimum 100cm lap under water including protecting the geotextile material from UV ray and from any other damages including supply of all materials, labours, equipment's etc. complete as per direction of Engineer in charge. (Geotextile delivered at site should be certified by ISO and clearly labelled with brand name and grade printed at regular intervals across the body of the fabric).<br><br>Mass =>400 gm/m <sup>2</sup> , thickness(Under 2 kpa pressure) =>3.00 mm, EoS<=0.08mm, strip tensile strength =>23 kn/m, grab strength =>1500 N, CBR puncture resistance =>3800 N.                                                                                                                                                                                                                                                                                                                           |      |           | - Money Positive(3 digits after decimal)                             |      |      |      |
| 9  | 40-360 | 40-360-10 | ""[Dumping with Barge & Total Station] Supplying, filling and dumping of geo-textile bags of different sizes and capacity at project/work site, making with standard geo-textile fabric (97% Polypropylene Fabric with 3% additives, mass>= 400gm/m <sup>2</sup> , unit weight : 855 Kg/m <sup>3</sup> to 946 Kg/m <sup>3</sup> , EoS<=0.075 mm) and sewing in accordance with the drawing and Technical Specifications of BWDB and Schedule of Rates of BWDB, protecting the geotextile bags from UV ray or any other damages, filling with sand (dry and minimum 80% sand must be retained on sieve no 100), sewing along one transverse (top) side after filling, staking in easurable/countable stakes, marking with synthetic enamel paint during counting, dumping from properly positioned and anchored flat top barge/pontoon over an area as per drawing, maintaining & recording the position of dumping barge/pontoon using total station including loading, unloading, sequential piling of geo-bags on the dumping edge of barge/pontoon, cost of all materials & equipments and its mobilization, labour, incidental charges etc. complete as per technical specification, approved design and direction of Engineer in charge. [fill volume and weight will be measured after filling with dry sand] Geo-bag; inner size:1200mmx950mm, outer size:1250mmx1000mm, geo-fabric th.=>3.0mm, Fill Vol: 0.1664cum; wt: 250kg | Each | 63101.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 10 | 40-230 | 40-230-15 | Manufacturing and supplying C.C. blocks in leanest mix. 1:2:4 with cement, sand (FM>=2.0) and Stone Chips (40mm down graded) to attain a 28 days cylinder strength of 18 N/mm <sup>2</sup> including grading, washing stone chips, mixing, laying in forms, consolidation, curing for at least 21 days, including preparation of platform, shuttering and stacking in measurable stacks etc. complete including supply of all materials (steel shutter to be used) as per direction of Engineer in charge. Block size: 50cm x 50cmx 50cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Each | 56340.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 11 | 40-230 | 40-230-20 | Manufacturing and supplying C.C. blocks in leanest mix. 1:2:4 with cement, sand (FM>=2.0) and Stone Chips (40mm down graded) to attain a 28 days cylinder strength of 18 N/mm <sup>2</sup> including grading, washing stone chips, mixing, laying in forms, consolidation, curing for at least 21 days, including preparation of platform, shuttering and stacking in measurable stacks etc. complete including supply of all materials (steel shutter to be used) as per direction of Engineer in charge. Block size: 50cm x 50cmx 40cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Each | 20092.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 12 | 40-230 | 40-230-35 | Manufacturing and supplying C.C. blocks in leanest mix. 1:2:4 with cement, sand (FM>=2.0) and Stone Chips (40mm down graded) to attain a 28 days cylinder strength of 18 N/mm <sup>2</sup> including grading, washing stone chips, mixing, laying in forms, consolidation, curing for at least 21 days, including preparation of platform, shuttering and stacking in measurable stacks etc. complete including supply of all materials (steel shutter to be used) as per direction of Engineer in charge. Block size: 40cm x 40cmx 40cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Each | 65625.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 13 | 40-270 | 40-270-10 | Labour charge for protective works in laying CC blocks of different sizes including preparation of base, watering and ramming of base etc. complete as per direction of Engineer in charge. within 200 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Cum  | 1375.850  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 14 | 40-270 | 40-270-20 | Labour charge for protective works in laying CC blocks of different sizes including preparation of base, watering and ramming of base etc. complete as per direction of Engineer in charge. 200 m to 500 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Cum  | 1375.850  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 15 | 40-290 | 40-290-10 | "Dumping work of Hard rock/ stone/ boulders/C.C blocks/brick blocks/sand cement blocks over a uniform area from properly positioned by engine boat upto an accuracy of 10cm monitoring with Total Station. The dumping area to be determined by conducting bathymetric survey, furnishing topographic site plan, cross section, dumping alignment, providing location of benchmark and stake at batches of dumping activity, doing by a river survey team (including survey manager, hydrographic surveyor, Auto cad operator, etc.) with total station. Sequential stacking of Hard rock/ stone/ boulders/C.C blocks/brick blocks/sand cement blocks on the engine boat, carrying the Hard rock/ stone/ boulders/C.C blocks/brick blocks/sand cement blocks to dumping area and dumping the block from the boat by manual labour or any other means, all materials & charges etc. complete as per direction of engineer in charge, specification and design." within 200 m                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Cum  | 5250.000  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 16 | 40-290 | 40-290-20 | "Dumping work of Hard rock/ stone/ boulders/C.C blocks/brick blocks/sand cement blocks over a uniform area from properly positioned by engine boat upto an accuracy of 10cm monitoring with Total Station. The dumping area to be determined by conducting bathymetric survey, furnishing topographic site plan, cross section, dumping alignment, providing location of benchmark and stake at batches of dumping activity, doing by a river survey team (including survey manager, hydrographic surveyor, Auto cad operator, etc.) with total station. Sequential stacking of Hard rock/ stone/ boulders/C.C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Cum  | 5250.000  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |

|    |        |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |      |           |                                                                      |      |      |      |
|----|--------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|----------------------------------------------------------------------|------|------|------|
|    |        |           | blocks/brick blocks/sand cement blocks on the engine boat, carrying the Hard rock/ stone/ boulders/C.C blocks/brick blocks/sand cement blocks to dumping area and dumping the block from the boat by manual labour or any other means, all materials & charges etc. complete as per direction of engineer in charge, specification and design." 200 m to 500 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      |           |                                                                      |      |      |      |
| 17 | 48-100 | 48-100    | Fine dressing and close turfing of the slopes and the crest of embankment with 75mm thick, good quality durba or charkanta sods of size 200mm x 200mm, with all leads and lifts, including ramming, watering until the turf grows properly, maintaining etc. complete (measurement will be given on well grown grass only). as per direction of Engineer in charge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Sqm  | 3138.000  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 18 | 16-710 | 16-710-10 | Ditch filling by Carried Earth (by truck/boat or any other means) supplied at contractor's own cost (including royalty) manually compacted by 7.0 kg iron rammer to avoid any air pocket beyond the initial lead of 300m and all lifts including throwing the spoils to profile in layers with clod breaking to a maximum size of 100mm, removing roots & stumps of trees of girth upto 200mm from the ground etc. complete as per direction of Engineer in charge.<br><br>300m. to 1.00 km.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Cum  | 3850.000  | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 19 | 16-100 | 16-100    | Erection of bamboo profile with full bamboo posts and pegs not less than 60mm in diameter and coir strings etc. complete as per direction of Engineer in charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Each | 4.000     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 20 | 4-120  | 4-120     | Construction of B.M. Pillars at site with first class bricks in cement mortar (1:4) of size 38cmx38cmx75cm on cement concrete (1:2:4) base of size 50cmx50cmx7.5cm with 12mm thick cement plastering (1:2) on exposed surfaces of pillar and cement mortar on top (1:2), with inscription of "BWDB" with 25cm of the pillar below ground level etc. complete including ramming the backfill and the cost of all materials as per direction of Engineer in charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Each | 1.000     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 21 | 4-180  | 4-180     | Site preparation by manually removing all miscellaneous objectional materials from entire site and removing soil upto 15cm depth including uprooting stumps, jungle clearing, levelling dressing etc. complete as per direction of Engineer in charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Sqm  | 15000.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 22 | 4-710  | 4-710     | Temporary lease of land for 1 (one) year with necessary compensation for crops or this installation on land for site office, material yard, casting yard, staking yard etc. complete as per direction of Engineer in charge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Sqm  | 35200.000 | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 23 | 10-140 | 10-140-30 | River Morphological Data Collection/Bathymetric and river bank topography Survey for small river section (Section width 251 m to 350 m), including cost of all necessary equipments (Level Machine, Echo Sounder, Hand GPS, DGPS, Bathymetric Survey Software with Survey Laptop, survey vessel etc.), Necessary Personal (River Morphology Expert for data consistency checking, Engineer/Survey Specialist for data processing with survey software and prepare necessary Table, Graph and Morphological Parameter Calculations, Surveyor & Unskilled Labour for field data collection), Accommodation, Transportation from Headquarter to site and site movement and shaded boat for bathymetric survey for field Survey Team including necessary fuels and Lubricant, other necessary auxiliary items such as survey flags, pegs with provision for submission of report in hard binded copies (at least 6 copies required), soft copies and raw survey data with provision of 10% random re-survey for data consistency checking as per direction of Engineer in charge.<br><br>Section Interval : 41 m to 60 m | Each | 8.000     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 24 | 16-500 | 16-500    | Earth work in excavation of foundation trenches in all kinds of soils including levelling, dressing, placing, removal of spoils to a safe distance with initial lead of 30m and lift of 1.5m as per direction of Engineer in charge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Cum  | 1.674     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 25 | 28-120 | 28-120-20 | Cement concrete work in leanest mix. 1:3:6 with sand of FM>=1.5, in foundation or floor including breaking, screening, grading and washing aggregates with clear water, mixing, laying in position, consolidation to levels, curing, including supply of all materials, excluding the cost of formworks etc. complete as per direction of Engineer in charge.<br><br>With 25mm down graded stone chips.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Cum  | 6.986     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 26 | 28-200 | 28-200-10 | Reinforced cement concrete work in leanest mix. 1:1.5:3, with 20mm down graded coarse aggregates and sand of FM>2.0 to FM<=2.5, to attain a minimum 28 day cylinder strength of 22.0 N/mm <sup>2</sup> , including breaking, screening, grading, washing aggregates with clean water, mixing, laying in forms, consolidation to levels, curing, including supply of all materials, excluding cost of M.S. work for reinforcements and formworks etc. complete and as per direction of Engineer in charge. with stone chips                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Cum  | 0.326     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 27 | 36-150 | 36-150-60 | Formwork for centering and water tight shuttering as per drawing with 14 BWG M.S. sheet, fitted and fixed with 40mmx40mmx6mm M.S. angle frame and 25mmx6mm F.I. bar stiffener, with necessary fabrication, welding, making the forms including fitting, fixing of steel forms with necessary ties, battens, struts, nuts & bolts, props etc. as per desired shape and size including levelling and removing the forms after specified period including the cost of all materials as per direction of Engineer in charge.<br>Footing, footing beams, grade beams, foundation slab with 60-80mm dia barrack bamboo props.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Sqm  | 8.768     | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |
| 28 | 76-120 | 76-120-10 | M.S. Work for reinforcement with deformed M.S. bar, fy=400 N/mm <sup>2</sup> , (made from billet) in RCC works, including local handling, cutting, forging, bending, cleaning and fabrication with supply of deformed M.S. bar in different sizes and binding with 22 to 18 gages G.I. wire etc. complete including the cost of all materials as per direction of Engineer in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Kg   | 25.600    | Fill By Tenderer/Consultant - Money Positive(3 digits after decimal) | Auto | Auto | Auto |

|  |  |  |                     |  |  |                                                                               |      |      |      |
|--|--|--|---------------------|--|--|-------------------------------------------------------------------------------|------|------|------|
|  |  |  | charge.             |  |  |                                                                               |      |      |      |
|  |  |  | 8mm dia to 30mm dia |  |  |                                                                               |      |      |      |
|  |  |  |                     |  |  | Fill By<br>Tenderer/Consultant<br>- Money Positive(3<br>digits after decimal) | Auto | Auto | Auto |

Form Footer :

Executive Engineer  
Lakshmipur O&M Division  
BWDB, Lakshmipur.