

Handoff: Jamaat Directory

For the incoming development team. State as of 7 Oct 2026. Deeper detail: `README.md`, `docs/DEPLOYMENT.md`, `docs/DECISIONS.md`, `docs/DEPENDENCIES.md`, `docs/PROGRESS.md`, `TODO.md`.

1. Stack

- Astro 7 (static output) + TypeScript, Tailwind 4.
- Cloudflare Pages Functions (Workers runtime) serve `/api/*` and `/directory.json`.
- Node 22.18+ (`.node-version`), npm (`package-lock.json`).
- Rendering: static HTML + small client JS (search, number reveal, forms) + JSON API. Not SSR. Pages are built at deploy time from the live `/directory.json`.

2. Database

- Cloudflare D1 (SQLite). Cloudflare KV (`RATE_LIMIT`) for rate limits and a rebuild throttle (ephemeral).
- Schema: `migrations/0001-0005`. Tables: `cities`, `contacts`, `facilities`, `flags`,

`feedback`.

- Data: 15 cities, 70 places live (from `/directory.json`), 0 contacts. Pending rows, flags and feedback: query with `wrangler d1 execute jamaat_directory --remote`. Size well under 1 MB.

3. Where it runs

- Cloudflare Pages project `jamaat-directory` → <https://jamaat-directory.pages.dev>. No Docker, no server process.
- Build: `npm ci && npm run build` → `./dist` (needs internet: fetches the live `/directory.json`; offline: `DIRECTORY_SOURCE=seed`).
- Deploy: `npm run deploy` (`wrangler pages deploy ./dist`). A branch preview URL exists; confirm in the dashboard whether Git-triggered builds are also enabled.
- Migrations: `npm run db:migrate`. Local: `npm run dev` (UI only) or `npm run preview` (Functions + local D1).
- Checks: `npm test`, `npm run typecheck`, `npm run build`.

4. Env vars

ADMIN_PASSCODE

KIND Pages secret

PURPOSE Moderator login; HMAC key for the session cookie

STATUS set

DEPLOY_HOOK_URL

KIND Pages secret

PURPOSE "Publish to site" rebuild

STATUS not set (as of 4 Oct)

TURNSTILE_SECRET

KIND Pages secret

PURPOSE Bot check

STATUS not set

INGEST_SECRET

KIND Pages secret

PURPOSE HMAC for legacy `/api/ingest` (Apps Script)

STATUS set

NOINDEX

KIND var, `wrangler.toml`

PURPOSE Unlisted mode

STATUS `"true"`

CF_ANALYTICS_TOKEN

KIND build var

PURPOSE Web Analytics

STATUS unset

DIRECTORY_SOURCE , DIRECTORY_SOURCE_URL

KIND build env

PURPOSE Build data source

STATUS default: live site

TURNSTILE_SITE_KEY , HOWTO_VIDEO_URL

KIND `src/lib/config.ts`

PURPOSE Public config

STATUS empty

- Bindings: `DB` (D1), `RATE_LIMIT` (KV). Backup Worker: `DB`, `BACKUPS` (R2).
- Third parties: Cloudflare only (hosting, D1, KV; Turnstile, R2, Web Analytics planned), on Zaki's Cloudflare account. GitHub `zakijariwala`. Legacy Google Form / Apps Script on Zaki's Google account.
- Not used: email, SMS, payments, maps API (Google Maps links only, no key), external auth.

5. Auth

- Public: no login.

- One role, moderator: shared passcode → `POST /api/login` → HttpOnly cookie, HMAC-signed with the passcode, 12 h.
- Enforcement: app level only (`requireAdmin()` in `pending`, `pending.xlsx`, `approve`, `import`, `publish`). No DB-level security.
- Privacy in app code: phones excluded from public data by a field allowlist (test-enforced); numbers revealed one at a time via `/api/reveal`, per-IP limit 20/h, 60/day (KV); consent check in SQL.

6. Files / uploads

- No user uploads. Static assets in `public/` (logos, briefing PDF).
- Excel upload in `/moderate` is parsed in memory, not stored.

7. Background jobs

- Cron: `workers/backup` (02:00 UTC, D1 → R2 JSON, 30-day prune). Written, **not deployed** (R2 not enabled).
- Outbound webhook: "Publish to site" → Pages deploy hook; also auto on removal requests (throttled 10 min). Inactive until `DEPLOY_HOOK_URL` is set.

- Inbound webhook: `/api/ingest` (legacy Apps Script, HMAC). Likely unused.
- No queues.

8. Domain, DNS, SSL

- No custom domain; `pages.dev` subdomain. DNS and SSL managed by Cloudflare (Zaki's account).
- Custom domain pending a committee decision.

9. Repo

- <https://github.com/zakijariwala/jamaat-directory> (`main`).
- Secrets in history: none found by scan. Committed and expected: D1/KV IDs in `wrangler.toml` (identifiers, not credentials), test fixture `'shared-secret'`, placeholders in `.dev.vars.example`, businesses' public Google Maps phone numbers in `data/pilot/*.csv`.
- The project began as an orphan branch on `ai-website-cloner-template`; check that repo for old copies.
- Rotate `ADMIN_PASSCODE` at handoff (it has been shared).

10. Features

Traveller (public) - City search with old-name aliases (Poona → Pune). - City page: jamaat office, contacts (representative first), masjid, musafir khana, hotels, restaurants; status chips; "Not listed yet" for gaps; stale / reported badges. - Show number (one at a time, rate limited). - Report a problem / request removal (in-site dialog → `/api/flag`). - `/contribute` form (lands as pending), About + feedback, `/howitworks`.

Moderator - `/moderate`: pending queue, approve / reject; Excel download / upload of statuses; Publish to site.

Operator (CLI) - `import:listings`, `db:import-pilot`, `db:clear`, `db:purge-samples`, `db:migrate`.

Half-built / known broken - Turnstile not enabled: forms and reveal protected only by rate limits. - Publish button fails without `DEPLOY_HOOK_URL`; deploy manually. - No editing in moderation; reports, removal requests and feedback stored but not shown in any UI; no re-verification UI. - Shared passcode, no audit log. - One contact per submission; WhatsApp "Not sure" stored as "No". - Changing an existing city's office number needs a DB edit. - Backups not running. - Map links are Google

searches, not place pins. - Legacy `/api/ingest` still deployed. - Briefing docx/pdf and `/howitworks` still describe the Google Form intake. - Lighthouse targets not verified. - Open committee decisions: access posture, domain, moderators, endorsement.

11. Backups

- Automated: none (backup Worker not deployed).
- Manual: D1 export from 4 Oct (before `db:clear`) on Zaki's laptop in `backups/` (gitignored).
- D1 Time Travel point-in-time restore (`wrangler d1 time-travel`) should be on by default; confirm.
- Restore never tested.