James Lutz

From:

abhishek.sharan@accenture.com

Sent:

Thursday, September 08, 2016 10:08 AM

To:

James Lutz

Cc:

Hilton.OnQ.L3.EngineeringSupport@accenture.com; HWTS Service Delivery; Chris Smith

Subject:

Hotel Static IP Request: REQ000022664465

Hi James

PFB details of the static IP requested by you -

IP Address - 172.19.148.245

Subnet Mask : 255.255.255.224 Default Gateway : 172.19.148.225

10.80.120.134 10.80.120.135 10.72.120.134

10.72.120.135

Please let us know in case you've any query on this.

Regards

Abhishek Sharan

Hilton Worldwide Technology Support

iSupport Link - https://HiltoniSupport.accenture.com

Support Desk Numbers

Americas

+1-901-748-7821

U.S. & Canada (toll-free)

+1-800-HELP-HELP (1-800-435-7435)

Outside of Americas +44 (0)141 404 5252

This message is for the designated recipient only and may contain privileged, proprietary, or otherwise confidential information. If you have received it in error, please notify the sender immediately and delete the original. Any other use of the e-mail by you is prohibited. Where allowed by local law, electronic communications with Accenture and its affiliates, including e-mail and instant messaging (including content), may be scanned by our systems for the purposes of information security and assessment of internal compliance with Accenture policy.

www.accenture.com

```
RICOH MP C3003 Configuration Page / Network Control System 12.73
RN Ethernet 10/100/1000 12.73 C model Ethernet Hardware Type 261(0x0105)
                   : 00:26:73:96:11:96
Mac Address
                   : 100Mbps full-duplex
Interface Speed
                    : RNP002673961196
Host Name
 [COMMON]
                             : RICOH MP C3003
  Device Name
   Comment
                             : Ethernet
   Network I/F
                              ; Off
   Job Spool
   Protocol Settings
                                                                               , SMB:Up
                                                            , SNMP:Up
                                         , IPsec:Down
                      , IPv6:Down
     IPv4;Up
   Interface Settings
     USB Host:Up
   IEEE 802.1% Settings
     Ethernet:Off
                             : On
   CompatibleID Support
 [[Pv4]
                              ; Of f
   DHCP
                              : 172.19.148.245
   IPv4 Address
                              : 255.255.255.224
   Sub-net Mask
                              ; 172.19.148.225
   Gateway Address
                              : On
   WINS
                              : 0.0.0.0
   Primary WINS Server
                              ; 0.0.0.0
    Secondary WINS Server
    Access Control Range [1] : 0.0.0.0
                                                 -0.0.0.0
                                                 -0.9.0.0
    Access Control Range [2] : 0.0.0.0
                                                 -0.0.0.0
    Access Control Range [3] : 0.0.0.0
    Access Control Range [4] : 0.0.0.0
Access Control Range [5] : 0.0.0.0
SYSLOG Server : 127.0.0
                                                 - 0.0.0.0
                                                 - 0.0.0.8
                               : 127.0.0.1
                              : 10.80.120.134, 10.72.120.134, 172.19.148.228
    DNS Server (Specify)
                              : Off
    DHCP option204
    Protocol/Service Settings
                                                                    , TELNET:Up
                                               , RSH:Up
                         , LPR:Up
      FTP:Up
                                                                   , ՏՏԼ:Մթ
                                               , HTTP:Up
                          , IPP:Up
      DIPRINT:Up
                                                                    , @Remote:Up
                                               , Web:Up
                          , SSDP:Up
       Bonjour:Up
                                                                    , sftp:Up
                          , NBT:Մբ
                                               , ssh:Up
       RFU:Up
       WSD (Device):Up
                         , RHPP:Up
   [TCP/IP]
                                 : NA.HHCPR.HILTON.COM
     Domain Name
                                  : Specify
     DNS Domain
     NetBIOS ScopeID
                                   9100 (Connection:multi)
     Diprint Port
                                   15(s)
     TCP/IP Print Timeout
                                   900(s)
     IPP Job Timeout
     IPP Authentication Mode
                                   None
     LPR Printer Check
                                   Off
       (Overlap:Update, CNAME:Off, Resist. A Record:DHCP, Interval Time:24(h))
     DDNS
                                    Rn
     LLMNR
     LLMNR Ctient
                                   Off
                                    59100
     RHPP Port
                                    300(s)
     RHPP Timeout
                                         (Interval: 60(min), Time Zone: 00:00)
      SNTP Server
                                    กก
      HTTP Keep-Alive
      HTTP Keep-Alive Timeout
                                  : 1(s)
    [Bonjour]
                                      : RICOH MP C3003 [002673961196]
      Computer Name
      Local Hostname (Ethernet)
                                      : DIPRINT:10, LPR:20, IPP:30
      Priority
                                      : 255
      IPy4 TTL
      LinkLocal Route for Multi I/F : Ethernet
                                      : IPP
      IPP Port
    [SM8]
                               : Workgroup
      Mode
                               ; On
      Direct print
                               : Off
      Notification
                               : WORKGROUP
      Workgroup Name
                               : RNP002673961196
      Computer Name
                               : MPC3003
      Share Name
                               : \\RNP002673961196\MPC3003
       Current Path Name
```