Parkify

Zacky Albandar, Ishan Kinikar, Shivnath Shankar, Nishant Nambiar, Aryan Patil

App Description

One fine day in Boston…

Provider wants to rent out a parking space

"Provider Parking Spot Listing Process"



Goal	Provider able to rent out unused Parking Spot
Primary Actor	Provider
Precondition	Provider has available Parking Spot
Success End Condition	Provider lists their Parking Spot
Failure End Condition	Provider is unable to list Parking Spot
Secondary Actors	System
Trigger	The Provider clicks a button that lists the spot after inputting the necessary information
Main Success Scenario	1.) The Provider is able to input all information related to the parking spot 2.) The Provider lists the parking spot and the system stores all relevant information 3.) The spot remains bookable until a client books the spot
Variations (error scenarios)	System fails to store information / Spot is not bookable
Variations (alternative scenarios)	1.) Client inputs incorrect parking spot data AND/OR mistakenly lists at inconvenient times. 2.) Client loses access/control of the parking spot

A client wants to Book a parking spot



Goal	Client can rent out a parking spot
Primary Actor	Client
Precondition	Provider has already listed the spot with available time slots
Success End Condition	Client successfully secures their parking spot
Failure End Condition	The client is unable to book the spot: the payment failed or another client already booked the spot.
Secondary Actors	Provider and System
Trigger	The client clicks the book button after selecting a listing and inputting their payment information
Main Success Scenario	1.) The Provider puts out a booking for a parking spot 2.) A Client selects this spot and chooses a window they wish to rent it for 3.) Client confirms this purchase 4.) The system updates the calendar and sends a notification to the Client and Provider 5.) The Client parks in their spot at their picked time
Variations (error scenarios)	Client fails to select a start or end time; the system notifies that not all fields are completed Client's card declines which results in the booking cancelling
Variations (alternative scenarios)	1.) Client books parking for too little amount of time and later realizes resulting in them cancelling 2.) Client stays on the page for over 10 minutes and the spot gets booked by another client

A Client Searches for a spot to book



Goal	Client can find available parking within area and time constraints
Primary Actor	Client
Precondition	Spots already listed by Providers
Success End Condition	Results successfully displayed, from which the client can select and continue to booking.
Failure End Condition	No results are displayed
Secondary Actors	System
Trigger	The client clicks the search button after entering location, time and vehicle type.
Main Success Scenario	1.) Client enters a location, time and vehicle type 2.) Web client validates input 3.) System searches database 4.) Matching spots are returned as results 5.) Results are displayed to the client
Variations (error scenarios)	Client enters invalid date or time; Missing vehicle type; No results found within search parameters
Variations (alternative scenarios)	1.) Client changes filters and searches again 2.) Client adjusts time/location 3.) Client refreshes the search

A provider wants to post a service request for fulfillment



Goal	Provider posts a service request
Primary Actor	Provider
Precondition	Provider has logged in and is on the home page
Success End Condition	A service request has been placed
Failure End Condition	A service request could not be placed
Secondary Actors	
Trigger	Provider selects the post button to post a service request
Main Success Scenario	1.) Provider logs in to their account 2.) Home page loads showing existing requests, the search bar and a button to create a new service request 3.) Provider enters details of request including date, time, price and address 4.) Provider selects the post button to post the request 5.) System processes and publishes the request
Variations (error scenarios)	Password is incorrect. System returns Provider to login Blank/invalid service request details
Variations (alternative scenarios)	1.) Provider enters wrong location, date or time making them delete and recreate the request

A Service Provider wants to work an odd job for money



Goal	Provider can select a specific service task, complete the task, and post a photo to receive payment.
Primary Actor	Service Provider
Precondition	A client wants to get a service - snow removal, car wash, etc.
Success End Condition	The service provider receives payment having completed the service request
Failure End Condition	Either the client cancels the request, the provider cannot complete the request, or the payment fails.
Secondary Actors	Client, System
Trigger	Provider selects a request and the client confirms that they want the provider to do the request.
Main Success Scenario	1.) A client places a service request which includes the client's personal information. 2.) The provider selects the client's service request, providing their information to the client. 3.) The client confirms they want the provider's service and makes a payment held by the system pending service completion. 4.) The provider successfully executes the service and posts a photo to confirm completion. 5.) The client is notified and the provider receives the client's payment from the system.
Variations (error scenarios)	Either the client payment fails or the provider fails to complete the task and does not report it.
Variations (alternative scenarios)	1.) Client cancels the service request prior to the provider starting the service. 2.) Client requests a refund based on unsatisfactory provider performance.