```
                        AREA power,CODE,READWRITE
                        ENTRY

MainProgram     ADR r0,result                   ;load address of result
                MOV r1,2                        ;x
                MOV r2,3                        ;n

                STMDB sp!,{r1,r2}       ;store x and n into stack

                BL PowerFunction        ;branch to power function

                LDR r5,[sp],#4                  ;load the result from stack
                STR r5,[r0],#1                  ;store result into result
Stop            B Stop                                  ;Stop loop


PowerFunction   STMDB sp!,{lr}          ;store link address in stack
                SUB sp,sp,#4            ;create space in stack for result
                LDR r3,[sp,#12]         ;load n from stack

CheckZero       CMP r3,#0                               ;if n is zero
                MOVEQ r5,#1                                     ;then the result is 1
                BEQ Return                                      ;branch to Return

CheckOdd        TST r3,#1                               ;test for odd
                BNE Oddn                                ;if odd branch odd
                B Evenn                                         ;if even branch even

Oddn            LDR r4,[sp,#8]                          ;load x into r4
                SUB r3,r3,#1                            ;subtract 1 from n
                STMDB sp!,{r4,r3}               ;store x and n to stack
                BL PowerFunction                ;branch to PowerFunction (recursive
call)
                LDR r5,[sp],#4                          ;load the result from stack
                LDMIA sp!,{r4,r3}               ;load the value of x and n from stack
                MUL r5,r4,r5                            ;multiply the result by x
                B Return                                ;branch to Return

Evenn           ASR r3,#1                               ;if we have an even n then
halve n
                LDR r4,[sp,#8]                          ;load x into r4
                STMDB sp!,{r4,r3}               ;store x and n to stack
                BL PowerFunction                ;branch to PowerFunction (recursive
call)
                LDR r5,[sp],#4                          ;load the result from stack
                LDMIA sp!,{r4,r3}               ;load the values of x and n from stack
                MOV r7,r5                               ;create register to hold
result (y)
                MUL r5,r7,r5                            ;square the result (y)
                B Return                                ;branch to Return

Return          ADD sp,sp,#4                            ;collapse frame
                MOV pc,lr                               ;Return to previous call



AREA power,DATA,READWRITE

x                               DCB 2                           ;x
n                               DCB 3                           ;n
result                  space 0xFFF                     ;space for result

END
```

Sketch:



n-value	Number of stack frames to calculate x^n
0	1
1	2 (one more than 0n)
2	3 (one more than 1n because 2 is twice 1)
3	4 (one more than 2n)
4	4 (one more than 2n because 4 is twice 2)
5	5 (one more than 4n)
6	5 (one more than 3n because 6 is twice 3)
7	6 (one more than 6n)
8	5 (one more than 4n because 8 is twice 4)
9	6 (one more than 8n)
10	6 (one more than 5n because 10 is twice 5)
11	7 (one more than 10n)
12	6 (one more than 6n because 2 is twice 6)