


Hessian Low Mountain Range

Full data report

Generated 2026-08-11

Hesse

NUTS-3 regions: DE721, DE722, DE723, DE724, DE725



Basemap: © OpenStreetMap contributors © CARTO

Agriculture

Key figures

CROPLAND AREA	NUMBER OF FARMS	AVERAGE FARM SIZE	SHARE OF ORGANIC FARMING
113,215 ha	3,832 count	54.32 ha	23.1 %





Figure 1: Map



landuse-croptypes

Figure 2: Chart

Overview

Comparatively high livestock density. High proportion of grassland. High proportion of forest. Relatively small farm sizes and field sizes


Challenges

Feed production problematic (soil unsuitable for cultivation), therefore predominantly grassland farming. Decline in dairy farming (-6% dairy cows, -14% farms). Competition for land with energy production (wind power, photovoltaics)

Climate

Key figures

GROWING DEGREE DAYS, ANNUAL SUM (BASE 5 °C)	MEAN ANNUAL TEMPERATURE	ANNUAL PRECIPITATION	PRECIPITATION OF WARMEST QUARTER
1,802 °C·d +1,091 °C·d by 2071-2100	8.7 °C +3.9 °C by 2071-2100	862 mm +2.9 % by 2071-2100	220 mm -8.6 % by 2071-2100



Heat accumulated above 5 °C over the year - a measure of how much growing season a crop gets.
 Mean annual air temperature, averaged over the reference period.
 Total precipitation summed over the year.
 Precipitation falling in the warmest three-month quarter - relevant to summer drought stress.

Figure 3: Map

Hessian Low Mountain Range




Figure 4: Chart


Overview

Exposed to the prevailing wind direction, slope rainfall, lower temperatures compared to the plains.

Soil


Key figures

NITROGEN SURPLUS	PHOSPHORUS SURPLUS	GROUNDWATER ABSTRACTION (NON-PUBLIC SUPPLY)
No data available kg N/ha UAA	No data available kg P/ha UAA	2,244 1000 m3



Legend shows the dominant semantic soil groups for this Living Lab; raw BUEK IDs stay in the data only as provenance.

Figure 5: Map



buek250

Figure 6: Chart

Overview

Soil types are highly variable: Podzolic brown soils with low base saturation, red sandstone, brown soils with high to medium base saturation, pseudogley, parabraun soils from loess with high base saturation, rendzina on calcareous sites (locally limited).

Challenges

Soil erosion during heavy rainfall

Socio-economic

Key figures

TOTAL POPULATION	GDP PER CAPITA	UNEMPLOYMENT RATE	DISPOSABLE HOUSEHOLD INCOME PER CAPITA
1,041,453 persons	40,568 EUR	5.34 %	26,575.6 EUR





Figure 7: Map



boris

Figure 8: Chart

Overview

Peripheral areas — long distances to regional centres. Population structure: decline, ageing. Comparatively low disposable household income.

Challenges

Sales market for products (milk, meat, etc.) located far away, lower direct marketing opportunities, Long distances to slaughterhouses and processing companies. Shortage of workers due to migration and ageing population.

Landscape

Key figures

FOREST AREA	NATURA 2000 AREA	NATURE RESERVES AREA	SHARE OF SEALED SURFACE
214,513 ha	134,837.9 ha	8,263.6 ha	15 %





Figure 9: Map

Hessian Low Mountain Range



io-lulc-landcover

Figure 10: Chart

Overview

Low mountain regions 400-1000 m altitude with high relief energy.