



East Brandenburg

Full data report

Generated 2026-08-11

Brandenburg

NUTS-3 regions: DE409, DE40A, DE40B, DE40C



Basemap: © OpenStreetMap contributors © CARTO



Agriculture

Key figures

CROPLAND AREA	NUMBER OF FARMS	AVERAGE FARM SIZE
252,996 ha	1,374 count	220.7 ha
SHARE OF ORGANIC FARMING		


12.4 %

Map



- Agriculture
- | | |
|----------------------|--|
| winter wheat | sugar beet |
| winter barley | rapeseed |
| winter rye | clover/alfalfa |
| other winter cereals | arable grass |
| spring wheat | permanent grassland |
| spring barley | vineyard |
| spring oat | fruit trees and other woody vegetation |
| maize | hops |
| legumes | other agricultural use |
| potato | |

Chart



Overview

Main crops: winter grain, maize for silage/energy, winter rapeseed, Other land uses: horticulture and seed/plant cultivation minimal; permanent grassland. Animal husbandry: poultry most common; pigs, cattle, sheep, goats declining.

Challenges

Greater irrigation demand and competition for scarce water resources. Reduced crop productivity and stability under intensifying climate stress. High adaptation pressure on farmers, requiring new practices and investments. Competition for land between agriculture and renewable energy expansion. Decline in livestock diversity (pigs, cattle, sheep, goats). Limited horticulture and specialized crop production (low diversification). Balancing organic and conventional farming practices while maintaining productivity.

Climate

Key figures

GROWING DEGREE DAYS, ANNUAL SUM (BASE 5 °C)	MEAN ANNUAL TEMPERATURE	ANNUAL PRECIPITATION
2,026 °C·d +1,143 °C·d by 2071-2100	9.4 °C +4.1 °C by 2071-2100	599 mm +3 % by 2071-2100
PRECIPITATION OF WARMEST QUARTER		

189 mm
-5.3 % by 2071-2100

Map

GDD
Baseline




°C·d
< 1801.0
1801.0 - 1962.0
1962.0 - 2043.0
> 2043.0

GDD
2071-2100



°C·d
< 1082.0
1082.0 - 1107.0
1107.0 - 1133.0
1133.0 - 1153.0
> 1153.0

Mean temp.
Baseline




°C
< 8.8
8.8 - 9.2
9.2 - 9.4
> 9.4

Mean temp.
2071-2100




°C
< 3.9
3.9 - 4.0
4.0 - 4.1
4.1 - 4.2
> 4.2

Precipitation
Baseline




mm
< 595.0
595.0 - 644.0
644.0 - 804.0
> 804.0

Precipitation
2071-2100



%
< 2.5
2.5 - 3.0
3.0 - 3.5
3.5 - 4.0
> 4.0

Summer precip.
Baseline



mm
< 184.0
184.0 - 196.0
196.0 - 216.0
> 216.0


Summer precip.
2071-2100



%
< -8.5
-8.5 - -8.0
-8.0 - -5.5
-5.5 - -5.0
> -5.0

accumulated above 5 °C over the year - a measure of how much growing season a crop gets.
Mean annual air temperature, averaged over the reference period.
Total precipitation summed over the year.
Precipitation falling in the warmest three-month quarter - relevant to summer drought stress.

Chart



Overview

Continuous warming trend observed since 1881: +1.3 °C increase in mean annual temperature to date. Short-term climate projections (2021—2050): Additional warming of +1.1 to +1.5 °C. Shift in climate extremes: More hot summer days, Fewer frost days, hail and storm, spring drought increases expected in eastern Brandenburg due to stronger continental influence

Challenges


High drought vulnerability due to limited soil water retention capability

Soil

Key figures


NITROGEN SURPLUS	PHOSPHORUS SURPLUS	GROUNDWATER ABSTRACTION (NON-PUBLIC SUPPLY)
No data available kg N/ha UAA	No data available kg P/ha UAA	20,656 1000 m3

Map



dominant semantic soil groups for this Living Lab; raw BUEK IDs stay in the data only as provenance.

Chart



Overview


Dominated by sandy and loamy-sandy soils ('Märkischer Sand') with low natural fertility. Müncheberger Soil Rating: Mostly very low to low soil quality (below 50 points); medium-quality soils only in specific floodplain regions (e.g., Oderbruch). High spatial heterogeneity of soil quality within single fields due to glacial landscape formation

Socio-economic


Key figures

TOTAL POPULATION	GDP PER CAPITA	UNEMPLOYMENT RATE
704,008 persons	33,837.25 EUR	6.25 %
DISPOSABLE HOUSEHOLD INCOME PER CAPITA		
26,526.75 EUR		

Map



Chart



Overview

Higher population density and employment near Berlin; commuter flows mainly from eastern border toward Berlin. Low population density, aging population, and outmigration of young people reduce workforce availability. Employment structure: Predominantly services (tourism, healthcare, social services), followed by manufacturing/trades; agriculture employs only a small number of people despite large land areas. Economic hubs: Tesla Gigafactory and Berlin-Brandenburg Airport (LOS) attract businesses; Berlin metro area provides market opportunities. Growth trends: Commercial development and employment expected to increase. Tourism: Driven by nature parks, protected areas, and spa towns.

Challenges

Agriculture and peripheral industries generate limited regional value creation. Weak local processing and value-adding facilities limits regional economic integration, many areas faced a decline of traditional manufacturing and industrial sites. Skilled labor shortage (Fachkräftemangel) compounded by competition with Berlin’s dynamic job market



Landscape

Key figures


FOREST AREA	NATURA 2000 AREA	NATURE RESERVES AREA
278,900 ha	156,577.4 ha	51,566.3 ha
SHARE OF SEALED SURFACE		

11.4 %

Map



Chart



Overview

Lowland region shaped by multiple ice age glaciations. Minimal elevation differences with predominantly flat terrain with Oderbruch as a wide river valley shaped by glacial meltwater

Challenges

Biodiversity decline in agricultural landscapes (e.g., drying of breeding habitats for amphibians). Land ownership: much farmland not owned by farmers.