

WardPass Design Plan

This document outlines the plan for the WardPass design system.

Brand & Style

The design system is engineered to evoke a sense of "Active Security"—a departure from static, passive protection toward a dynamic, high-performance digital vault. The brand personality is authoritative, technical, and alert. It targets power users, developers, and security-conscious professionals who view their data as a high-value asset.

The design style is **High-Contrast / Bold** meets **Minimalism**. By leveraging a "Cyber-Industrial" aesthetic, the system uses deep blacks and high-visibility yellows to signal both danger (to intruders) and clarity (to the user). The UI feels like a precision tool, utilizing raw structural elements, ample whitespace to reduce cognitive load during sensitive tasks, and a strict adherence to a "less but better" philosophy.

Colors

The palette is built on a "Signal & Shadow" logic.

- **Primary (#FFFF00):** Used exclusively for actionable items, critical security alerts, and high-level status indicators. It is the "Searchlight" in the dark.
- **Background (#1A1A1A):** The primary structural canvas. It provides a non-distracting, low-strain environment for managing complex data.
- **Surface (#2E2E2E):** Used for cards, input fields, and hover states to create subtle depth against the background.

- **Text/Neutral (#FFFFFF):** High-contrast white for maximum legibility. Sub-labels should use an 80% opacity variant to maintain hierarchy.

Typography

The system uses a pairing of **Geist** for structural/heading elements and **Inter** for long-form data reading.

- **Geist** provides a technical, developer-centric feel that reinforces the "military-grade" narrative. It is used for headlines and navigational labels.
- **Inter** handles the heavy lifting of password lists and settings, ensuring neutral, high-speed scanning.
- **JetBrains Mono** (Special Addition): Use this specifically for actual passwords, recovery keys, and hash strings to ensure characters like '0' and 'O' or '1' and 'l' are indistinguishable.

Layout & Spacing

The layout follows a **Fluid Grid** model with strict vertical rhythm based on an 8px square unit.

- **Desktop:** 12-column grid. Vault items should ideally span 4 columns (3-up) or 6 columns (2-up) to maintain wide, readable rows.
- **Mobile:** Single column with 16px side margins.
- **Whitespace:** Use generous padding (32px+) inside vault cards to emphasize the "Vault" metaphor—objects are protected by a "buffer zone" of empty space.

Elevation & Depth

Depth is communicated through **Tonal Layers** rather than soft shadows. In a high-security environment, clarity is paramount; shadows can feel "fuzzy" and imprecise.

- **Level 0 (Base):** #1A1A1A (The void).
- **Level 1 (Cards/Inputs):** #2E2E2E (The structure).
- **Interactions:** Use #FFFF00 1px borders for "active" or "focused" states. This creates a "glow" effect that signifies the element is currently under the user's control.
- **Overlays (Modals):** Use a 60% blur backdrop with a solid #2E2E2E container to simulate a physical door closing over the background content.

Shapes

The system utilizes **Sharp (0px)** roundedness. Every element—buttons, cards, input fields—features hard 90-degree angles. This geometry reinforces the industrial, uncompromising nature of high-security software. It suggests precision engineering and removes any "softness" that might detract from the professional, military-grade aesthetic.

Components

- **Primary Action Buttons:** Solid #FFFF00 background with black (#1A1A1A) text. No border. Sharp corners. Hover state: 10% brightness reduction.
- **Vault Cards:** Background #2E2E2E. On hover, apply a 1px solid #FFFF00 border. Use a mono-spaced font for the "Last Modified" metadata at the bottom.
- **Input Fields:** Background transparent, 1px solid #FFFFFF (30% opacity). On focus, border becomes 1px solid #FFFF00. Labels sit above the field in "label-sm" style.
- **Security Trust Bar:** A horizontal gauge using the primary yellow. Segmented blocks are used rather than a smooth gradient to indicate discrete "levels" of encryption strength.

- **Iconography:** Thin-stroke (1.5pt) icons. Use metaphors like "Shields," "Nodes," and "Tunnels." Icons representing active protection should be #FFFF00; decorative icons should be #FFFFFF (50% opacity).
- **Process Timelines:** Vertical lines connecting steps, using #FFFF00 for completed phases to simulate a "live circuit."