

Developer Guide: Kinetic Vault Design System

This guide outlines how to use the Kinetic Vault design system within this Next.js project. The system has been fully integrated using **Tailwind CSS v4** and customized with CSS variables in `@globals.css`.

Colors & Theming

The application defaults to a "Dark" theme built around the concept of "Active Security."

You can use the colors anywhere in your components using standard Tailwind utility classes. The color variables map seamlessly to Shadcn UI structural properties.

Design Element	CSS Variable	Tailwind Utility	Description
Primary	<code>--primary</code>	<code>bg-primary,</code> <code>text-</code> <code>primary</code>	Solid #FFFF00. Use for actionable items, alerts, and high-level status.
Background	<code>--background</code>	<code>bg-</code> <code>background</code>	Deep black #1a1a1a. The primary structural canvas.
Surface (Cards)	<code>--card</code>	<code>bg-card</code>	Subtle #2e2e2e for cards, inputs, and hover states.

Text/Neutral	-- foreground	text- foreground	High-contrast white #ffffff for legibility.
Sub-labels	--muted- foreground	text-muted- foreground	80% opacity white for secondary information and hierarchy.
Borders	--border	border- border	30% opacity white (<code>rgba(255, 255, 255, 0.3)</code>) for inputs and dividers.

Example Usage:

```
// Primary Action Button
<button className="bg-primary text-primary-foreground hov
  Authorize
</button>

// Vault Card Structure
<div className="bg-card text-card-foreground border borde
  Content...
</div>
```

Typography

Three specific fonts have been integrated into Next.js and Tailwind via `next/font/google`.

- 1. **Inter** (`font-sans`): Default body font. Handles the heavy lifting of lists and settings for neutral, high-speed scanning.
- 2. **Geist** (`font-geist`): Technical, developer-centric font used for headings and navigational labels.
- 3. **JetBrains Mono** (`font-mono`): Monospaced font for actual passwords, recovery keys, hash strings, and metadata.

Example Usage:

```
<h1 className="font-geist text-3xl font-bold">Access Logs
<p className="font-sans text-base text-muted-foreground">
<code className="font-mono text-primary">b2alc4f0-93e1-4c
```

Layout & Components

- **Shapes & Corners:** The system uses `Sharp` (0px) roundedness globally. Avoid `rounded-*` utility classes unless absolutely necessary.
- **Whitespace:** Use generous padding inside vault cards (`p-8` / 32px or more) to emphasize the "Vault" metaphor.
- **Interactions:** Tonal layers communicate depth. Rely on `hover:border-primary` for active or focused states instead of soft shadows (`shadow-*`).
- **Overlays (Modals):** Use `bg-black/60 backdrop-blur-sm` for modal backgrounds to simulate a physical door closing.

[!TIP] Keep the UI high-contrast, minimal, and authoritative. Let the vibrant primary yellow draw focus strictly to what requires the user's attention.