#### Modul 8


Menggunakan session Class &

Menambah fungsi login/logout

### Buat tabel 'users' pada database 'perpus'

	#	Name	Туре	Collation	Attributes	Null	Default	Extra
	1	id 🔑	tinyint(4)			No	None	AUTO_INCREMENT
0	2	username	varchar(10)	latin1_swedish_c	i	No	None	
	3	password	varchar(100)	latin1_swedish_c	i	No	None	

#### Tambah minimal 1 (satu) user:



### Default controller aplikasi perpus

Pastikan default controller pada 'routes.php' di folder application/config seperti berikut:

```
$route['default_controller'] = 'perpus';
$route['404_override'] = '';
$route['translate_uri_dashes'] = FALSE;
```

#### Load class session

 Lakukan load library session dengan memodifikasi file 'autoload.php' di folder application/config sbb:

### Set Encryption Key

Lakukan set Encryption Key pada file 'config.php' di folder application/config, atau bisa menggunakan encryption key generator di situs http://randomkeygen.com/ lalu copy salah satu key pada tabel Codelgniter Encryption Keys, seperti berikut:


```
|
*/
$config['encryption_key'] = 'viN66QDe8qNe05c30PNin6A58ghBjMK5';
```

### Set konfigurasi session

Lakukan set konfigurasi session pada file 'config.php' di folder application/config sbb:

```
$config['sess_driver'] = 'files';
$config['sess_cookie_name'] = 'my_session';
$config['sess_expiration'] = 7200;
$config['sess_save_path'] = APPPATH.'ci_sessions/';
$config['sess_match_ip'] = FALSE;
$config['sess_time_to_update'] = 300;
$config['sess_regenerate_destroy'] = FALSE;
```

Buat folder baru 'ci\_sessions' di folder 'application' Codeigniter untuk menyimpan file session 'my\_session' :



#### Buat model 'User\_m.php'

- Buat file model baru 'User\_m.php'
- Siapkan fungsi-fungsi berikut:
  - function cek\_user(\$username)
  - function login(\$username, \$password)

## Model 'User\_m.php' function cek\_user(\$username)

```
<?php
Class User m extends CI Model
    function cek user(<u>$username</u>)
        $this->db->select('username');
        $this->db->from('users');
        $this->db->where('username', $username);
        $this->db->limit(1);
        $query = $this->db->get();
        if(\text{squery->num rows}() == 1) {
             return true;
        } else {
             return false;
```

### Model 'User\_m.php' function login(\$username, \$password)

```
function login($username, $password)
    $this->db->select('id, username, password');
    $this->db->from('users');
    $this->db->where('username', $username);
    $this->db->where('password', MD5($password));
    $this->db->limit(1);
    $query = $this->db->get();
    if($query->num_rows() == 1) {
        return $query->result();
    } else {
         return false;
```

Lanjutan .....

### Buat view 'login\_v.php'

```
<?php
        echo "<h1>Silahkan Login</h1>";
        echo validation errors();
        echo form open('perpus/login');
 4
 5
6
7
8
        $data=array(
                 'name' => 'username',
                 'type' => 'text',
                 'size' => '20',
 9
                 'value' => set value('username')
10
        );
        echo form label('Username: ', 'username');
11
12
        echo form input($data);
        echo "<br/>":
13
14
        $data=array(
\frac{15}{16}
                 'name' => 'password',
                 'type' => 'password',
17
                 'size' => '20'.
                 'value' => set value('password')
18
19
20
        echo form label('Password: ', 'password');
21
        echo form input($data);
        echo "<br/>":
22
23
        echo form submit('btn simpan','Login');
        echo form close();
24
25 ?>
```

### Tampilan view login\_v.php

### Silahkan Login

Username:	
Password:	
Login	

### Tampilan view login\_v.php menggunakan validasi form

#### Silahkan Login

Username harus diisi.			
Password harus diisi.			
Username: Password: Login			

#### Silahkan Login

Username tidak ada di sistem

Password harus diisi.

Username:	user
Password:	
Login	

#### Silahkan Login

Password salah

Username:	admin		
Password:	••••		
Login			

# Modifikasi view 'perpus\_v.php' tambah hyperlink 'logout' & tampilan 'username'

```
1 <!DOCTYPE html>
 2 <html>
 3@ <head>
       <title>Aplikasi Perpustakaan</title>
   </head>
6⊖ <body>
      <h1>Selamat datang <?php echo $username; ?></h1>
       <h2>Aplikasi Perpustakaan FTIK USM</h2>
      <b>Pilihan menu :</b>
     <n1>
           <a href="<?=base url('index.php/buku');?>">Kelola data buku</a>
11
           <a href="<?=base url('index.php/anggota');?>">Kelola data anggota</a>
12
           <a href="<?=base url('index.php/pinjam'); ?>">Transaksi Pinjam</a>
13
14
       </01>
      <a href="<?=base url('index.php/perpus/logout'); ?>">Logout</a>
  </body>
   </html>
```

### Tampilan view perpus\_v.php

#### Selamat datang admin

#### Aplikasi Perpustakaan FTIK USM

#### Pilihan menu:

- Kelola data buku
- Kelola data anggota
- 3. Transaksi Pinjam

Logout

# Modifikasi controller 'Perpus.php' pada function \_construct()

```
function __construct()
{
    parent:: construct();
    $this->load->helper('url');
    $this->load->helper('form');

    // -- load lirary Form validation
    $this->load->library('form_validation');
    // -- load model user
    $this->load->model('user_m');
}
```

# Modifikasi controller 'Perpus.php' pada function index()

```
public function index()
{
    //$this->load->view('perpus v');
    if($this->session->userdata('logged_in')) {
        $session_data = $this->session->userdata('logged_in');
        $data['username'] = $session_data['username'];
        $this->load->view('perpus_v', $data);
} else {
        //jika tidak ada session, loncat ke halaman login
        $this->load->view('login_v');
}
```

# Modifikasi controller 'Perpus.php' tambah function login()

# Modifikasi controller 'Perpus.php' tambah function logout()

```
function logout()
{
    $this->session->unset_userdata('logged_in');
    session_destroy();
    redirect('perpus', 'refresh');
}
```

# Modifikasi controller 'Perpus.php' tambah function check\_user()

```
public function check_user($username)
{
    if(empty($username)){
        $this->form_validation->set_message('check_user', 'Username harus diisi!');
}else{
        $result = $this->user_m->cek_user($username);
        if($result){
            return $result;
        }else{
            $this->form_validation->set_message('check_user', 'Username tidak ada di sistem');
            return false;
        }
    }
}
```

# Modifikasi controller 'Perpus.php' tambah function check\_login()

```
public function check login($password)
    if(empty($password)){
        $this->form validation->set message('check login', 'Password harus diisi!');
    }else{
        // validasi form sukses, cek di database
        $username = $this->input->post('username');
        //query ke database
        $result = $this->user m->login($username, $password);
        if($result) {
            $sess array = array();
            foreach($result as $row) {
                $sess array = array(
                        'id' => $row->id.
                        'username' => $row->username
                $this->session->set userdata('logged in', $sess array);
            return true:
        } else {
            $this->form validation->set message('check login', 'Password salah');
            return false;
```

### Buat helper 'login\_helper.php'

 Buat file helper baru dengan nama 'login\_helper.php' dan disimpan pada folder 'application/helper', sbb

```
1 <?php defined('BASEPATH') OR exit('No direct script access allowed');
2
3 if ( ! function_exists('is_logged_in'))
4 {
5 function is_logged_in() {
6     // ambil instance Codeigniter yang ada
7     $CI =& get_instance();
8
9     $user = $CI->session->userdata('logged_in');
10     if (!isset($user)) { return false; } else { return true; }
11     }
12 }
```

### Set Autoload helper 'login'

 Modifikasi file 'autoload.php' pada folder 'application/config' untuk melakukan load helper 'login\_helper.php' secara otomatis, sbb:

```
/*
| Auto-load Helper Files
| Prototype:
| $autoload['helper'] = array('url', 'file');
*/
$autoload['helper'] = array('login');
```

### Modifikasi tiap file controller

 Tambahkan skrip berikut pada baris akhir function \_\_construct() pada tiap-tiap controller pada aplikasi perpus, kecuali controller 'perpus.php'.

```
// -- cek session login
if(!is_logged_in()){
    redirect('perpus','refresh');
}
```

# Contoh pada controller 'Anggota.php'

```
function construct()
    parent:: construct();
    $this->load->helper('form');
    $this->load->helper('url'); # <--- tambahan</pre>
    $this->data['opt progdi'] = array(''=>'-Pilih salah satu -',
                                          'TI'=>'Teknik Informatika',
                                          'SI'=>'Sistem Informasi',
                                          'IK'=>'Ilmu Komunikasi');
    $this->load->model('anggota m'); # <--- tambahan</pre>
      -- cek session login
    if(!is logged in()){
        redirect('perpus', 'refresh');
```

### Uji coba login

Silahkan akses ke alamat:

http://localhost/perpus/

-- atau –

http://localhost/CI