/// mdn web docs\_

此页面由社区从英文翻译而来。了解更多并加入 MDN Web Docs 社区。

### Window: beforeunload event

当浏览器窗口关闭或者刷新时,会触发beforeunload事件。当前页面不会直接关闭,可以点击确定按钮关闭或刷新,也可以取消关闭或刷新。

**Bubbles** No

**Cancelable** Yes

Interface Event

Event handler property onbeforeunload

事件使网页能够触发一个确认对话框,询问用户是否真的要离开该页面。如果用户确认,浏览器将导航到新页面,否则导航将会取消。

根据规范,要显示确认对话框,事件处理程序需要在事件上调用 preventDefault()。

但是请注意,并非所有浏览器都支持此方法,而有些浏览器需要事件处理程序实现两个遗留方法中的一个作为代替:

- 将字符串分配给事件的 returnValue 属性
- 从事件处理程序返回一个字符串。

某些浏览器过去在确认对话框中显示返回的字符串,从而使事件处理程序能够向用户显示自定义消息。但是,此方法已被弃用,并且在大多数浏览器中不再支持。

为避免意外弹出窗口,除非页面已与之交互,否则浏览器可能不会显示在 beforeunload 事件中创建的提示,甚至根本不会显示它们。

将事件处理程序/监听器加到 window 或 document 的 beforeunload 事件后,将阻止浏览器使用内存中的页面导航缓存,例如 Firefox的Back-Forward缓存或 WebKit的 Page Cache 。

HTML规范指出在此事件中调用 window.alert() , window.confirm() 以及 window.prompt() 方法,可能会失效。更多详细信息,请参见HTML规范。

#### 示例

HTML规范指出作者应该使用 Event.preventDefault() 而非 Event.returnValue ,然而,不是所有浏览器都支持这么做。

```
window.addEventListener('beforeunload', (event) => {
    // Cancel the event as stated by the standard.
    event.preventDefault();
    // Chrome requires returnValue to be set.
    event.returnValue = '';
});
```

#### 规范

规范 状态 注释

HTML Living Standard

beforeunload

Living Standard

HTML5
Recommendation
Initial definition

# 浏览器兼容性

Report problems with this compatibility data on GitHub

	Chrome	Edge	Firefox	Internet Explorer	Opera	Safari	WebView Android	Chrome Android	Firefox for Android	Opera Android
beforeunload <b>event</b>	Chrome1	Edge12	Firefox1	Internet 4 Explorer	Opera12	Safari3	WebView 1 Android	Chrome 18 Android	Firefox 4 for Android	Ope Andr
<pre>Activation using event.returnValue = "string";</pre>	Chrome30	Edge12	Firefox6	Internet 9 Explorer	Opera17	Safari8	WebView4.4 Android	Chrome30 Android	Firefox 6 for Android	Ope Andr
Activation using event.preventDefault()	ChromeNo	Edge12- 79	Firefox6	Internet 9 Explorer	OperaNo	Safari11	WebViewNo Android	ChromeNo Android	Firefox 6 for Android	Ope Andr
Activation using return "string";	Chrome1	Edge12	Firefox1	Internet 9 Explorer	Opera12	Safari3	WebView 1 Android	Chrome 18 Android	Firefox 4 for Android	Ope Andr

Full support No support Deprecated. Not for use in new websites.

## 参阅

- 相关事件: DOMContentLoaded, readystatechange, load, unload
- <u>Unloading Documents Prompt to unload a document</u>
- Remove Custom Messages in onbeforeload Dialogs after Chrome 51

Last modified: 2021年7月19日, by MDN contributors