

Ant

ZANZICO MATTEO

5C IA

A.S 2021-2022

Cos'è AVDC

ANTICA VILLA DEL CONTE È UNA **STRUTTURA**
RICETTIVA SITUATA IN **SALENTO**

AVEVA BISOGNO DI UN
NUOVO **SITO WEB**



OLD



NEW



Soluzione scelta

E STATA QUINDI SCELTA LA
REALIZZAZIONE DI UN SITO WEB
CON **BOOTSTRAP**

UN PO' DI
STORIA


VERSIONE

FRAMEWORK
OPEN SOURCE

RESPONSIVO

HTML
CSS
JAVASCRIPT





M O L T O
VANTAGGIOSO

S V I L U P P O
V E L O C E E
C O M O D O

D O C U M E N T A Z I O N E
A G G I O R N A T A E C O M P L E T A



Home

Docs

Examples

Icons

Themes

Blog

Search docs...

Ctrl + /

Bootstrap v5.1

Getting started

Introduction

Download

Contents

Browsers & devices

JavaScript

Webpack

Parcel

Accessibility

RFS

RTL

Contribute

Customize

Layout

Content

Forms

Components

Helpers

Utilities

Extend

About

Migration

Introduction

Get started with Bootstrap, the world’s most popular framework for building responsive, mobile-first sites, with jsDelivr and a template starter page.

Quick start

Looking to quickly add Bootstrap to your project? Use jsDelivr, a free open source CDN. Using a package manager or need to download the source files? [Head to the downloads page](#).

CSS

Copy-paste the stylesheet `<link>` into your `<head>` before all other stylesheets to load our CSS.

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet">
```

JS

Many of our components require the use of JavaScript to function. Specifically, they require our own JavaScript plugins and [Popper](#). Place **one of the following `<script>`s** near the end of your pages, right before the closing `</body>` tag, to enable them.

Bundle

Include every Bootstrap JavaScript plugin and dependency with one of our two bundles. Both `bootstrap.bundle.js` and `bootstrap.bundle.min.js` include [Popper](#) for our tooltips and popovers. For more information about what’s included in Bootstrap, please see our [contents](#) section.

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
```

Separate

If you decide to go with the separate scripts solution, Popper must come first (if you’re using tooltips or popovers), and then our JavaScript plugins.

```
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js" integrity="sha384-ke
```

On this page

Quick start

CSS

JS

Bundle

Separate

Modules

Components

Starter template

Important globals


HTML5 doctype

Responsive meta tag

Box-sizing

Reboot

Community



```
<!-- Start: Contact Form Clean -->
<section class="contact-clean" style="background: linear-gradient(to right, #f9f9f9, #f5f5f5);border-style: none;">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">
  <title>Antica Villa del Conte</title>
  <link rel="stylesheet" href="../assets/bootstrap/css/bootstrap.min.css">
  <link rel="manifest" href="../manifest.json">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Abril+Fatface&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Bebas+Neue&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Bitter:400,700&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Dosis&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Josefin+Sans&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lora&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Montserrat+Alternates&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Playfair+Display&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Playfair+Display+SC&display=swap">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,700">
  <div class="col" style="padding-right: 0px;padding-left: 0px;">
    <div class="carousel slide" data-bs-ride="carousel" id="carousel-1" style="max-width: 97%;margin-left: 0px;margin-right: auto;">
      <div class="carousel-inner" style="max-height: 350px;">
        <div class="carousel-item active"></div>
        <div class="carousel-item"></div>
        <div class="carousel-item"></div>
      </div>
      <div>
        <!-- Start: Previous --><a class="carousel-control-prev" href="#carousel-1" role="button" data-bs-slide="prev"><span class="carousel-control-prev-icon"></span><span class="visually-hidden">Previous</span></a><!-- End: Previous -->
        <!-- Start: Next --><a class="carousel-control-next" href="#carousel-1" role="button" data-bs-slide="next"></a><!-- End: Next -->
      </div>
      <ol class="carousel-indicators">
        <li data-bs-target="#carousel-1" data-bs-slide-to="0" class="active"></li>
        <li data-bs-target="#carousel-1" data-bs-slide-to="1"></li>
        <li data-bs-target="#carousel-1" data-bs-slide-to="2"></li>
      </ol>
    </div>
  </div>
  <link rel="stylesheet" href="../assets/css/projects-clean.css">
  <link rel="stylesheet" href="../assets/css/Social-Icons.css">
  <link rel="stylesheet" href="../assets/css/styles.css">
</head>
```



[HTTPS://GETBOOTSTRAP.COM](https://getbootstrap.com)

[HTTPS://BOOTSTRAPSTUDIO.IO](https://bootstrapstudio.io)

[HTTPS://HOSTING.ARUBA.IT/EN/HOME.ASPX](https://hosting.aruba.it/en/home.aspx)