
造坊
zàofáng

Contents

Zaofang (造坊) is an open-source workshop for computer science tools: yan, a language family, and db, a bitemporal time-series database. This book sets out how the workshop looks and sounds. Every logo, colour and theme in it is generated by `zaofang/brand`; if this book and the repository disagree, the repository is right.

01 Name 03
02 Story and voice 04
03 Logo 05
04 Colour 11
05 Type 14
06 Motion 16
07 Motifs 17
08 Sub-projects 18
09 Applications 19

01

Name

造坊 means making workshop. 造, to make or build; 坊, a workshop.



zàofáng

falling, then rising · dzow-fahng

坊 reads fáng in the workshop sense, as in 作坊 and 磨坊. Fāng is the street and archway sense.

Writing the name

English prose	Zaofang
First mention on a page	Zaofang (造坊)
Chinese prose	造坊
Logo, handles, URLs, code	`zaofang`
Tone marks	Large logo uses only; never in URLs, handles, file names, code or typed text

There is no tagline.

02

Story and voice

The workshop, late, with one lamp on. A bench, a few good tools, and work done with more care than anyone asked for. Projects leave with their own names and a small maker's stamp.

One person takes the work far too seriously and ships it quietly. Show the work, not the size of the shop. One bright thing on screen: the amber cursor.

Voice

Notes left on the bench: plain, exact, a little dry.

- Address the reader as you, and the tool by its name.
- Avoid we: it implies a team. I only in changelogs, essays and release notes.
- Specific over impressive: numbers, units, versions, dates.
- Short sentences. No exclamation marks, no emoji. State limits early.
- Dry humour at most once, never at the reader's expense.

not	but
A blazing-fast, next-gen database.	db stores every fact with two clocks: when it was true, and when it was recorded.

03

Logo

Every shape follows the Bevel rule: strokes only at 0, 45 and 90 degrees, ends cut on the diagonal, joints opened by a hairline gap. One amber cursor block per composition.



Primary lockup · logo/lockup-on-light.svg



On dark · logo/lockup-on-dark.svg

Lockup

造坊 on the left with the cursor on 坊; zaofang on the right without one, because 坊 and fang are the same syllable. 造坊 is scaled to 0.96 so it spans zaofang from ascender to descender, with a 40-unit gap.




With tones, for large uses · logo/lockup-tones-on-light.svg

The everyday lockup is plain. The version with tones is for uses where the Latin is 240 px wide or more: the site hero, README banners, social cards and print.

Clear space and size

Keep the x-height clear on every side. Below the minimum width, use the avatar or favicon.



Lockup	120 px · 30 mm
Wordmark	72 px · 18 mm
造坊 mark	48 px · 12 mm

Wordmark

zaofang is drawn, never typed. A long f drops to the descender with a hooked top; a double-storey a never reads as o. The spacing balances the white between letters, plus 4 units between f and a so it reads zao-fang. f and a never join. On its own, the wordmark carries the cursor over fang.



logo/wordmark-on-light.svg

Baseline, x-height	0, 50 units
Ascender, descender	72, 24 units
Stroke	10 units
Extra space f to a	4 units

Tones

zàofáng is marked with small right-angle chips, the piece a 45-degree cut takes off a corner, each centred over its a. Large uses only.



Cursor, mark, avatar

The cursor block is a rectangle with its top-left and bottom-right corners cut at 45 degrees. It is always amber, letters inside it take the ground or ink, and it is the only amber in a logo.



造坊 mark · logo/mark-on-light.svg



Avatar · logo/avatar.svg



Avatar on paper · logo/avatar-light.svg



96 48 32 16

Favicon, full-bleed block · logo/favicon.svg, favicon.ico, png/favicon-180.png

Versions

Three, and only three: on dark with paper letters, on light with ink letters, and single colour with the letters in the block knocked out.



On dark



On light



Single colour · currentColor

Never

Use the files as they are. Anything below needs a new drawing, and the drawings come from `src/`.



No: stretch




No: rotate



No: recolour



No: add effects



No: set in a font



No: busy ground

- Do not redraw, stretch, rotate, outline or add effects.
- Do not move the cursor or show two.
- Do not recolour beyond the three versions.
- Do not join f and a, or set zaofang in a font.
- Do not place the logo on photos or busy patterns.

NAME

Lamplight: teal-black ground, warm paper, one amber cursor. Dark first; paper is a full light mode. Neutrals are tinted, teal in dark and warm in light.

PROPORTION



70 ground 25 paper or ink 5

TOKENS

tokens/tokens.css as --zf-*. Third column: contrast on the ground. Every text colour passes WCAG AA, 4.5:1.

	dark			light		
bg		#13242A			#F2EBDC	
surface		#1D333B			#E6DCCA	
surface-2		#2B4148			#DAD0BF	
border		#3B5159	1.9		#C8BCA9	1.6
text		#F0E7D5	13.0		#15232A	13.5
text-muted		#94A9B0	6.5		#4F6168	5.5
accent		#F0A445			#F0A445	
on-accent		#13242A			#15232A	
accent-text		#F0A445	7.7		#965808	4.8
selection		#234951			#E7D5B7	
link		#7DC4D5	8.2		#006A7D	5.3
info		#7DC4D5	8.2		#006A7D	5.3
success		#90D192	8.9		#38733C	4.8
warning		#F0A445	7.7		#965808	4.8
error		#F9875E	6.6		#9F4325	5.4
chart		#7DB0E1	7.0		#345F95	5.5

RULES

Amber fills the cursor, the primary button and search hits, and marks warnings. Never large backgrounds, never body text on paper. Ember is for errors only.

ANSI 0-15

ANSI red is ember. There is no true red.

0 black #1D333B	1 red #F9875E	2 green #90D192	3 yellow #F0A445	4 blue #7DB0E1	5 magenta #CBA1C6	6 cyan #7DC4D5	7 white #C9C1B0
8 black #50707A	9 red #FFA481	10 green #AEE5AF	11 yellow #FFBE73	12 blue #9AC6F0	13 magenta #E0C2DC	14 cyan #9DD9E8	15 white #F0E7D5

SYNTAX

comment	#7F97A0	#566970
keyword	#7DC4D5	#006A7D
function	#7DB0E1	#345F95
type	#CBA1C6	#7A4475
string	#90D192	#38733C
number	#C3AA48	#756208
variable	#F0E7D5	#15232A
punctuation	#94A9B0	#4F6168
invalid	#F9875E	#9F4325

EXAMPLE

```
# every fact keeps two clocks
def as_of(t: Instant, limit: int = 100):
    return db.query("facts", valid=t, limit=limit)
```

CLI

Errors ember, warnings amber, success sage, info tide, secondary text bright black. Respect NO_COLOR. In code, amber stays out of text: cursor, search hits and the matching bracket only.

FILES


themes/ghostty themes/alacritty themes/kitty themes/wezterm
themes/windows-terminal themes/vscode themes/nvim

RAMPS


Twelve steps per hue and per mode, one job each. Steps 1 to 8 tint the mode's own ground toward the hue, so dark fills stay teal and light fills stay warm. Step 11 is the role colour above; step 9 is the bright value in both modes.

1-2	page and subtle fills
3-5	component fills: rest, hover, pressed
6-8	borders
9-10	solid fill and its hover
11	text
12	strong text

DARK



LIGHT



RULES

Text sits on steps 1 to 3 at step 11 or 12. Amber steps keep amber's four jobs; ember steps are for errors only. tokens/tokens.css as --zf-tide-1 to --zf-tide-12, and so on for each hue.

FACES

All SIL Open Font License. Chinese takes over from the matching Latin face.

Newsreader · Noto Serif SC

Display and long reading. 500 headings, 400 text.

Two clocks per fact
每条事实两个时间

Geist · Noto Sans SC

Interface: navigation, buttons, labels, short text. 400 and 500.

Open repository
打开仓库

DM Mono

Code, terminal, paths, versions. 400 and 500.

```
uv run zaofang-brand
```

SCALE

16 px base, ratio 1.25. --zf-size-*

4xl	48.8 px	Workshop
3xl	39.1 px	Workshop
2xl	31.2 px	Workshop
xl	25.0 px	Workshop
lg	20.0 px	Workshop
base	16.0 px	Workshop
sm	14.0 px	Workshop
xs	12.8 px	Workshop

SETTINGS

Headings 1.15 line height. Interface 16/1.6. Long documents may use Newsreader 18/1.6. Code 14 px. Chinese body text up to 1.7.

RULES

Sentence case. Versions, commands and paths always in DM Mono. The logos are drawings: never set zaofang in a font.

06

Motion

zaofang types out letter by letter with the cursor stepping after each one. Then the cursor blinks after the word and stays solid. Typed names carry no tones.



Timing



First letter at 0.35 s, the rest 0.09 to 0.15 s apart, done at 1.05 s. 5 blinks of 1.06 s, so blinking stops near five seconds (WCAG 2.2.2). With reduced motion, the finished word and a solid cursor appear at once.

Interface motion: 150 to 200 ms, ease-out, no bounce. Only the cursor blinks. CLI splash: 90 ms per letter, three blinks, on first launch or `--version` only.


07

Motifs

No photography, no stock. Three generated motifs, used quietly.



Dot grid: 1.3 px dots on 24 px, text colour at 9 percent



Paper grain: 3 to 5 percent noise, paper only

45-degree cuts: 8 to 12 px on cards


Diagrams use dusk, tide, sage, heather and straw, with hairline borders. Any future image follows lamplight: one warm source, low and to one side, deep shadow.

Corners are square or cut at 45 degrees. Never rounded. No gradients, no glows, no starfields.

08

Sub-projects

yan, db and what follows get their own name, colour and mark. Zaofang appears only as a stamp.



README, site and docs footers



In Chinese

```
$ yan --version
yan 0.4.2 · a zaofang project
```

The --version line

- Stamp: the 坊 avatar at 16 to 24 px, then "a zaofang project" in DM Mono, lowercase.
- Sub-projects may share DM Mono and nothing else.
- Never lamplight amber, the teal-black ground, the cursor block, the Bevel cut, Newsreader or Geist as their identity.

09

Applications

Each surface has its file. Use the file; do not rebuild the logo.



Link preview · social/og-card.png



Org README · social/readme-banner-light.svg

Site header	logo/lockup-on-dark.svg, 28 to 32 px tall
Site hero, first visit	motion/typeon.svg
Docs	tokens/tokens.css; code via Shiki with themes/vscode
GitHub org avatar	logo/png/avatar-512.png
Org README	social/readme-banner-dark.svg, -light.svg
Repo social preview	social/github-social-preview.png
Link previews	social/og-card.png
Favicon	logo/favicon.svg, favicon.ico, png/favicon-180.png
Terminals, editors	themes/



Generated by scripts/book.py from zaofang/brand 1.0.0.

Code, tokens and themes: MIT. Logos and the names zaofang and 造坊 are trademarks; see TRADEMARK.md.

Set in Newsreader, Geist, DM Mono, Noto Serif SC and Noto Sans SC, SIL Open Font License.