

Works Cited

- Aaronsohn, A. 1910. Agricultural explorations in Palestine. U.S. Dept. Agr. Bur. Pl. Ind., Bull. No. 180. 64 pp.
- Aase, H. C. 1935. Cytology of cereals. Bot. Rev., 1: 467-496.
- 1946. Cytology of cereals. II. Bot. Rev., 12: 255-334.
- Abrams, L. 1905. The theory of isolation as applied to plants. Science, n.s., 22: 836-838.
- Airy-Shaw, H. K. 1947. The botanical name of the tetraploid watercress. Kew Bull., 1947: 39-46.
- Allan, H. H. 1940. Natural hybridization in relation to taxonomy. In J. Huxley, ed.; The New Systematics: 515-528.
- Allard, R. H. A. 1932. A progeny study of the so-called oak species *Quercus saulii*, with notes on other probable hybrids found in or near the District of Columbia. Bull. Torrey Bot. Club, 59: 267-277.
- 1942. The hybrid oak, *Quercus rubra*, at Arlington, Virginia. Rhodora, 44: 262-266.
- Ames, O. 1937. Pollination of orchids through pseudocopulation. Bot. Mus. Leaflets, Harvard Univ., 5(1): 1-30.
- Anderson, E. 1929. Variation in *Aster anomalous*. Ann. Missouri Bot. Gard., 16: 129-144.
- 1931. Internal factors affecting discontinuity between species. Amer. Nat., 65: 144-148.
- 1934. Origin of the angiosperms. Nature, 133: 462.
- 1936a. An experimental study of hybridization in the genus *Apocynum*. Ann. Missouri Bot. Gard., 23: 159-167.
- 1936b. The species problem in *Iris*. Ann. Missouri Bot. Gard., 23: 457-509.
- 1936c. Hybridization in American Tradescantias. Ann. Missouri Bot. Gard., 23: 511-525.
- 1937a. Supraspecific variation in nature and in classification, from the viewpoint of botany. Amer. Nat., 71: 223-235.
- 1937b. Cytology in its relation to taxonomy. Bot. Rev., 3: 335-363.
- 1939. Recombination in species crosses. Genetics, 24: 668-693.
- 1941. The technique and use of mass collections in plant taxonomy. Ann. Missouri Bot. Gard., 28: 287-292.
- 1943. Mass collections. Chronica Botanica, 7: 378-380.
- 1946. Maize in Mexico, a preliminary survey. Ann. Missouri Bot. Gard., 33: 147-247.
- 1948. Hybridization of the habitat. Evolution, 2: 1-9.
- 1949. Introgressive hybridization. New York, Wiley and Sons. 109 pp.

- Anderson, E., and E. C. Abbe. 1934. A quantitative comparison of specific and generic differences in the Betulaceae. *Jour. Arnold Arboretum*, 15: 43-49.
- Anderson, E., and L. N. Abbe. 1933. A comparative anatomical study of a mutant *Aquilegia*. *Amer. Nat.*, 67: 380-384.
- Anderson, E., and D. DeWinton. 1935. The genetics of *Primula sinensis* IV. Indications as to the ontogenetic relationship of leaf and inflorescence. *Ann. Bot.*, 49: 671-688.
- Anderson, E., and L. Hubricht. 1938a. Hybridization in *Tradescantia*. III. The evidence for intrgressive hybridization. *Amer. Jour. Bot.*, 25: 396-402.
- 1938b. American sugar maples. I. Phylogenetic relationships as deduced from a study of leaf variation. *Bot. Gaz.*, 100: 312-323.
- Anderson, E., and R. P. Ownbey. 1939. The genetic coefficients of specific difference. *Ann. Missouri Bot. Gard.*, 26: 325-346.
- Anderson, E., and K. Sax. 1936. A cytological monograph of the American species of *Tradescantia*. *Bot. Gaz.*, 97: 433-476.
- Anderson, E., and B. Schaefer. 1931. Species hybrids in *Aquilegia*. *Ann. Bot.*, 45: 639-646.
- 1933. Vicinism in *Aquilegia vulgaris*. *Amer. Nat.*, 67: 1-3.
- Anderson, E., and W. B. Turrill. 1935. Biometrical studies on herbarium material. *Nature*, 136: 986-987.
- Anderson, E., and T. W. Whitaker. 1934. Speciation in *Uvularia*. *Jour. Arnold Arboretum*, 15: 28-42.
- Anderson, E. G. 1935. Chromosomal interchanges in maize. *Genetics*, 20: 70-83.
- Andersson-Kottö, I. 1932. Observations on the inheritance of apomixy and alternation of generations. *Svensk. Bot. Tidskr.*, 26: 99-106.
- Arber, A. 1925. Monocotyledons. A morphological study. Cambridge, Cambridge University Press, 258 pp.
- 1937. The interpretation of the flower. *Biol. Rev.*, 12: 157-184.
- Armstrong, J. M. 1945. Investigations in *Triticum-Agropyron* hybridization. *Empire Jour. Exp. Agr.*, 13(49): 41-53.
- Arnold, C. A. 1947. An introduction to paleobotany. New York, McGraw-Hill, 433 pp.
- Arzt, H. 1926. Serologische Untersuchungen über die Verwandtschaftsverhältnisse der Gerste mit besonderer Berücksichtigung des Eiweissausgleichs innerhalb der präzipiterender Lösungen. *Bot. Arch.*, 13: 117-148.
- Asana, J. J., and R. D. Adatia. 1945. The chromosome numbers in the family Anonaceae. *Current Science*, 14: 74-75.
- Ascherson, P., and P. Graebner. 1913. Synopsis der mitteleuropäischen Flora, Vol. 4. 885 pp.
- Atchison, E. 1947. Studies in the Leguminosae. I. Chromosome numbers in *Erythrina* L. *Amer. Jour. Bot.*, 34: 407-414.
- Atwood, S. S. 1944. The behavior of oppositional alleles in polyploids of *Trifolium repens*. *Proc. Nat. Acad. Sci.*, 30: 69-79.

- Auerbach, C., J. M. Robson, and J. G. Carr. 1947. The chemical production of mutations. *Science*, 105: 243-247.
- Avdulov, N. P. 1931. Karyo-systematische Untersuchung der Familie Gramineen. *Bull. Appl. Bot., Suppl.* 44, 428 pp.
- Avery, P. 1938. Cytogenetic evidences of *Nicotiana* Phylesis in the *alata* group. *Univ. of Calif. Publ. Bot.*, 18: 153-194.
- Axelrod, D. 1939. A Miocene flora from the western border of the Mohave Desert. *Carnegie Inst. Washington, Publ. No.* 516, 129 pp.
- Axelrod, D. I. 1941. The concept of ecospecies in Tertiary paleobotany. *Proc. Nat. Acad. Sci.*, 27: 545-551.
- 1948. Climate and evolution in western North America during Middle Pliocene time. *Evolution*, 2: 127-144.
- Babcock, E. B. 1942. Systematics, cytogenetics, and evolution in *Crepis*. *Bot. Rev.*, 8: 139-190.
- 1947. The Genus *Crepis*, I and II. *Univ. of Calif. Publ. Bot.*, Vols. 21 and 22, 1,030 pp.
- Babcock, E. B., and D. R. Cameron. 1934. Chromosomes and phylogeny in *Crepis*. II. The relationships of 108 species. *Univ. of Calif. Publ. Agr. Sci.*, 6: 287-324.
- Babcock, E. B., and M. S. Cave. 1938. A study of intra- and interspecific relations of *Crepis foetida* L. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 75: 124-160.
- Babcock, E. B., and S. L. Emsweller. 1936. Meiosis in certain interspecific hybrids in *Crepis*, and its bearing on taxonomic relationship. *Univ. of Calif. Publ. Agr. Sci.*, 6: 325-368.
- Babcock, E. B., and J. A. Jenkins. 1943. Chromosomes and phylogeny in *Crepis*. III. The relationships of 113 species. *Univ. of Calif. Publ. Bot.*, 18: 241-292.
- Babcock, E. B., and G. L. Stebbins, Jr. 1937. The genus *Youngia*. *Carnegie Inst. Washington, Publ. No.* 484, 106 pp.
- 1938. The American species of *Crepis*: their relationships and distribution as affected by polyploidy and apomixis. *Carnegie Inst. Washington, Publ. No.* 504, 200 pp.
- Babcock, E. B., G. L. Stebbins, Jr., and J. A. Jenkins. 1937. Chromosomes and phylogeny in some genera of the Crepidinae. *Cytologia*, *Fuji Jubil. Vol.*: 188-210.
- 1942. Genetic evolutionary processes in *Crepis*. *Amer. Nat.*, 76: 337-363.
- Bailey, I. W. 1944. The development of vessels in angiosperms and its significance in morphological research. *Amer. Jour. Bot.*, 31: 421-428.
- 1949. Origin of the angiosperms: need for a broadened outlook. *Jour. Arnold Arboretum*, 30: 64-70.
- Bailey, I. W., and C. G. Nast. 1943. The comparative morphology of the Winteraceae. II. Carpel. *Jour. Arnold Arboretum*, 24: 472-481.
- 1945. The comparative morphology of the Winteraceae. VII.

- Summary and conclusions. Jour. Arnold Arboretum, 26: 37-47.
- 1948. Morphology and relationships of *Ulmus*, *Schisandra*, and *Kadsura*. I. Stem and leaf. Jour. Arnold Arboretum, 29: 77-89.
- Baker, H. G. 1948. Stages in invasion and replacement demonstrated by species of *Melandrium*. Jour. Ecology, 36: 96-119.
- Baldwin, J. T., Jr. 1935. Somatic chromosome numbers in the genus *Sedum*. Bot. Gaz., 96: 558-564.
- 1937. The cytobotany of the Telephium section of *Sedum*. Amer. Jour. Bot., 24: 126-132.
- 1938. *Kalanchoe*: The genus and its chromosomes. Amer. Jour. Bot., 25: 572-579.
- 1939. Certain cytophytic relations of Grassulaceae. Chronica Botanica, 5: 415-417.
- 1940. Cytophytic analysis of certain annual and biennial Grassulaceae. Madroño, 5: 184-192.
- 1941. *Galax*: The genus and its chromosomes. Jour. Hered., 32: 249-254.
- 1942a. Polyploidy in *Sedum ternatum* Michx. II. Cytogeography. Amer. Jour. Bot., 29: 283-286.
- 1942b. Cytological basis for specific segregation in the *Sedum nevii* complex. Rhodora, 44: 11-14.
- 1943. Polyploid in *Sedum pulchellum*. I. Cytogeography. Bull. Torrey Bot. Club, 70: 26-33.
- 1947. *Hevea*: A first interpretation. Jour. Hered., 38: 54-64.
- Bandurska, H. 1924. On the cuticles of some recent and fossil Fagaceae. Jour. Linn. Soc. Bot., 46: 427-441.
- Barber, H. N. 1941. Evolution in the genus *Paeonia*. Nature, 148 (3747): 227-228.
- Barthelmeß, A. 1941. Mutationsversuche mit einem Laubmoos, Physcomitrium pruriense. II. Morphologische und physiologische Analyse der univalenten und bivalenten Protonemen einiger Mu tanten. Zeitschr. Ind. Abst. u. Vererbungsl., 79: 153-170.
- Bartsch, P. 1920. Experiments in the breeding of Ceriops. Dept. Marine Biol., Carnegie Inst. Washington, Publ. No. 14. 54 pp.
- Battaglia, E. 1945. Sulla terminologia dei processi apomictici. Nuov. Giorn. Bot. Ital., n.s. 52: 42-57.
- 1946a. Fenomeni citologici nuovi nella embriogenesi ("Semicigamia") e nella microsporogenesi ("Doppio nucleo di restituzione") di *Rudbeckia laciniata* L. Nuovo Giorn. Bot. Ital., n.s. 52: 34-38.
- 1946b. Ricerche cariologiche e embriologiche sul genere *Rudbeckia* (Asteraceae). Nuovo Giorn. Bot. Ital., n.s. 53: 1-69.
- Bauer, H., M. Demerec, and B. P. Kaufmann. 1938. X-ray induced chromosomal alterations in *Drosophila melanogaster*. Genetics, 23: 610-630.
- Eaur, E. 1924. Untersuchungen über das Wesen, die Entstehung, und die Vererbung von Rassendifferenzen bei *Antirrhinum majus*. Biblioteca Genetica, 4: 1-170.
- 1930. Einführung in die Vererbungslehre. 7-11 Auflage, Berlin. 478 pp.
- 1932. Artungsgrenzung und Artbildung in der Gattung *Antirrhinum*, Sektion Antirrhinastrum. Zeitschr. Ind. Abst. u. Vererbungsl., 63: 256-302.
- Beadle, G. W. 1930. Genetical and cytological studies of Mendelian asynapsis in *Zea mays*. Cornell Univ. Agr. Exp. Sta., 129: 1-23.
- 1945. Biochemical genetics. Chemical Reviews, 37: 15-96.
- 1946. The gene. Proc. Amer. Phil. Soc., 90: 422-431.
- Beadle, G. W., and V. Coonradt. 1944. Heterocaryosis in *Neurospora crassa*. Genetics, 29: 291-298.
- Beasley, J. O. 1940a. The origin of American tetraploid *Gossypium* species. Amer. Nat., 74: 285-286.
- 1940b. The production of polyploids in *Gossypium*. Jour. Hered., 31: 39-48.
- 1942. Meiotic chromosome behavior in species hybrids, haploids and induced polyploids of *Gossypium*. Genetics, 27: 25-54.
- Beasley, J. O., and M. S. Brown. 1943. The production of plants having an extra pair of chromosomes from species hybrids of cotton. Records Genet. Soc. Amer., No. 12: 43.
- Becker, G. 1931. Experimentelle Analyse der Genom- und Plasmonwirkung bei Moosen. III. Osmotischer Wert heteroploider Pflanzen. Zeitschr. Ind. Abst. u. Vererbungsl., 60: 17-38.
- Beddoes, A. R. 1931. Seed setting and flowering in various grasses. Bull. Welsh Plant Breed. Sta., Ser. H, No. 12: 5-99.
- Beetle, D. E. 1944. A monograph of the North American species of *Fritillaria*. Madroño, 7: 133-159.
- Benoist, E. 1938. Recherches caryologiques sur les *Salvia*. Rev. Cyt. et Cytophys. Veg., 2: 392-413.
- Berg, R. I. 1944. Relation between the degree of frequency of mutations in the heterozygous state and their accumulation in natural populations of *Drosophila melanogaster*. Bull. Acad. Sci. USSR Cl. Sci., Math et Nat., Ser. Biol., 1944: 121-128. (In Russian, with English summary.)
- Bergman, B. 1935a. Zytologische Studien über sexuelle und asexuelle *Hieracium umbellatum*. Hereditas, 20: 47-64.
- 1935b. Zytologische Studien über die Forpflanzung bei den Gattungen *Leontodon* und *Picris*. Svensk. Bot. Tidskr., 29: 155-301.
- 1935c. Zur Kenntnis der Zytologie der skandinavischen *Anemone*-Arten. Hereditas, 20: 214-226.
- Bergner, A. D. 1943. Chromosomal interchange among six species of *Datura* in nature. Amer. Jour. Bot., 30: 431-440.
- Bergner, A. D., S. Satina, and A. F. Blakeslee. 1933. Prime types in *Datura*. Proc. Nat. Acad. Sci., 19: 103-115.
- Berry, E. W. 1922. The flora of the Concepcion-Arauco-Coal measures of Chile. John Hopkins Studies in Geology, 4: 73-142.

Works Cited

- 1930. Revision of the Eocene Wilcox flora of the southeastern states. U. S. Geol. Survey Prof. Paper, 156: 1-196.
- Bessey, C. E. 1915. The phylogeny and taxonomy of angiosperms. Ann. Missouri Bot. Gard., 2: 109-164.
- Beyerle, R. 1932. Untersuchungen über die Regeneration von Farnprimarblättern. Planta, 16: 633-665.
- Bhaduri, P. N. 1941. Cytological studies in the genus *Gaura*. Ann. Bot., n.s. 5: 1-14.
- 1942. Further cytogenetical investigations in the genus *Gaura*. Ann. Bot., n.s. 6: 229-244.
- Blackburn, K. B., and J. W. H. Harrison. 1921. The status of the British rose forms as determined by their cytological behaviour. Ann. Bot., 35: 159-188.
- Blair, A. P. 1941. Variation, isolating mechanisms, and hybridization in certain toads. Genetics, 26: 398-417.
- Blake, M. A. 1939. Some results of crosses of early ripening varieties of peaches. Proc. Amer. Soc. Hort. Sci., 37: 232-241.
- Blakeslee, A. F. 1929. Cryptic types in *Datura*. Jour. Hered., 20: 177-190.
- 1939. The present and potential service of chemistry to plant breeding. Amer. Jour. Bot., 26: 168-172.
- 1945. Removing some of the barriers to crossability in plants. Proc. Amer. Phil. Soc., 89: 561-574.
- Blakeslee, A. F., and A. G. Avery. 1937. Methods of inducing chromosome doubling in plants. Jour. Hered., 28: 393-411.
- Blakeslee, A. F., and J. Belling. 1924. Chromosomal mutations in the Jimson weed, *Datura stramonium*. Jour. Hered., 15: 195-206.
- Blakeslee, A. F., D. Bergner, and A. G. Avery. 1937. Geographical distribution of prime types in *Datura*. Cytologia, Fujii Jubil. Vol: 1070-1093.
- Blakeslee, A. F., and S. Satina. 1944. New hybrids from incompatible crosses in *Datura* through culture of excised embryos on malt media. Science, 99: 331-334.
- Böcher, T. W. 1936. Cytological studies on *Campanula rotundifolia*. Hereditas, 22: 269-277.
- 1943. Studies on variation and biology in *Plantago lanceolata* L. Dansk. Bot. Ark., 11(3): 1-18.
- 1944. The leaf size of *Veronica officinalis* in relation to geographic and environmental factors. Dansk. Bot. Ark., 11: 1-20.
- Boke, N. H. 1940. Histogenesis and morphology of the phyllode in certain species of *Acacia*. Amer. Jour. Bot., 27: 73-90.
- Bowden, W. M. 1940. Diploidy, polyploidy, and winter hardiness relationships in the flowering plants. Amer. Jour. Bot., 27: 357-371.
- 1945. A list of chromosome numbers in higher plants. I. Acanthaceae to Myrtaceae. Amer. Jour. Bot., 32: 81-92.
- Bower, F. O. 1923. The ferns. I. Cambridge, Cambridge University Press. 359 pp.

Works Cited

- 1935. Primitive land plants. London, MacMillan. 658 pp.
- Boyce, J. W., and W. P. Thompson. 1937. The development of the endosperm and embryo in reciprocal interspecific crosses in cereals. Jour. Genet., 34: 203-227.
- Boyle, W. S. 1945. A cytotaxonomic study of the North American species of *Melica*. Madroño, 8: 1-26.
- Brainerd, E. 1924. Some natural violet hybrids of North America. Vermont Agr. Exp. Sta., Bull. No. 239. 205 pp.
- Brainerd, E., and A. K. Petersen. 1920. Blackberries of New England — their classification. Vermont Agr. Exp. Sta., Bull. No. 217. 84 pp.
- Braun, W. 1946a. Dissociation in *Brucella abortus*: A demonstration of the role of inherent and environmental factors in bacterial variation. Jour. Bact., 51: 327-349.
- 1946b. The effect of serum upon dissociation in *Brucella abortus*: A demonstration of the role of selective environments on bacterial variation. Jour. Bact., 52: 243-249.
- Bremer, G. 1928. De Cytologie van het suikerriet. 4. Een cytologisch Onderzoek der Bastarden tuschen *Saccharum officinarum* en *Saccharum spontaneum*. Med. Proefst. v. Java Jahrg., 1928: 565-696.
- Brügger, F. G. 1944a. Considerações sobre o mecanismo da evolução. An. Esc. Sup. Agr. Luiz de Queiroz, Univ. São Paulo, 1944: 177-211.
- 1944b. Estudos experimentais sobre a origem do milho. An. Esc. Sup. Agr. Luiz de Queiroz, Univ. São Paulo, 1944: 226-276.
- Brierley, W. B. 1929. Variation in fungi and bacteria. Proc. Int. Cong. Plant Sci., Ithaca, 2: 1629-1654.
- Briggs, F. N. 1938. The use of the backcross method in crop improvement. Amer. Nat., 72: 285-292.
- Brink, R. A., D. C. Cooper, and L. E. Ausherman. 1944. A hybrid between *Hordeum jubatum* and *Secale cereale* reared from an artificially cultivated embryo. Jour. Hered., 35: 67-75.
- Brooks, C. E. P. 1926. Climate through the ages. London, Ernest Benn Ltd. 439 pp.
- Brown, S. W. 1943. The origin and nature of variability in the Pacific Coast blackberries (*Rubus ursinus* Cham. and Schlecht and *R. lemnoides* sp. nov.). Amer. Jour. Bot., 30: 686-697.
- Brücher, H. 1943. Die reziprok verschiedenen Art- und Rassenbastarde von *Epilobium* und ihre Ursachen. III. Plasmom- und Genomwirkung bei *Epilobium adenocaulon* Kreuzungen. Jahrb. Wiss. Bot., 91: 331-351.
- Bruun, H. G. 1932. Cytological studies in *Primula*. Symb. Bot. Upsalienses, 1: 1-239.
- Buchholz, J. T. 1939. The embryogeny of *Sequoia sempervirens* with a comparison of the Sequoias. Amer. Jour. Bot., 26: 248-257.
- Buchholz, J. T., L. F. Williams, and A. F. Blakeslee. 1935. Pollen-tube growth of ten species of *Datura* in interspecific pollinations. Proc. Nat. Acad. Sci., 21: 651-656.

- Buller, A. H. R. 1941. The diploid cell and the diploidization process in the higher fungi. Bot. Rev., 7: 335-431.
- Burbank, M. P. 1941. Cytological and taxonomic studies in the genus *Brodiaea*. I. Bot. Gaz., 103: 247-265.
- 1944. Cytological and taxonomic studies in the genus *Brodiaea*. II. Bot. Gaz., 105: 339-345.
- Burger, H. 1941. Fichten und Fähen verschiedener Herkunft auf verschiedenen Kulturotten. Mitt. Schweiz. Anstalt f. forstlische Versuchswesen, 22: 10-60.
- Burton, G. W. 1948. The method of reproduction in common Bahia grass, *Paspalum notatum*. Jour. Amer. Soc. Agron., 40: 443-452.
- Cadman, C. H. 1943. Nature of tetraploidy in cultivated European potatoes. Nature, 152: 103-104.
- Cain, S. A. 1940. Some observations on the concept of species serescence. Ecology, 21: 213-215.
- 1944. Foundations of plant geography. New York, Harper. 556 pp.
- Calder, J. W. 1937. A cytological study of some New Zealand species and varieties of *Danthonia*. Jour. Linn. Soc. London, 51: 1-9.
- Callan, H. G. 1941. The cytology of *Gaultheria wisleyensis* (Marshall) Rehder; a new mode of species formation. Ann. Bot., 5: 579-585.
- Camp, W. H. 1942a. Ecological problems and species concepts in *Crataegus*. Ecology, 23: 368-369.
- 1942b. The *Crataegus* problem. Castanea, 7: 51-55.
- 1944. A preliminary account of the biosystematic of *Oxycoccus*. Bull. Torrey Bot. Club, 71: 426-437.
- 1945. The North American blueberries, with notes on other groups of Vaccinaceae. Brittonia, 5: 203-275.
- 1947. Distribution patterns in modern plants and problems of ancient dispersals. Ecological Monographs, 17: 159-183.
- Camp, W. H., and C. L. Gill. 1943. The structure and origin of species. Brittonia, 4: 323-385.
- Caspari, E. 1948. Cyttoplasmic inheritance. Advances in Genetics, 2: 1-66.
- Catcheside, D. G. 1932. The chromosomes of a new haploid *Oenothera*. Cytologia, 4: 68-113.
- 1936. Origin, nature, and breeding behavior of *Oenothera lamarchiana* trisomics. Jour. Genet., 33: 1-23.
- 1937. Secondary pairing in *Brassica oleracea*. Cytologia, Fujii Jubil. Vol.: 366-378.
- 1939. A position effect in *Oenothera*. Jour. Genet., 38: 345-352.
- 1940. Structural analysis of *Oenothera* complexes. Proc. Roy. Soc. London, Ser. B, 128: 509-535.
- 1947a. The P-locus position effect in *Oenothera*. Jour. Genet., 48: 31-42.

- 1947b. A duplication and a deficiency in *Oenothera*. Jour. Genet., 48: 99-110.
- Cave, M. S., and M. V. Bradley. 1943. Alteration of chromosome number in *Miersia chilensis*. Amer. Jour. Bot., 30: 142-149.
- Cave, M. S., and L. Constance. 1942. Chromosome numbers in the Hydrophyllaceae. Univ. of Calif. Publ. Bot., 18: 205-216.
- 1944. Chromosome numbers in the Hydrophyllaceae: II. Univ. of Calif. Publ. Bot., 18: 293-298.
- 1947. Chromosome numbers in the Hydrophyllaceae: III. Univ. of Calif. Publ. Bot., 18: 449-465.
- Chandler, M. E. J. 1923. The geological history of the genus *Stratiotes*; an account of the evolutionary changes which have occurred in the genus during Tertiary and Quaternary times. Quart. Jour. Geol. Soc. London, 79: 117-138.
- Chaney, R. W. 1924. Quantitative studies of the Bridge Creek flora. Amer. Jour. Sci., 8: 127-144.
- 1925a. A comparative study of the Bridge Creek flora and the modern redwood forest. Carnegie Inst. Washington, Publ. No. 349: 1-22.
- 1925b. The Mascall flora — its distribution and climatic relation. Carnegie Inst. Washington, Publ. No. 349: 23-48.
- 1936. The succession and distribution of Cenozoic floras around the northern Pacific basin. Essays in Geobotany in Honor of W. A. Setchell: 55-85.
- 1940a. Tertiary forests and continental history. Bull. Geol. Soc. Amer., 51: 469-488.
- 1940b. Bearing of forests on the theory of continental drift. Scient. Monthly, 51: 489-499.
- 1947. Tertiary centers and migration routes. Ecological Monographs, 17: 139-148.
- 1948. The bearing of the living *Metasequoia* on problems of Tertiary paleobotany. Proc. Nat. Acad. Sci., 34: 503-515.
- Chaney, R. W., C. Condit, and D. I. Axelrod. 1944. Pliocene floras of California and Oregon. Carnegie Inst. Washington, Publ. No. 553: 407 pp.
- Chaney, R. W., and E. I. Sanborn. 1933. The Goshen flora of west central Oregon. Carnegie Inst. Washington, Publ. No. 439: 1-103.
- Cheeseman, E. S., and L. N. H. Larmer. 1935. Genetical and cytological studies of *Musa*. III. Chromosome numbers in the Musaceae. Jour. Genet., 30: 31-52.
- Chen, T. T. 1940a. Polyploidy and its origin in *Paramecium*. Jour. Hered., 31: 175-184.
- 1940b. A further study on polyploidy in *Paramecium*. Chromosomes and mating types in *Paramecium bursaria*. Jour. Hered., 31(5): 249-251.
- Chester, K. S. 1937. A critique of plant serology, I-III. Quart. Rev. Biol., 12: 19-46, 165-190, 294-321.

- Christie, W., and H. H. Gran. 1926. Die Einwirkung verschiedener Klimaverhältnisse auf reine Linien von Hafer und Gerste. *Hereditas*, 8: 207-228.
- Christoff, M. 1942. Die genetische Grundlage der apomiktischen Fortpflanzung bei *Hieracium aurantiacum* L. *Zeitschr. Ind. Abst.* u. *Vererbungsdl.*, 80: 103-125.
- Christoff, M., and M. A. Christoff. 1948. Meiosis in the somatic tissue responsible for the reduction of chromosome number in the progeny of *Hieracium hoppaeum* Schult. *Genetics*, 33: 36-42.
- Christoff, M., and G. Papasova. 1943. Die genetischen Grundlagen der apomiktischen Fortpflanzung in der Gattung *Potentilla*. *Zeitschr. Ind. Abst. u. Vererbungsdl.*, 81: 1-27.
- Christoff, M. A. 1943. Polyploidie, apomiktische Samenbildung und Polyembryonie bei *Poa*-Arten. (In Bulgarian, with German summary.) *Jahrb. Univ. Heilig. Kliment von Ochrid, Sofia, Land. u. Forstwirt.*, 21: 221-236.
- Clapham, A. R. 1934. Advancing sterility in plants. *Nature*, 133: 704-705.
- Clark, F. J. 1940. Cytogenetic studies of divergent meiotic spindle formation in *Zea mays*. *Amer. Jour. Bot.*, 27: 547-559.
- Clausen, J. 1921. Studies on the collective species *Viola tricolor* L. *Bot. Tidsskr.*, 37: 205-221.
- 1922. Studies on the collective species *Viola tricolor* L. *Bot. Tidsskr.*, 37: 363-416.
- 1926. Genetical and cytological investigations on *Viola tricolor* L. and *V. arvensis* Murr. *Hereditas*, 8: 1-156.
- 1929. Chromosome number and relationship in some North American species of *Viola*. *Ann. Bot.*, 43: 741-764.
- 1931a. Genetic studies in *Polemonium*. III. Preliminary account on the cytology of species and specific hybrids. *Hereditas*, 15: 62-66.
- 1931b. Cytogenetic and taxonomic investigations on Melanium violets. *Hereditas*, 15: 219-308.
- 1933. Cytological evidence for the hybrid origin of *Pentstemon neotenicus* Keck. *Hereditas*, 18: 65-76.
- 1949. Genetics of climatic races of *Potentilla glandulosa*. *Proc. 8th Int. Congr. Genetics*: 162-172.
- Clausen, J., D. D. Keck, and W. M. Heuis. 1934. Experimental taxonomy. Carnegie Inst. Washington, Yearbook, 1934: 173-177.
- Clausen, J., D. D. Keck, and W. M. Hiesey. 1939. The concept of species based on experiment. *Amer. Jour. Bot.*, 26: 103-106.
- 1940. Experimental studies on the nature of species. I. The effect of varied environments on western North American plants. Carnegie Inst. Washington, Publ. No. 520. 452 pp.
- 1941. Experimental taxonomy. Carnegie Inst. Washington, Yearbook, No. 40: 160-170.
- 1945a. Experimental studies on the nature of species. II. Plant

- evolution through amphiploidy and autoploidy, with examples from the Madinæ. Carnegie Inst. Washington, Publ. No. 564. 174 pp.
- 1945b. Experimental taxonomy. Carnegie Inst. Washington, Yearbook, No. 44: 71-83.
- 1947. Heredity of geographically and ecologically isolated races. *Amer. Nat.*, 81: 114-133.
- 1948. Experimental studies on the nature of species. III. Environmental responses of climatic races of *Achillea*. Carnegie Inst. Washington, Publ. No. 581. 129 pp.
- Clausen, R. E. 1941. Polyploidy in *Nicotiana*. *Amer. Nat.*, 75: 291-306.
- Clausen, R. E., and D. R. Cameron. 1944. Inheritance in *Nicotiana tabacum* XVIII. Monosomic analysis. *Genetics*, 29: 447-477.
- Clausen, R. E., and T. H. Goodspeed. 1925. Interspecific hybridization in *Nicotiana*. II. A tetraploid *glutinosa*-*Tabacum* hybrid, an experimental verification of Winge's hypothesis. *Genetics*, 10: 279-284.
- Clausen, R. T. 1942. Studies in the Grassulaceae. III. *Sedum*, subgenus *Gormania*, section *Eugormania*. *Bull. Torrey Bot. Club*, 69: 27-40.
- Clausen, R. T., and C. H. Uhl. 1943. Revision of *Sedum cockerellii* and related species. *Brittonia*, 5: 33-46.
- 1944. The taxonomy and cytology of the subgenus *Gormania* of *Sedum*. *Madroño*, 7: 161-180.
- Cleland, R. E. 1935. Cytotaxonomic studies on certain Oenotheras from California. *Proc. Amer. Phil. Soc.*, 75: 339-429.
- 1936. Some aspects of the cytogenetics of *Oenothera*. *Bot. Rev.*, 2: 316-348.
- 1937. Species relationships in *Onagra*. *Proc. Amer. Phil. Soc.*, 77: 477-542.
- 1940. Analysis of wild American races of *Oenothera* (*Onagra*). *Genetics*, 25: 636-644.
- 1942. The origin of *ndecipiens* from the complexes of *Oenothera lamarckiana* and its bearing upon the phylogenetic significance of similarities in gene arrangement. *Genetics*, 27: 55-83.
- 1944. The problem of species in *Oenothera*. *Amer. Nat.*, 78: 5-28.
- Coker, W. C., and H. R. Louren. 1934. *Trees of the southeastern states*. Chapel Hill, Univ. North Carolina Press. 399 pp.
- Coleman, L. C. 1941. The relation of chromocenters to differential segments in *Rhoeo discolor* Hance. *Amer. Jour. Bot.*, 28: 742-748.
- Collins, J. L. 1921. Reversion in composites. *Jour. Hered.*, 12: 129-133.
- 1924. Inheritance in *Crepis capillaris* (L.) Wallr. III. Nineteen morphological and three physiological characters. *Univ. of Calif. Publ. Agr. Sci.*, 2: 249-296.

- Cooper, D. C. 1927. Anatomy and development of the tomato flower. *Bot. Gaz.*, 83: 399-411.
- Copeland, H. F. 1938. The kingdoms of organisms. *Quart. Rev. Biol.*, 13: 383-420.
- Correns, C., and F. von Wettstein. 1937. *Nicht mendelnde Vererbung*. Handb. d. Vererbungswiss. Berlin: III. 159 pp.
- Coulter, J. M. 1885. On the appearance of the relation of ovary and perianth in the development of dicotyledons. *Bot. Gaz.*, 10: 360-363.
- Coulter, J. M., G. R. Barnes, and H. C. Cowles. 1910. A textbook of botany. I. Morphology. Chicago, Univ. of Chicago Press. 484 pp.
- Covas, G., and B. Schnack. 1944. Tres nuevas especies de *Glandularia* de la flora Argentina. *Rev. Argent. Agron.*, 11: 89-97.
- 1945. El valor taxonomico de la relación "longitud del pistilo: Volumen del grano de polen." *Darwiniana*, 7: 80-90.
- Crane, M. B. 1940. The origin and behavior of cultivated plants. In J. Huxley, ed., *The New Systematics*. 529-547.
- Crane, M. B., and C. D. Darlington. 1927. The origin of new forms in *Rubus* I. *Genetica*, 9: 241-277.
- Crane, M. B., and D. Lewis. 1942. Genetical studies in pears. III. Incompatibility and sterility. *Jour. Genet.*, 43: 31-45.
- Crane, M. B., and P. T. Thomas. 1939. Segregation in asexual (apomictic) offspring in *Rubus*. *Nature*, 143: 684.
- Cross, J. C. 1938. Chromosomes of the genus *Peromyscus* (deer mouse). *Cytologia*, 8: 408-419.
- Cuénnot, L. 1911. La genèse des espèces animales. Paris, Félix Alcan. 496 pp.
- Danser, B. H. 1929. Über die Begriffe Komparium, Komiskuum und Konvivium und über die Entstehungsweise der Konvivien. *Genetica*, 11: 399-450.
- Dansereau, P. M. 1939. Monographie du genre *Cistus* L. Thesis No. 1003, Fac. des Sciences, Univ. of Geneva. 90 pp.
- 1941a. Etudes sur les hybrides de Cistes. IV. Corrélation des caractères du *C. salviifolius* L. Canad. Jour. Res., 19C: 27-39.
- 1941b. Etudes sur les hybrides de Cistes VI. Introgression dans la section *Ladanum*. Canad. Jour. Res., 19C: 59-67.
- 1943. Études sur les hybrides de Cistes. V. Le comportement du *Cistus florentinus* Lam. Candollea, 10: 9-22.
- Dansereau, P. M., and Y. Desnaraïs. 1947. Introgression in sugar maples. II. Amer. Midl. Nat., 37: 146-161.
- Dansereau, P. M., and André Lafond. 1941. Introgression des caractères de l'*Acer saccharophorum* K. Koch et de l'*Acer nigrum* Michx. Contr. Inst. Bot., Univ. Montréal, No. 37. 31 pp.
- Dark, S. O. S. 1936. Meiosis in diploid and tetraploid *Paeonia* species. Jour. Genet., 32: 353-372.
- Darlington, C. D. 1928. Studies in *Prunus*, I and II. Jour. Genet., 19: 213-256.²⁴
- 1929. Chromosomal behavior and structural hybridity in the *Tradescantiae*. *Jour. Genet.*, 21: 207-286.
- 1931. The cytological theory of inheritance in *Oenothera*. *Jour. Genet.*, 24: 405-474.
- 1936a. The limitation of crossing over in *Oenothera*. *Jour. Genet.*, 32: 343-351.
- 1936b. Crossing over and its mechanical relationships in *Chorthippus* and *Stenodermus*. *Jour. Genet.*, 33: 465-500.
- 1936c. The external mechanics of the chromosomes. I-V. Proc. Roy. Soc. B, 121: 264-319.
- 1937. Recent advances in cytology. 2d ed. Blakiston, Philadelphia. 671 pp.
- 1939. The evolution of genetic systems. Cambridge, Cambridge Univ. Press. 149 pp.
- 1940. Taxonomic species and genetic systems. In J. Huxley, ed., *The New Systematics*: 137-160.
- Darlington, C. D., and A. E. Gairdner. 1937. The variation system in *Campamula persicifolia*. *Jour. Genet.*, 35: 97-128.
- Darlington, C. D., and E. K. Janaki Ammal. 1945. Chromosome atlas of cultivated plants. London, Allen and Unwin. 397 pp.
- Darlington, C. D., and A. A. Moffett. 1930. Primary and secondary chromosome balance in *Pyrus*. *Jour. Genet.*, 22: 129-151.
- Darlington, C. D., and M. B. Upcott. 1941. The activity of inert chromosomes in *Zea mays*. *Jour. Genet.*, 41: 275-296.
- Darrow, G. M., and W. H. Camp. 1945. *Vaccinium* hybrids and the development of new horticultural material. Bull. Torrey Bot. Club, 72: 1-21.
- Darrow, G. M., W. H. Camp, H. E. Fischer, and H. Deimen. 1944. Chromosome numbers in *Vaccinium* and related groups. Bull. Torrey Bot. Club, 71: 498-506.
- Darwin, G. 1862. The various contrivances by which orchids are fertilized by insects. 2d ed. 1877. 300 pp.
- Davidson, J. F. 1947. The polygonal graph for simultaneous portrayal of several variables in population analyses. Madroño, 9: 105-110.
- Davis, W. T. 1892. Interesting oaks recently discovered on Staten Island. Bull. Torrey Bot. Club, 19: 301-303.
- Dawson, C. D. R. 1941. Tetrasomic inheritance in *Lotus corniculatus* L. Jour. Genet., 42: 49-72.
- De Beer, G. 1940. Embryos and ancestors. Oxford, Clarendon Press. 108 pp.
- Delaunay, L. 1926. Phylogenetische Chromosomenverkürzung. Zeitschr. Zellf. u. mikr. Anat., 4: 338-364.
- Demerec, M. 1945a. Genetic aspects of changes in *Staphylococcus aureus* producing strains resistant to various concentrations of penicillin. Ann. Missouri Bot. Gard., 32: 131-138.

- 1945b. Production of *Staphylococcus* strains resistant to various concentrations of penicillin. Proc. Nat. Acad. Sci., 31: 16-24.
- Dermen, H. 1932. Chromosome numbers in the genus *Tilia*. Jour. Arnold Arboretum, 13: 49-51.
- 1936a. Cytological study and hybridization in two sections of *Verbena*. Cytologia, 7: 160-175.
- 1936b. Aposporic parthenogenesis in a triploid apple, *Malus hupehensis*. Jour. Arnold Arboretum, 17: 90-105.
- Diels, L. 1934. Die flora Australiens und Wegeners Verschiebungstheorie. Sitzungsbl. Preuss. Akad. Wiss., Berlin: 533-545.
- Dienes, L. 1947. Complex reproductive processes in bacteria. Cold Spring Harbor Symp. Quant. Biol., 11: 51-59.
- Digby, L. 1912. The cytology of *Primula kewensis* and of other related *Primula* hybrids. Ann. Bot., 26: 357-388.
- Dobzhansky, Th. 1924. Die geographische und individuelle Variabilität von *Harmonia axyridis*. Biol. Zentralbl., 44: 401-421.
- 1933. On the sterility of interracial hybrids in *Drosophila pseudoobscura*. Proc. Nat. Acad. Sci., 11: 950-953.
- 1940. Speciation as a stage in evolutionary divergence. Amer. Nat., 74: 312-321.
- 1941. Genetics and the origin of species. Revised ed. New York, Columbia University Press, 446 pp.
- 1947a. Genetics of natural populations. XIV. A response of certain gene arrangements in the third chromosome of *Drosophila pseudobscura* to natural selection. Genetics, 32: 142-160.
- 1947b. Adaptive changes induced by natural selection in wild populations of *Drosophila*. Evolution, 1: 1-16.
- Dobzhansky, Th., and C. Eppling. 1944. Contributions to the genetics, taxonomy, and ecology of *Drosophila pseudoobscura* and its relatives. Carnegie Inst. Washington, Publ. No. 554. 183 pp.
- Dobzhansky, Th., and B. Spassky. 1947. Evolutionary changes in laboratory cultures of *Drosophila pseudoobscura*. Evolution, 1: 191-216.
- Dodds, K. S., and N. W. Simmonds. 1948. Genetical and cytological studies of *Musa*. IX. The origin of an edible diploid and the significance of interspecific hybridization in the banana complex. Jour. Genet., 48: 285-296.
- Dodge, B. O. 1942. Heterokaryotic vigor in *Neurospora*. Bull. Torrey Bot. Club, 69: 75-91.
- Dorf, E. 1942. Upper Cretaceous floras of the Rocky Mountain region. Carnegie Inst. Washington, Publ. No. 508: 1-168.
- Douglas, G. E. 1944. The inferior ovary. Bot. Rev., 10: 125-186.
- Drygalski, U. V. 1935. Über die Entstehung einer tetraploiden, genetisch ungleichmässigen F_2 aus Kreuzung *Saxifraga adscendens* L. \times *Saxifraga tridactylites* L. Zeitschr. Ind. Abst. u. Vererbungsl., 69: 278-300.

- Dubinin, N. P., and G. G. Tiniakov. 1945. Seasonal cycles and the concentration of inversions in populations of *Drosophila funebris*. Amer. Nat., 79: 570-572.
- 1946. Natural selection and chromosomal variability in populations of *Drosophila funebris*. Jour. Hered., 37: 39-44.
- Duffield, J. W. 1940. Chromosome counts in *Quercus*. Amer. Jour. Bot., 27: 787-788.
- DuRietz, G. E. 1940. Problems of bipolar plant distribution. Acta Phytogeog. Suecica, 13: 215-282.
- Dusén, P. 1908. Über die Tertiäre Flora der Seymour-Insel. Wiss. Ergeb. Schwed Südpolark-Exped., 3 (3): 1-27.
- Dustin, A. P., L. J. Havas, and F. Lits. 1937. Action de la colchicine sur les divisions cellulaires chez les végétaux. C. R. Assoc. Anat. omistes: 1-5. Marseilles.
- Eames, A. J. 1931. The vascular anatomy of the flower, with refutation of the theory of carpel polymorphism. Amer. Jour. Bot., 18: 141-188.
- 1936. Morphology of vascular plants, lower groups. New York, McGraw-Hill. 433 pp.
- East, E. M. 1935a. Genetic reactions in *Nicotiana*. II. Phenotypic reaction patterns. Genetics, 20: 414-422.
- 1935b. Genetic reactions in *Nicotiana*. III. Dominance. Genetics, 20: 443-451.
- Edwards, W. N. 1935. The systematic value of cuticular characters in recent and fossil angiosperms. Biol. Rev., 10: 442-459.
- Eghis, S. A. 1940. On the problem of the origin of *Nicotiana rustica*. Compt. Rend. (Doklady) Acad. Sci. URSS, 26: 952-956.
- Eigsti, O. F. 1942. A cytological investigation of *Polygonatum* using the colchicine pollen tube technique. Amer. Jour. Bot., 29: 626-636.
- 1947. Colchicine bibliography. Lloydia, 10: 65-114.
- Einset, J. 1944. Cytological basis for sterility in induced autotetraploid lettuce (*Lactuca sativa* L.). Amer. Jour. Bot., 31: 336-342.
- 1947a. Aneuploidy in relation to partial sterility in autotetraploid lettuce (*Lactuca sativa* L.). Amer. Jour. Bot., 34: 99-105.
- 1947b. Chromosome studies in *Rubus*. Gentes Herbarum, 7: 181-192.
- Elias, M. K. 1942. Tertiary prairie grasses and other herbs from the high plains. Spec. Papers Geol. Soc. Amer., No. 41. 176 pp.
- Ellerton, S. 1939. The origin and geographical distribution of *Triticum sphaerococcum* Pers. and its cytological behavior in crosses with *T. vulgare* Vill. Jour. Genet., 38: 307-324.
- Elton, C. S. 1930. Animal ecology and evolution. Oxford, Clarendon Press. 96 pp.
- Emerson, S. 1929. The reduction division in a haploid *Oenothera*. La Cellule, 39: 159-166.

- 1936. A genetic and cytological analysis of *Oenothera pratimcola* and one of its revolute-leaved mutations. *Jour. Genet.*, 32: 315-342.
- 1947. Growth responses of a sulphonamide-requiring mutant strain of *Neurospora*. *Jour. Bacteriol.*, 54: 195-207.
- Emerson, S., and J. E. Cushing. 1946. Altered sulphonamide antagonism in *Neurospora*. *Federation Proceedings*, 3: 379-389.
- Emerson, S., and A. H. Sturtevant. 1932. The linkage relations of certain genes in *Oenothera*. *Genetics*, 17: 393-412.
- Ensweller, S. L., and H. A. Jones. 1935. Meiosis in *Allium fistulosum*, *Allium cepa*, and their hybrid. *Hilgardia*, 9: 277-288.
- 1938. Crossing over, fragmentation, and formation of new chromosomes in an *Allium* species hybrid. *Bot. Gaz.*, 99: 729-772.
- 1945. Further studies on the chiasmata of the *Allium cepa* \times *A. fistulosum* hybrid and its derivatives. *Amer. Jour. Bot.*, 32: 370-379.
- Ensweller, S. L., and M. L. Rutile. 1941. Induced polyploidy in floriculture. *Amer. Nat.*, 75: 310-326.
- Engler, A. 1913. Einfluss der Provenienz des Samens auf die Eigenschaften der forstlichen Holzgewächse. *Mitt. Schweiz. Centralanst. f. forstliche Versuchswesen*, 10: 191-386.
- Epling, Carl. 1938. *Scilla*, *Charybdis*, and *Darwin*. *Amer. Nat.*, 72: 547-561.
- 1939. An approach to classification. *Scient. Monthly*, 49: 1-8.
- 1943. Taxonomy and gynomorphy. *Science*, 98: 515-516.
- 1944. The living mosaic. *Research Lecture*, Univ. of Calif. Press, 26 pp.
- 1947a. Actual and potential gene flow in natural populations. *Amer. Nat.*, 81: 104-113.
- 1947b. Natural hybridization of *Salvia apiana* and *S. mellifera*. *Evolution*, 1: 69-78.
- Epling, Carl, and Th. Dobzhansky. 1942. Genetics of natural populations. VI. Microgeographic races in *Linanthus parryae*. *Genetics*, 27: 317-332.
- Epling, Carl, and H. Lewis. 1946. Fertility and natural hybridization in *Delphinium* and its bearing upon gene exchange and the origin of diploid species. (Abstract.) *Amer. Jour. Bot.*, 33: 20s.
- Erickson, R. O. 1943. Population size and geographical distribution of *Clematis fremontii* var. *riehlii*. *Ann. Missouri Bot. Gard.*, 30: 63-68.
- 1945. The *Clematis fremontii* var. *riehlii* population in the Ozarks. *Ann. Missouri Bot. Gard.*, 32: 413-460.
- Erlanson, E. W. 1934. Experimental data for a revision of the North American wild roses. *Bot. Gaz.*, 96: 197-259.
- Ernst, A. 1918. Bastardierung als Ursache der Apogamie im Pflanzenreich. *Jena, G. Fischer*, 665 pp.
- Esau, K. 1944. Apomixis in guayule. *Proc. Nat. Acad. Sci.*, 30: 352-355.

- 1946. Morphology of reproduction in guayule and certain other species of *Parthenium*. *Hilgardia*, 17: 61-111.
- Ettingshausen, C. von. 1887a. Beiträge zur Kenntnis der Tertiärfloren Australiens, zweite Folge. Denks. Ak. Wiss. Wien, 53: 81-142.
- 1887b. Beiträge zur Kenntnis der fossilen flora Neuseelands. Denks. Ak. Wiss. Wien, 53: 143-192.
- Ewan, J. 1945. A synopsis of the North American species of *Delphinium*. *Univ. of Colorado Studies, Ser. D.*, 2: 55-244.
- Fabergé, A. C. 1936. The physiological consequences of polyploidy. I. Growth and size in the tomato. *Jour. Genet.*, 33: 367-382.
- 1943. Genetics of the *scabiflora* section of *Papaver*. II. The alpine poppy. *Jour. Genet.*, 45: 139-170.
- 1944. Genetics of the *scabiflora* section of *Papaver*. III. Inter-specific hybrids and genetic homology. *Jour. Genet.*, 46: 125-149.
- Faegri, K. 1937. Some fundamental problems of taxonomy and phylogenetics. *Bot. Rev.*, 3: 400-423.
- Fagerlin, F. 1937. Embryologische, zytologische, und bestäubungs-experimentelle Studien in der Familie Rubiaceae nebst Bemerkungen über einige Polyploiditäts-probleme. *Acta Horti Bergiani*, 11: 195-470.
- 1940a. Die terminologie der apomixis-prozesse. *Hereditas*, 26: 1-22.
- 1940b. Sind die *camina*-Rosen agamospermische Bastarde? *Svensk. Bot. Tidskr.*, 34: 334-354.
- 1944a. Der Zusammengang zwischen Perennität, Apomixis, und Polyploidie. *Hereditas*, 30: 179-200.
- 1944b. Is my terminology of the apomictic phenomena of 1940 incorrect and inappropriate? *Hereditas*, 30: 590-596.
- 1945. Die Bastarde der *camina*-Rosen, ihre Syndese-und Formbildungsverhältnisse. *Acta Horti Bergiani*, 14: 9-37.
- 1946. Sporogenesis, Embryosackentwicklung, und pseudogame Samenbildung bei *Rudbeckia laciniata* L. *Acta Horti Bergiani*, 14: 39-90.
- Fankhauser, G. 1945a. Maintenance of normal structure in heteroploid salamander larvae through compensation of changes in cell size by adjustment of cell number and cell shape. *Jour. Exper. Zool.*, 100: 445-455.
- 1945b. The effects of changes in chromosome number on amphibian development. *Quart. Rev. Biol.*, 20: 20-78.
- Fassett, N. C. 1941. Mass collections: *Rubus odoratus* and *R. parviflorus*. *Ann. Missouri Bot. Gard.*, 28: 299-374.
- 1942. Mass collections: *Dierville lonicera*. *Bull. Torrey Bot. Club*, 69: 317-322.
- 1943. The validity of *Juniperus virginiana* var. *crebra*. *Amer. Jour. Bot.*, 30: 469-477.

- 1944a. *Juniperus virginiana*, *J. horizontalis*, and *J. scopulorum*. I. The specific characters. Bull. Torrey Bot. Club, 71: 410-418.
- 1944b. *Juniperus virginiana*, *J. horizontalis*, and *J. scopulorum*. II. Hybrid swarms of *J. virginiana* and *J. scopulorum*. Bull. Torrey Bot. Club, 71: 475-483.
- 1945a. *Juniperus virginiana*, *J. horizontalis*, and *J. scopulorum*. III. Possible hybridization of *J. horizontalis* and *J. scopulorum*. Bull. Torrey Bot. Club, 72: 42-46.
- 1945b. *Juniperus virginiana*, *J. horizontalis*, and *J. scopulorum*. IV. Hybrid swarms of *J. virginiana* and *J. horizontalis*. Bull. Torrey Bot. Club, 72: 379-384.
- 1945c. *Juniperus virginiana*, *J. horizontalis*, and *J. scopulorum*. V. Taxonomic treatment. Bull. Torrey Bot. Club, 72: 480-482.
- Fedorova, N. J. 1946. Crossability and phylogenetic relations in the main European species of *Fragaria*. Compt. Rend. (Doklady) Acad. Sci. URSS, 52: 545-547.
- Fernald, M. L. 1925. The persistence of plants in unglaciated areas of Boreal America. Mem. Amer. Acad. Sci., 15: 239-342.
- 1926. The antiquity and dispersal of vascular plants. Quart. Rev. Biol., 1: 212-245.
- 1929. Some relationships of the flora of the northern hemisphere. Proc. Int. Congr. Plant Sci., Ithaca, 2: 1487-1507.
- 1931. Specific segregations and identities in some floras of eastern North America and the Old World. Rhodora, 33: 25-63.
- 1933. Recent discoveries in the Newfoundland flora. Rhodora, 35: 327-347; 369-386.
- 1934. Some beginnings of specific differentiation in plants. Science, 79: 573-578.
- Fischer, A., and F. Schwanitz. 1936. Die Bedeutung der Polyploidie für die ökologische Anpassung und die Pflanzenzüchtung. Der Züchter, 8: 225-231.
- Fisher, R. A. 1930. The genetical theory of natural selection. Oxford, Clarendon Press. 272 pp.
- 1936. The use of multiple measurements in taxonomic problems. Ann. Eugenics, 7 (2): 179-188.
- Florell, V. H. 1931. A cytologic study of wheat \times rye hybrids and backcrosses. Jour. Agr. Res., 42: 341-362.
- Florin, R. 1932. Die Chromosomenzahlen bei *Weltwitschia* und einigen *Ephedra*-Arten. Svensk Bot. Tidskr., 26: 205-214.
- 1933. Studien über die Cycadales des Mesozoikums. K. Svenska Vetensk. Akad. Handl. (3)12, No. 5: 1-134.
- 1936. Die fossilen Ginkgophyten von Franz-Joseph-Land nebst Erörterungen über vermeintliche Cordaitales mesozoischen Alters. Paleontographica, 81(B): 71-173; *ibid.*, 82(B): 1-72.
- 1940. The Tertiary fossil conifers of South Chile and their phylogenetic significance, with a review of the fossil conifers of geographical significance, with a review of the fossil conifers of

- southern lands. K. Svenska Vetensk. Akad. Handl. Ser. 3, 19(2): 1-107.
- 1944a. Die Koniferen des Oberkarbons und des unteren Perm. Vol. 6. Palaeontographica, 85(B): 365-456.
- 1944b. Die Koniferen des Oberkarbons und des unteren Perm. Vol. 7. Palaeontographica, 85(B): 457-654.
- Flory, W. S. 1936. Chromosome numbers and phylogeny in the gymnosperms. Jour. Arnold Arboretum, 17: 83-89.
- 1937. Chromosome numbers in the Polemoniaceae. Cytologia, Fuji Jubil. Vol.: 171-180.
- Flovik, K. 1938. Cytological studies of arctic grasses. Hereditas, 24: 265-376.
- 1940. Chromosome numbers and polyploidy within the flora of Spitzbergen. Hereditas, 26: 430-440.
- Foster, A. S. 1932a. Investigations on the morphology and comparative history of development of foliar organs. III. Cataphyll and foliage-leaf ontogeny in the black hickory (*Carya buckleyi* var. *arkansana*). Amer. Jour. Bot., 19: 75-99.
- 1932b. Investigations on the morphology and comparative history of development of foliar organs. IV. The prophyll of *Carya buckleyi* var. *arkansana*. Amer. Jour. Bot., 19: 710-728.
- 1935. A histogenetic study of foliar determination in *Carya buckleyi* var. *arkansana*. Amer. Jour. Bot., 22: 88-131.
- 1936. Leaf differentiation in angiosperms. Bot. Rev., 2: 349-372.
- 1944. Structure and development of sclereids in the petiole of *Camellia japonica* L. Bull. Torrey Bot. Club, 71: 302-326.
- 1945. The foliar sclereids of *Trochodendron aralioides* Sieb. et Zucc. Jour. Arnold Arboretum, 26: 155-162.
- 1946. Comparative morphology of the foliar sclereids in the genus *Mourinia* Aubl. Jour. Arnold Arboretum, 27: 253-271.
- Foster, A. S., and F. A. Bailey. 1933. Organization and development of foliar organs in *Paeonia officinalis*. Amer. Jour. Bot., 20: 365-385.
- Foster, R. C. 1937. A cytological survey of the North American species of *Iris*. Contr. Gray Herb., 119: 1-82.
- Frandsen, K. J. 1943. The experimental formation of *Brassica juncea* Czern. et Coss. Dansk. Botanisk Arkiv, 11 (4): 1-17.
- Frankel, O. H. 1947. The theory of plant breeding for yield. Heredity, 1: 109-120.
- Fritsch, F. E. 1916. The algal ancestry of the higher plants. New Phytologist, 5: 233-250.
- 1935. The structure and reproduction of the Algae. Vol. 1. London and New York. Macmillan. 789 pp.
- Frost, H. B. 1926. Polyembryony, heterozygosis, and chimeras in *Citrus* Hilgardia, 1: 365-402.
- 1938. Nucellar embryony and juvenile characters in clonal varieties of *Citrus*. Jour. Hered., 29: 423-432.

- Gardner, A. E., and C. D. Darlington. 1931. Ring formation in diploid and polyploid *Campanula persicifolia*. *Genetics*, 16: 113-150.
- Gatewski, W. 1946. Cytogenetic investigations on *Anemone* L. I. *Anemone janczewskii*, a new amphidiploid species of hybrid origin. *Acta Soc. Bot. Polon.*, 17: 129-194.
- Ganong, W. F. 1901. The cardinal principles of morphology. *Bot. Gaz.*, 31: 426-434.
- Garber, E. D. 1947. The pachytene chromosomes of *Sorghum intrans*. *Jour. Hered.*, 38: 251-252.
- Gard, M. 1912. Recherches sur les hybrides artificiels de Cistes obtusus Par Ed. Bornet. II. Les espèces et les hybrides binaires. *Beih. Bot. Centralbl.*, 29 (2): 306-394.
- Gardner, E. J. 1946. Sexual plants with high chromosome number from an individual plant selection in a natural population of guayule and mariola. *Genetics*, 31: 117-124.
- Gates, R. R. 1909. The stature and chromosomes of *Oenothera gigas*, De Vries. *Arch. f. Zellforsch.*, 3: 525-552.
- 1942. Nucleoli and related nuclear structures. *Bot. Rev.*, 8: 337-409.
- Gates, R. R., and D. G. Catcheside. 1932. Gamolysis of various new *Oenotheras*. *Jour. Genet.*, 26: 143-178.
- Gates, R. R., and H. K. Nandi. 1935. The cytology of trisomic mutations in a wild species of *Oenothera*. *Phil. Trans. Roy. Soc. London Ser. B*, No. 524: 227-254.
- Gettler, L. 1937. Cytogenetische Untersuchungen an natürlichen Populationen von *Paris quadrifolia*. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 73: 182-197.
- 1938. Weitere cytogenetische Untersuchungen an natürlichen Populationen von *Paris quadrifolia*. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 75: 161-190.
- Gentleff, G., and A. Gustafsson. 1940. Parthenogenesis and pseudogamy in *Potentilla*. *Bot. Not.* (Lund), 1940: 109-132.
- Gerassimova, H. 1939. Chromosome alterations as a factor of divergence of forms. I. New experimentally produced strains of *C. tetragram* which are physiologically isolated from the original forms owing to reciprocal translocation. *Compt. Rend. Acad. Sci. URSS*, 25: 148-154.
- Gershenson, S. 1945a. Evolutionary studies on the distribution and dynamics of melanism in the hamster (*Cricetus cricetus* L.). I. Distribution of black hamsters in the Ukrainian and Bashkirian Soviet Socialist Republics. *Genetics*, 30: 207-232.
- 1945b. Evolutionary studies on the distribution and dynamics of melanism in the hamster (*Cricetus cricetus* L.). II. Seasonal and annual changes in the frequency of black hamsters. *Genetics*, 30: 233-251.
- Gershoy, A. 1928. Studies in North American violets. I. General considerations. *Vermont Agr. Expt. Sta., Bull.* No. 279, 18 pp.

- 1932. Descriptive notes for *Viola* exhibit. The *Nominum* and *Chamaemelanum* sections. Sixth Int. Congr. Genetics, Ithaca, N.Y., Publ. Vermont Agr. Expt. Sta. 27 pp.
- 1934. Studies in North American violets. III. Chromosome numbers and species characteristics. *Bull. Vermont Agr. Expt. Sta.*, 367: 1-91.
- Gerstel, D. U. 1943. Inheritance in *Nicotiana tabacum*. XVII. Cytogenetical analysis of *glutinosa*-type resistance to mosaic disease. *Genetics*, 28: 533-536.
- 1945a. Inheritance in *Nicotiana tabacum*. XIX. Identification of the *tobacum* chromosome replaced by one from *N. glutinosa* in mosaic-resistant Holmes Samsoun tobacco. *Genetics*, 30: 448-454.
- 1945b. Inheritance in *Nicotiana tabacum*. XX. The addition of *Nicotiana glutinosa* chromosomes to tobacco. *Jour. Hered.*, 36: 197-206.
- Chimpu, V. 1929. Sur les chromosomes de quelques chênes. *Rev. Bot. Appl. et Agric. Tropic.*, 9: 175-178.
- 1930. Recherches cytologiques sur les genres *Hordeum*, *Acacia*, *Medicago*, *Vitis*, et *Quercus*. *Archives d'Anatomie Microscopique*, 26: 135-234.
- Giles, N. 1940. Spontaneous chromosome aberrations in *Tradescantia*. *Genetics*, 25: 69-87.
- 1941. Chromosome behavior at meiosis in triploid *Tradescantia* hybrids. *Bull. Torrey Bot. Club*, 68: 207-221.
- Giles, N. H. 1942. Autopolyploidy and geographical distribution in *Cuthbertia graminea* Small. *Amer. Jour. Bot.*, 29: 637-645.
- Goebel, K. 1928. *Organographie der Pflanzen*, dritte Auflage, I. Jena, G. Fischer, 1,861 pp.
- 1933. *Organographie der Pflanzen*, dritte Auflage, III. Jena, G. Fischer, pp. 1379-2078.
- Goldschmidt, R. 1933. Some aspects of evolution. *Science*, n.s., 78: 539-547.
- 1940. The material basis of evolution. New Haven, Yale Univ. Press. 436 pp.
- Goodale, H. D. 1942. Further progress with artificial selection. *Amer. Nat.*, 76: 515-519.
- Goodspeed, T. H. 1934. *Nicotiana* phylesis in the light of chromosome number, morphology, and behavior. *Univ. of Calif. Publ. Bot.*, 17 (13): 369-398.
- 1944. *Nicotiana arenari*. A new, naturally occurring amphidiploid species. *Proc. Calif. Acad. Sci.*, 25(12): 291-306.
- 1945. Cytotaxonomy of *Nicotiana*. *Bot. Rev.*, 11: 533-592.
- 1947. On the evolution of the genus *Nicotiana*. *Proc. Nat. Acad. Sci.*, 33: 158-171.
- Goodspeed, T. H., and P. Avery. 1939. Trisomic and other types in *Nicotiana sylvestris*. *Jour. Genet.*, 38: 381-458.

- Goodspeed, T. H., and R. E. Clausen. 1928. Interspecific hybridization in Nicotiana. VII. The *sylvestris-tomentosa-tobacum* triangle and its bearing on the origin of *Tabacum*. Univ. of Calif. Publ. Bot., 11: 245-256.
- Goodwin, R. H. 1937a. The cytogenetics of two species of *Solidago* and its bearing on their polymorphism in nature. Amer. Jour. Bot., 24: 425-432.
- 1937b. Notes on the distribution and hybrid origin of \times *Solidago asperula*. Rhodora, 38: 22-28.
- 1941. The selective effect of climate on the flowering behavior of *Solidago sempervirens* L. Proc. Rochester Acad. Sci., 8: 22-27.
- 1944. The inheritance of flowering time in a short-day species, *Solidago sempervirens* L. Genetics, 29: 503-519.
- Gould, F. W. 1945. Notes on the genus *Elymus*. Madroño, 8: 42-48.
- Grassl, C. O. 1946. *Saccharum robustum* and other wild relatives of "noble" sugar canes. Jour. Arnold Arboretum, 27: 234-252.
- Greenleaf, W. 1941. Sterile and fertile amphidiploids: their possible relation to the origin of *Nicotiana tabacum*. Genetics, 26: 301-324.
- 1942. Genic sterility in *tobacum*-like amphidiploids of *Nicotiana*. Jour. Genet., 43: 69-96.
- Grégoire, V. 1938. La morphogénèse et l'autonomie morphologique de l'appareil floral. La Cellule, 47: 287-452.
- Gregor, J. W. 1931. Experimental delimitation of species. New Phytologist, 30: 204-217.
- 1938a. Experimental taxonomy. II. Initial population differentiation in *Plantago maritima* L. of Britain. New Phytologist, 37: 15-49.
- 1938b. Reflections concerning new crop varieties. Herbage Re-views, 6: 234-239.
- 1939. Experimental taxonomy. IV. Population differentiation in North American and European sea plantains allied to *Plantago maritima* L. New Phytologist, 38: 293-322.
- 1942. The units of experimental taxonomy. Chronica Botanica, 7: 193-196.
- 1944. The ecotype. Biol. Rev., 19: 20-30. *
- 1946. Ecotypic differentiation. New Phytologist, 45: 254-270.
- Gregor, J. W., V. McM. Davey, and J. M. S. Lang. 1936. Experimental taxonomy. I. Experimental garden technique in relation to the recognition of small taxonomic units. New Phytologist, 35: 323-350.
- Gregor, J. W., and F. W. Sansome. 1930. Experiments on the genetics of wild populations. II. *Phleum pratense* and the hybrid *P. pratense* \times *P. alpinum* L. Jour. Genet., 22: 373-387.
- Gregory, W. C. 1941. Phylogenetic and cytological studies in the Ranunculaceae Juss. Trans. Amer. Phil. Soc., n.s. 31: 443-520.
- Griggs, R. F. 1937. Hybridity as a factor in evolution. Jour. Washington Acad. Sci., 27: 329-343.

- Gustafsson A. 1931a. Sind die *canina*-Rosen apomiktisch? Bot. Not. (Lund), 1931: 21-30.
- 1931b. Weitere Kastrierungsversuche in der Gattung *Rosa*. Bot. Not. (Lund), 1931: 350-354.
- 1932. Zytologische und experimentelle Studien in der Gattung *Taraxacum*. Hereditas, 16: 41-62.
- 1935a. Studies on the mechanism of parthenogenesis. Hereditas, 21: 1-12.
- 1935b. The importance of apomixis for plant geography. Bot. Not. (5): 325-330.
- 1941a. Mutaion experiments in barley. Hereditas, 27: 225-242.
- 1941b. Preliminary yield experiments with ten induced mutations in barley. Hereditas, 27: 337-359.
- 1942. The origin and properties of the European blackberry flora. Hereditas, 28: 249-277.
- 1943. The genesis of the European blackberry flora. Lund. Kgl. Fysogr. Sällsk. Handlingar, n.s. 54 No. 6. 200 pp.
- 1944. The constitution of the *Rosa canina* complex. Hereditas, 30: 405-428.
- 1946. Apomixis in the higher plants. I. The mechanism of apomixis. Lunds Univ. Arsskr. N. F. Avd. 2, 42 (3): 1-66.
- 1947a. Mutations in agricultural plants. Hereditas, 33: 1-100.
- 1947b. Apomixis in higher plants. II. The causal aspect of apomixis. Lunds Univ. Arsskr. N. F. Avd. 2, 43 (2): 71-178.
- 1947c. Apomixis in higher plants. III. Biotype and species formation. Lunds Univ. Arsskr., 44 (2): 183-370.
- 1948. Polyploidy, life-form, and vegetative reproduction. Hereditas, 34: 1-22.
- Gustafsson, A., and A. Håkansson. 1942. Meiosis in some *Rosa*-hybrids. Bot. Not.: 331-343.
- Haan, H. R. M. de. 1920. Contribution to the knowledge of the morphological value and the phylogeny of the ovule and its integuments. Rec. Trav. Bot. Neerl., 17: 217-324.
- Hagedoorn, A. C., and A. I. Hagedoorn. 1921. The relative value of the processes causing evolution. The Hague, Martinus Nijhoff. 294 pp.
- Hagerup, O. 1927. *Empetrum hermafroditicum* (Lge.) Hagerup, a new tetraploid, bisexual species. Dansk Bot. Arkiv, 5: 1-17.
- 1932. Über Polyplodie in Beziehung zu Klima, Ökologie, und Phylogenie. Hereditas, 16: 19-40.
- 1933. Studies on polyploid ecotypes in *Vaccinium uliginosum* L. Hereditas, 18: 122-128.
- 1940. Studies on the significance of polyploidy. IV. *Oxycoccus*. Hereditas, 26: 399-410.
- 1944. On fertilization, polyploidy, and haploidy in *Orchis maculata* L. (*vars. lat.*). Dansk Bot. Arkiv, 11 (5): 1-25.

- Häkansson, A. 1940. Die Meiosis bei haploiden Pflanzen von *Godetia whitneyi*. Hereditas, 26: 411-429.
- 1941. Zur Zytologie von *Godetia* — Arten und Bastarden. Hereditas, 27: 319-336.
- 1942. Zytologische Studien an Rassen und Rassenbastarden von *Godetia whitneyi* und verwandten Arten. Lunds Univ. Annaler (Andra Med.) N. F. 2, 38(5): 1-69.
- 1943a. Die Entwicklung des Embryosacks und die Befruchtung bei *Poa alpina*. Hereditas, 29: 25-61.
- 1943b. Meiosis in a hybrid with one set of large and one set of small chromosomes. Hereditas, 29: 461-474.
- 1944a. Ergänzende Beiträge zur Embryologie von *Poa alpina*. Bot. Not.: 299-311.
- 1944b. Studies on a peculiar chromosome condition in *Godetia whitneyi*. Hereditas, 30: 597-612.
- 1946a. Meiosis in hybrid nullisomics and certain other forms of *Godetia whitneyi*. Hereditas, 32: 495-513.
- 1947. Contributions to a cytological analysis of the species differences of *Godetia amoena* and *G. whitneyi*. Hereditas, 33: 235-260.
- Haldane, J. B. S. 1930. Theoretical genetics of autopolyploids. Jour. Genet., 32: 359-372.
- 1932a. The causes of evolution. New York and London, Harper, 234 pp.
- 1932b. The time of action of genes, and its bearing on some evolutionary problems. Amer. Nat., 66: 5-24.
- Hannah, M. 1916. A comparative account of epigyny in certain monocotyledons and dicotyledons. Trans. Amer. Microsc. Soc., 35: 207-220.
- Hansen, H. N. 1938. The dual phenomenon in imperfect fungi. Mycologia, 30: 442-455.
- Hansen, H. N., and R. E. Smith. 1932. The mechanism of variation in imperfect fungi. *Botrytis cinerea*. Phytopathology, 22: 953-964.
- 1935. The origin of new types of imperfect fungi from interspecific co-cultures. Zentralbl. f. Bakter., Parasitenk. u. Infektionskrankheiten II Abt., 92: 272-279.
- Harlan, H. V., and M. L. Martini. 1938. The effect of natural selection on a mixture of barley varieties. Jour. Agr. Res., 57: 189-199.
- Harlan, J. R. 1945a. Cleistogamy and chasmogamy in *Bromus carinatus*. Hook. and Arn. Amer. Jour. Bot., 32: 66-72.
- 1945b. Natural breeding structure in the *Bromus carinatus* complex as determined by population analyses. Amer. Jour. Bot., 32: 142-148.
- Harland, S. C. 1934. The genetical conception of the species. Tropical Agriculture, 11: 51-53.
- 1936. The genetical conception of the species. Biol. Rev., 11: 83-112.
- 1937. The genetics of cotton XVII. Increased mutability of a gene in *G. purpurascens* as a consequence of hybridization with *G. hirsutum*. Jour. Genet., 34: 153-168.
- Harris, T. M. 1941. Cones of extinct Cycadales from the Jurassic rocks of Yorkshire. Phil. Trans. Roy. Soc. London, Ser. B, 281: 75-98.
- Hartung, M. 1946. Chromosome numbers in *Poa*, *Agropyron* and *Elymus*. Amer. Jour. Bot., 33: 516-531.
- Haustein, E. 1939a. Die Chromosomenanordnung bei einigen Bastarden der *Oenothera argentea*. Zeitschr. Ind. Abst. u. Vererbungsl., 76: 411-421.
- 1939b. Die Analyse der *Oenothera brachycarpa*. Zeitschr. Ind. Abst. u. Vererbungsl., 76: 487-511.
- Hayes, H. K., and R. J. Garber. 1927. Breeding crop plants. 2d ed. New York, McGraw-Hill. 438 pp.
- Hayes, H. K., and F. R. Immer. 1942. Methods of plant breeding. New York and London, McGraw-Hill. 432 pp.
- Hecht, A. 1941. Cytogenetic studies of *Oenothera*, subgenus *Raimannia*. (Abstract.) Amer. Jour. Bot., 28: 38.
- Hegi, G. 1906. Illustrierte Flora von Mittel-europa. Vol. IV. Munich, J. F. Lehmanns.
- Heilborn, O. 1924. Chromosome numbers and dimensions, species-formation and phylogeny in the genus *Carex*. Hereditas, 5: 129-216.
- 1928. Chromosome studies in Cyperaceae. Hereditas, 11: 182-191.
- 1932. Aneuploidy and Polyploidy in *Carex*. Svensk Bot. Tidkr., 26: 137-146.
- 1936. The mechanics of so-called secondary association between chromosomes. Hereditas, 22: 167-188.
- 1939. Chromosome studies in Cyperaceae. III-IV. Hereditas, 25: 224-240.
- Heilbron, A. 1932. Polyplidie und Generationswechsel. Ber. Deut. Bot. Ges., 50: 289-300.
- Heiser, G. B., Jr. 1947. Hybridization between the sunflower species *Helianthus annuus* and *H. petiolaris*. Evolution, I: 249-262.
- Heiser, G. B., Jr., and T. W. Whitaker. 1948. Chromosome number and growth habit in California weeds. Amer. Jour. Bot., 35: 179-186.
- Heitz, E. 1931. Die Ursache der gesetzmässigen Zahl, Lage, Form, und Grösse pflanzlicher Nucleolen. Planta, 12: 774-844.
- 1932. Die Herkunft der Chromocentren. Planta, 18: 571-636.
- 1940. Durch Röntgenstrahlen ausgelöste Mutationen bei *Pellia neesiana*. Verhandl. Schweizer. Naturf. Ges., 1940: 170-171.
- 1942. Über die Beziehung zwischen Polyplidie und Gemischtschlechtlichkeit bei Moosen. Arch. Julius Klaus Stift. f. Vererbungsforsch., etc., 17: 444-448.
- 1944. Über einige Frage der Artbildung. Arch. Julius Klaus-Stift. f. Vererbungsf., etc., 19: 510-528.

- Henry, A. 1910. On elm seedlings showing Mendelian results. Jour. Linn. Soc., 39: 290-300.
- Heribert-Niesson, N. 1918. Experimentelle Untersuchungen über Variabilität, Spaltung, Artbildung, und Evolution der Gattung *Saxif.* Lunds. Univ. Årskr. N.F., Avt., 2, 14, No. 28. 145 pp.
- Hesse, R. 1938. Vergleichende Untersuchungen an diploiden und tetraploiden Petunien. Zeitschr. Ind. Abst. u. Vererbungsl., 75: 1-23.
- Hiesey, W. M. 1940. Environmental influence and transplant experiments. Bot. Rev., 6: 181-203.
- Hiesey, W. M., J. Clausen, and D. D. Keck. 1942. Relations between climate and intraspecific variability in plants. Amer. Nat., 76: 5-22.
- Hill, A. W. 1929. Antarctica and problems of distribution. Proc. Int. Congr. Plant Sci., Ithaca, N.Y.: 1477-1486.
- Hiorth, G. 1934. Genetische Versuche mit *Collinsia*. IV. Die Analyse eines nahezu sterilen Artbastardes. Pt. 1. Die diploiden Bastarde zwischen *Collinsia bicolor* und *C. bartsiæfolia*. Zeitschr. Ind. Abst. u. Vererbungsl., 66: 106-157.
- 1941. Zur Genetik und Systematik der Gattung *Gedelia*. Zeitschr. Ind. Abst. u. Vererbungsl., 79(2): 199-219.
- 1942. Zur Genetik und Systematik der *amoena*-Gruppe der Gattung *Gedelia*. Zeitschr. Ind. Abst. u. Vererbungsl., 80: 289-349.
- Hitchcock, A. S., and A. Chase. 1931. Grass. In old and new plant lore. Smithsonian Science Series, 11: 201-250.
- Hoar, C. S. 1931. Meiosis in *Hypericum punctatum* Lam. Bot. Gaz., 92: 396-406.
- Hodgson, R. W., and S. H. Cameron. 1938. Effects of reproduction by mucellar embryony on clonal characteristics of *Citrus*. Jour. Hered., 29: 417-419.
- Hoeg, E. 1929. Om Mellenførmerne mellem *Quercus robur* L. og *Quercus sessiliflora* Martyn. Bot. Tidsskr., 40: 411-427.
- Hoel, P. G. 1947. Introduction to mathematical statistics. New York, Wiley. See pp. 121-126.
- Hofelich, A. 1935. Die Sektion Alsinebe Griseb. der Gattung *Veronica* in ihren chromosomalen Grundlagen. Jahrb. Wiss. Bot., 81: 541-572.
- Hollick, A. 1936. Tertiary floras of Alaska. U. S. Geol. Survey, Prof. Paper, 182: 1-185.
- Hollingshead, L. 1930a. A lethal factor in *Crepis* effective only in an interspecific hybrid. Genetics, 15: 114-140.
- 1930b. Cytological investigations of hybrids and hybrid derivatives of *Crepis capillaris* and *Crepis tectorum*. Univ. of Calif. Publ. Agr. Sci., 6: 55-94.
- 1942. Chromosome studies in *Sedum*, subgenus, *Gormania*, section *Fugormania*. Bull. Torrey Bot. Club, 69: 27-40.
- Holmes, F. O. 1938. Inheritance of resistance to tobacco-mosaic disease in tobacco. Phytopathology, 28: 553-561.
- Horn, C. L. 1940. Existence of only one variety of cultivated mango-steen explained by asexually formed "seed." Science, 92: 237-238.
- Houghtaling, H. B. 1935. A developmental analysis of size and shape in tomato fruits. Bull. Torrey Bot. Club, 62: 243-252.
- Howard, H. W. 1942. Self-incompatibility in polyploid forms of *Brassica* and *Raphanus*. Nature, 149: 302.
- Howard, H. W., and I. Manton. 1940. Allopolyploid nature of the wild tetraploid watercress. Nature, 146: 303-304.
- 1946. Autopolyploid and allopolyploid watercress (*Nasturtium*) with the description of a new species. Ann. Bot., n.s. 10: 1-13.
- Hu, H. H., and R. W. Chaney. 1940. A Miocene flora from Shantung province, China. Carnegie Inst. Washington, Publ. No. 507. 147 pp.
- Hubbs, C. L., and L. C. Hubbs. 1932. The increased growth, pre-dominant mateness, and apparent infertility of hybrid sunfishes. Papers Michigan Acad. Sci., Arts and Letters, 17: 613-641.
- Hubbs, C. L., and K. Kuromura. 1942. Hybridization in nature between two genera of flounders in Japan. Papers Michigan Acad. Sci., Arts and Letters, 27: 267-306.
- Hubbs, C. L., and R. R. Miller. 1943. Mass hybridization between two genera of Cyprinid fishes in the Mohave Desert, California. Papers Michigan Acad. Sci., Arts and Letters, 28: 343-378.
- Hubbs, C. L., B. W. Walker, and R. E. Johnson. 1943. Hybridization in nature between species of American cyprinodont fishes. Contr. Lab. Verh. Biol. Univ. of Michigan, No. 23: 1-21.
- Hultén, E. 1937. Outline of the history of arctic and boreal biota during the Quaternary period. Stockholm, 168 pp.
- Hurst, C. C. 1925. Chromosomes and characters in *Rosa* and their significance in the origin of species. Experiments in Genetics, 38: 534-550. Cambridge Univ. Press.
- 1928. Differential polyploidy in the genus *Rosa*. Zeitschr. Ind. Abst. u. Vererbungsl., Suppl.: 866-906.
- 1932. The mechanism of creative evolution. New York, Macmillan. 365 pp.
- Huskens, C. L. 1931. The origin of *Spartina townsendii*. Genetica, 12: 531-538.
- 1941. Polyploidy and mutations. Amer. Nat., 75: 329-344.
- 1946. Fatuoid, speltoid, and related mutations of oats and wheat. Bot. Rev., 12: 457-514.
- Huskens, C. L., and G. B. Wilson. 1938. Probable causes of the changes in direction of the major spiral in *Trillium erectum* L. Ann. Bot., n.s. 2: 281-292.
- Husted, L. 1936. Cytological studies on the peanut, *Arachis*. II. Chromosome number, morphology and behavior, and their application to the origin of the cultivated forms. Cytologia, 7: 396-423.
- Hutchinson, A. H. 1936. The polygonal presentation of polyploid phenomena. Trans. Roy. Soc. Canada, 3d Ser., Sec. 5, 30: 19-26.

- Hutchinson, J. 1926. The families of flowering plants. I. Dicotyledons. London, Macmillan. 328 pp.
- 1934. The families of flowering plants. II. Monocotyledons. London, Macmillan. 243 pp.
- Hutchinson, J. B. 1940. The application of genetics to plant breeding. Jour. Genet., 40: 271-282.
- Hutchinson, J. B., and S. G. Stephens. 1947. The evolution of *Gossypium*. London and New York, Oxford Univ. Press. 160 pp.
- Huxley, J. S. 1932. Problems of relative growth. London, Methuen. 276 pp.
- 1938. Clines: an auxiliary taxonomic principle. Nature, 142: 219.
- 1939. Clines: an auxiliary method in taxonomy. Bidr. tot de Dierkunde, 27: 491-520.
- (editor). 1940. The new systematics. Oxford, Clarendon Press. 334 pp.
- 1942. Evolution: the modern synthesis. New York, Harper. 645 pp.
- Irwin, M. R. 1938. Immunogenetic studies of species relationships in the Columbidae. Jour. Genet., 35: 351-373.
- Ishikawa, M. 1911. Cytologische Studien von Dahlien. Bot. Mag. Tokyo, 25: 1-8.
- Ivanovskaja, E. V. 1939. A haploid plant of *Solanum tuberosum* L. Compt. Rend. Acad. Sci. URSS, 24: 517-520.
- Jackson, H. S. 1931. Present evolutionary tendencies and the origin of life cycles in the Uredinales. Mem. Torrey Bot. Club, 18: 1-108.
- Jacob, K. T. 1940. Chromosome numbers and the relationship between satellites and nucleoli in *Cassia* and certain other Leguminosae. Ann. Bot., n.s. 4: 201-226.
- Japha, B. 1939. Die Meiosis von *Oenothera*. II. Zeitschr. f. Bot., 34: 321-369.
- Jaretzky, R. 1928. Histologische und karyologische Studien an Polygomeen. Jahrb. Wiss. Bot., 69: 357-490.
- 1930. Zur Zytologie der Fagales. Planta, 10: 120-137.
- 1932. Beziehungen zwischen Chromosomenzahl und Systematik bei den Cruciferen. Jahrb. Wiss. Bot., 76: 485-527.
- Jeffrey, E. C. 1915. Some fundamental morphological objections to the mutation theory of De Vries. Amer. Nat., 49: 5-21.
- 1916. The anatomy of woody plants. Chicago, University of Chicago Press. 478 pp.
- Jenkin, T. J. 1931. The method and technique of selection breeding and strain-building in grasses. Bull. Bur. Plant Genet. Aberystwyth, No. 3: 5-34.
- 1933. Interspecific and intergeneric hybrids in herbage grasses, initial crosses. Jour. Genet., 28: 205-264.

- 1936. Natural selection in relation to grasses. Proc. Roy. Soc. London, Ser. B., 121: 52-56.
- Jenkins, J. A. 1939. The cytogenetic relationships of four species of *Crepis*. Univ. of Calif. Publ. Agr. Sci., 6: 369-400.
- Jepson, W. L. 1925. A manual of the flowering plants of California. Berkeley, Univ. of California. 1,238 pp.
- 1939. A flora of California, Vol. 3, Pt. 1. Associated Students Store, Univ. of California.
- Johannsen, W. 1926. Elemente der exakten Erblichkeitslehre. 3d ed. Jena, C. Fischer. 735 pp.
- Johansen, D. A. 1933. Cytology of the tribe Madineae, family Composite. Bot. Gaz., 95: 177-208.
- Johnson, A. M. 1936. Polyembryony in *Eugenia hookeri*. Amer. Jour. Bot., 23: 83-85.
- Johnson, B. L. 1945. Cytotaxonomic studies in *Oryzopsis*. Bot. Gaz., 107: 1-32.
- Johnson, L. P. V. 1939. A descriptive list of natural and artificial interspecific hybrids in North American forest tree genera. Canad. Jour. Res., C, 17: 411-444.
- 1942. Studies on the relation of growth rate to wood quality in *Populus* hybrids. Canad. Jour. Res., C, 20: 28-40.
- 1947. A note on inheritance in F_1 and F_2 hybrids of *Populus alba* L. \times *P. grandidentata* Michx. Canad. Jour. Res., C, 24: 313-317.
- Jones, H. A., and A. E. Clarke. 1942. A natural amphidiploid from an onion species hybrid. Jour. Hered., 33: 25-32.
- Joranson, P. N. 1944. The cytogenetics of hybrids, autotetraploids, and allotetraploids in the grass genus *Melica* L. Thesis (Ph.D.), Univ. of Calif.
- Jordan, D. S. 1905. The origin of species through isolation. Science, n.s. 22: 545-562.
- Jorgenson, C. A. 1928. The experimental formation of heteroploid plants in the genus *Solanum*. Jour. Genet., 19: 133-271.
- Juel, O. 1918. Beiträge zur Blütenanatomie und Systematik der Rosaceen. K. Svensk Vet.-Abh. Handl., 58, No. 5, 80 pp.
- Juliano, J. B. 1934. Origin of embryos in the strawberry mango. Philippine Jour. Sci., 54: 553-556.
- 1937. Embryos of Carabao mango (*Mangifera indica* L.). Philippine Agr., 25: 749-760.
- Juliano, J. B., and N. L. Cuevas. 1932. Floral morphology of the mango (*Mangifera indica* L.) with special reference to the pico-variety from the Philippines. Philippine Agr., 21: 449-472.
- Just, T. 1947. Geology and plant distribution. Ecological Monographs, 17: 127-137.
- Karpechenko, G. D. 1927. Polyploid hybrids of *Raphanus sativus* L.

- \times *Brassica oleracea* L. Bull. Appl. Bot., Genet. Plant Breed., 17: 305-410.
- 1928. Polyplid hybrids of *Raphanus sativus* L. \times *Brassica oleracea* L. Zeitschr. Ind. Abst. u. Vererbungsdl., 39: 1-7.
- Katayama, Y. 1935. Further investigations on synthesized octoploid *Aegiloptriticum*. Jour. Coll. Agr. Tokyo Imp. Univ., 13: 397-414.
- Kattermann, G. 1938a. Über konstante, balmbehaarte Stämmen aus Weizenroggen bastardierung mit $2n = 42$ Chromosomen. Zeitschr. Ind. Abst. u. Vererbungsdl., 74: 354-375.
- 1938b. Zur Kenntnis der strukturellen Hybriden von *Briza media* II und III. Planta, 27: 669-679.
- Keck, D. D. 1935. Studies upon the taxonomy of the Madinae. Madroño, 3: 4-18.
- 1946. A revision of the *Artemisia vulgaris* complex in North America. Proc. Calif. Acad. Sci., 4th Ser., 25: 421-468.
- Kemp, W. B. 1937. Natural selection within plant species as exemplified in a permanent pasture. Jour. Hered., 28: 329-333.
- Kern, E. M., and C. Alper. 1945. Multidimensional graphical representation for analyzing variation in quantitative characters. Ann. Missouri Bot. Gard., 32: 279-286.
- Kiellander, C. L. 1942. A subhaploid *Poa pratensis* L. and its progeny. Svensk Bot. Tidskr., 36: 200-220.
- Kihara, H. 1924. Cytologische und genetische Studien bei wichtigen Getreiden Arten mit besonderer Rücksicht auf das Verhalten der Chromosomen und die Sterilität der Bastarden. Mem. Coll. Sci., Kyoto Imp. Univ., Ser. B., V, 1: 1-200.
- 1940. Verwandtschaft der *Aegilops*-Arten im Lichte der Genom-analyse. Ein Überblick. Der Züchter, 12: 49-62.
- King, J. R., and R. Bamford. 1937. The chromosome number in *Ipomoea* and related genera. Jour. Hered., 28: 278-282.
- Knowles, P. F. 1943. Improving an annual bromegrass, *Bromus mollis* L., for range purposes. Jour. Amer. Soc. Agron., 35: 584-594.
- Koller, P. C. 1932. Further studies in *Tradescantia virginiana* var. *humilis* and *Rhoeo discolor*. Jour. Genet., 26: 81-96.
- 1935. Cytological studies in *Crepis aurea* and *C. rubra*. Cytologia, 6: 281-288.
- Koroleva, V. A. 1939. Interspecific hybridization in the genus *Taraxacum*. Compt. Rend. (Doklady) Acad. Sci. URSS, 24: 174-176.
- Kostoff, D. 1930. Tumors and other malformations on certain *Nicotiana* hybrids. Zentralbl. Bakter. Parasit. II, Abt. 81: 244-260.
- 1938a. Studies on polyplid plants. XVIII. Cytogenetic studies on *Nicotiana sylvestris* \times *tomentosiformis* hybrids and amphidiploids and their bearing on the problem of the origin of *N. tabacum*. Compt. Rend. (Doklady) Acad. Sci. URSS, 18: 459-462.
- 1938b. Studies on polyplid plants. XXI. Cytogenetic behavior of the allotetraploid hybrids *Nicotiana glauca* Grah. \times *Nicotiana*

- langsdorffii* Weinm and their evolutionary significance. Jour. Genet., 37: 129-209.
- 1939. Autosyndesis and structural hybridity in F_1 hybrid *Helianthus tuberosus* L. \times *Helianthus annuus* L. and their sequences. Genetics, 21: 285-300.
- 1943. Cytogenetics of the Genus *Nicotiana*. State Printing House, Sofia, Bulgaria. 1,070 pp.
- Kostoff, D., and E. Tiber. 1939. A tetraploid rubber plant, *Taraxacum kok-saghyz* obtained by colchicine treatment. Compt. Rend. Acad. Sci. URSS, 22: 119-120.
- Kozo-Poljansky, B. 1936. On some "third" conceptions in floral morphology. New Phytologist, 36: 479-492.
- Krause, O. 1931. Zytologische Studien bei den Urticales, unter besonderer Berücksichtigung der Gattung *Dorstenia*. Planta, 13: 29-84.
- Krishnaswamy, N. 1940. Untersuchungen zur Cytologie und Systematik der Gramineen. Beih. Bot. Centralbl., Abt. A, 60: 1-56.
- Kristofferson, K. B. 1926. Species crosses in *Malva*. Hereditas, 7: 233-354.
- Krug, C. A., and A. J. T. Mendes. 1941. Observações citológicas em Coffea IV. Bragança, I: 467-482.
- Kryshtofovich, A. N. 1929. Evolution of the Tertiary flora in Asia. New Phytologist, 28: 303-312.
- 1930. Principal features of evolution of the flora of Asia in the Tertiary period. Proc. 4th Pacific Sci. Congr., Java, 3: 253-263.
- 1935. A final link between the Tertiary of Asia and Europe. New Phytologist, 34: 339-344.
- Kylin, H. 1938. Beziehungen zwischen Generationswechsel und Phylogenie. Arch. f. Protistenk., 90: 432-447.
- Laibach, F. 1925. Das Taubwerden von Bastardsamen und die künstliche Aufzucht früh absterbender Bastardembryonen. Zeitschr. Bot., 17: 417-459.
- Lamm, R. 1945. Cytogenetic studies in *Solanum* sect. *Tuberarium*. Hereditas, 31: 1-128.
- Lammers, W. E. 1942. Embryo culture an effective technique for shortening the breeding cycle of deciduous trees and increasing germination of hybrid seed. Amer. Jour. Bot., 29: 166-171.
- Lamprecht, H. 1939. Über Blüten und Komplex-Mutationen bei *Pisum*. Zeitschr. Ind. Abst. u. Vererbungsdl., 77: 177-185.
- 1941. Die Artgrenze zwischen *Phaseolus vulgaris* L. und *multiflorus* Lam. Hereditas, 27: 51-175.
- 1944. Die genisch-plasmatisch Grundlage der Arbarriere. Agr. Hort. Genet., 11: 75-142.
- 1945a. Intra- and interspecific genes. Agr. Hort. Genet., 3: 45-60.
- 1945b. Durch Komplexmutation bedingte Sterilität und ihre Vererbung. Arch. Zurich, Julius Klaus-Stift, 20(Suppl.): 126-141.
- Langlet, O. 1936. Studien über die physiologische Variabilität der

- Kiefer und deren Zusammenhang mit dem Klima. Beiträge zur Kenntnis der Öcotypen von *Pinus silvestris* L. Meddel. f. Statens Skogsforsksanstalt, 29: 219-470.
- Larsen, P. 1943. The aspects of polyplody in *Solanum*. II. Production of dry matter, rate of photosynthesis and respiration, and development of leaf area in some diploid, autotetraploid, and amphidiploid Solanums. Kgl. Danske Vidensk. Selsk. Biol. Meddel., 18 (2): 1-52.
- Laudé, H. H., and A. F. Swanson. 1942. Natural selection in varietal mixtures of winter wheat. Jour. Amer. Soc. Agron., 34: 270-274.
- Lawrence, W. E. 1945. Some ecotypic relations of *Deschampsia caespitosa*. Amer. Jour. Bot., 32: 298-314.
- Lawrence, W. J. C. 1931. The secondary association of chromosomes. Cytologia, 2: 352-384.
- Lawrence, W. J. C., and R. Scott-Moncrieff. 1935. The genetics and chemistry of flower color in *Dahlia*: a new theory of specific pigmentation. Jour. Genet., 30: 155-226.
- Lawrence, W. J. C., R. Scott-Moncrieff, and V. C. Sturgess. 1939. Studies on *Streptocarpus*. I. Genetics and chemistry of flower color in the garden strains. Jour. Genet., 38: 299-306.
- Lederburg, J. 1947. Gene recombinations and linked segregations in *Escherichia coli*. Genetics, 32: 505-525.
- Lederburg, J., and E. L. Tatum. 1946. Gene recombination in *Escherichia coli*. Nature, 158: 558.
- 1947. Novel genotypes in mixed cultures of biochemical mutants of bacteria. Cold Spring Harbor Symp. Quant. Biol., 11: 113-114.
- Ledingham, G. F. 1940. Cytological and developmental studies of hybrids between *Medicago sativa* and a diploid form of *M. falcata*. Genetics, 25: 1-15.
- Lehmann, E. 1931. Der Anteil von Kern und Plasma an den reziproken Verschiedenheiten von *Epilobium*-Bastarden. Zeitschr. f. Züchtung, 17: 157-172.
- 1936. Versuch zur Klärung der reziproken Verschiedenheiten von *Epilobium* Bastarden. I. Der Tatbestand und die Möglichkeit seiner Klärung durch differente Wuchsstoffbildung. Jahrb. Wiss. Bot., 82: 657-668.
- 1939. Zur Genetik der Entwicklung in der Gattung *Epilobium*. Jahrb. Wiss. Bot., 87: 625-641.
- 1942. Zur Genetik der Entwicklung in der Gattung *Epilobium*. IV. Das "Plasmon" in der Gattung *Epilobium* B. Die Analyse. Jahrb. Wiss. Bot., 90: 49-98.
- 1944. Zur Genetik der Entwicklung in der Gattung Epilobium. V. Jahrb. Wiss. Bot., 91: 439-502.
- Lerner, I. M., and E. R. Dempster. 1948. Some aspects of evolutionary theory in the light of recent work on animal breeding. Evolution, 2: 19-28.
- Lesley, M. M., and J. W. Lesley. 1943. Hybrids of the Chilean tomato. Jour. Hered., 34: 199-205.
- Levan, A. 1932. Cytological studies in *Allium*. I. Chromosome morphological contributions. Hereditas, 16: 257-294.
- 1935. Cytological studies in *Allium*. VI. The chromosome morphology of some diploid species of *Allium*. Hereditas, 20: 289-330.
- 1936a. Die Zytologie von *Allium cepa* \times *fistulosum*. Hereditas, 21: 195-214.
- 1936b. Zytologische Studien an *Allium schoenoprasum*. Hereditas, 22: 1-128.
- 1937a. Polyplosity and self-fertility in *Allium*. Hereditas, 22: 278-280.
- 1937b. Cytological studies in the *Allium paniculatum* group. Hereditas, 23: 317-370.
- 1941a. Syncytie formation in the pollen mother-cells of haploid *Phleum pratense*. Hereditas, 27: 243-252.
- 1941b. The cytology of the species hybrid *Allium cepa* \times *fistulosum* and its polyploid derivative. Hereditas, 27: 253-272.
- 1942a. Studies on the meiotic mechanism of haploid rye. Hereditas, 28: 177-211.
- 1942b. Plant breeding by induction of polyplosity and some results in clover. Hereditas, 28: 245-246.
- 1945. Aktuelle Probleme der Polyplodiezüchtung. Zurich, Arch. Julius Klaus-Stift., 20: 142-152.
- Levan, A., and G. Ostergren. 1943. The mechanism of c-mitotic action. Hereditas, 29: 381-443.
- Levene, H., and Th. Dobzhansky. 1945. Experiments on sexual isolation in Drosophila. V. The effect of varying proportions of *Drosophila pseudoobscura* and *Drosophila persimilis* on the frequency of insemination in mixed populations. Proc. Nat. Acad. Sci., 31: 274-281.
- Levitzy, G. A. 1924. The material basis of heredity. Kiev, State Publication Office of the Ukraine. 166 pp. (In Russian.)
- 1931a. The morphology of chromosomes. Bull. Appl. Bot. Genet. Plant Breed., 27: 19-174.
- 1931b. The karyotype in systematics. Bull. Appl. Bot. Genet. Plant Breed., 27: 220-240.
- 1940. A cytological study of the progeny of X-rayed *Crepis capillaris* Wall. Cytologia, 11: 1-29.
- Levitzy, G. A., and N. E. Kuzmina. 1927. Karyological investigation on the systematics and phylogenetics of the genus *Festuca* (Subgenus *Eu-Festuca*). Bull. Appl. Bot. Leningrad, 17(3): 3-36.
- Levitzy, G., and M. Sizova. 1934. On regularities in chromosome transformations produced by X-rays. Compt. Rend. Acad. Sci. URSS, 86-87.
- Lewis, D. 1943. Physiology of incompatibility in plants. III. Autopolyploids. Jour. Genet., 45: 171-185.

- 1947. Competition and dominance of incompatibility alleles in diploid pollen. *Heredity*, 1: 85-108.
- Lewis, D., and I. Modlibowska. 1942. Geneical studies in pears. IV. Pollen tube growth and incompatibility. *Jour. Genet.*, 43: 211-222.
- Lewis, H. 1947. Leaf variation in *Delphinium variegatum*. *Bull. Torrey Bot. Club*, 74: 57-59.
- Lewis, H., and C. Eppling. 1946. Formation of a diploid species of *Delphinium* by hybridization. (Abstract.) *Amer. Jour. Bot.*, 33: 218-228.
- Li, H. W., C. H. Li, and W. K. Pao. 1945. Cytological and genetical studies of the interspecific cross of the cultivated foxtail millet, *Setaria italica* (L.) Beauv., and the green foxtail millet, *S. viridis* L. *Jour. Amer. Soc. Agron.*, 37: 32-54.
- 1945. Desynapsis in the common wheat. *Amer. Jour. Bot.*, 32: 92-101.
- Li, H. W., and D. S. Tu. 1947. Studies on the chromosomal aberrations of the amphidiploid, *Triticum timopheevii* and *Aegilops bicornis*. *Bot. Bull. Acad. Sinica*, 1: 183-186.
- Lilienfeld, F., and H. Kihara. 1934. Genomanalyse bei *Triticum* und *Aegilops*. V. *Triticum timopheevii* Zhuk. *Cytologia*, 6: 87-122.
- Lindgren, G. C. 1934. The genetics of Neurospora. V. Self-sterile bisexual heterokaryons. *Jour. Genet.*, 28: 425-435.
- 1942. The use of the fungi in modern genetical analysis. *Iowa State Coll. Jour. Sci.*, 16: 271-290.
- Lindstrom, E. W. 1941. Genetic stability of haploid, diploid, and tetraploid genotypes in the tomato. *Genetics*, 26: 387-397.
- Litardière, R. de. 1921. Recherches sur l'élément chromosomique dans la caryocinèse somatique des Filicinae. *La Cellule*, 31: 255-473.
- 1939. Recherches sur les *Poa annua* subsp. *extilis* et subsp. *typica*. Relations taxonomiques, chorologiques et caryologiques. *Rev. Cyt. et Cytophys. Veg.*, 3: 134-141.
- Little, T. M. 1945. Gene segregation in autotetraploids. *Bot. Rev.*, 11: 60-85.
- Longley, A. E. 1924. Cytological studies in the genus *Rubus*. *Amer. Jour. Bot.*, 11: 249-282.
- 1927. Supernumerary chromosomes in *Zea Mays*. *Jour. Agr. Res.*, 28: 673-682.
- Lösy, J. P. 1916. Evolution by means of hybridization. The Hague, M. Nijhoff. 166 pp.
- 1932. On the species of the taxonomist in relation to evolution. *Genetica*, 13: 1-16.
- Löve, A. 1944. Cytogenetic studies on *Rumex*, subg. *Acetosella*. *Hereditas*, 30: 1-136.
- Löve, A., and D. Löve. 1943. The significance of differences in the distribution of diploids and polyploids. *Hereditas*, 29: 145-163.
- Love, R. M. 1941. Chromosome behavior in F_1 wheat hybrids. I. Pentaploids. *Canad. Jour. Res.*, C, 19: 351-369.
- 1946. Interspecific and intergeneric hybridization in forage crop improvement. *Jour. Amer. Soc. Agron.*, 39: 41-46.
- Love, R. M., and C. A. Suneson. 1945. Cytogenetics of certain *Triticum-Agropyron* hybrids and their fertile derivatives. *Amer. Jour. Bot.*, 32: 451-456.
- Lush, J. P. 1946. Animal breeding plans. 2d ed. Ames, Iowa State College Press. 437 pp.
- Lutz, A. M. 1907. A preliminary note on the chromosomes of *Oenothera lamarkiana* and one of its mutants, *O. gigas*. *Science*, n.s. 26: 151-152.
- MacArthur, J. W., and L. P. Chiasson. 1947. Cytogenetic notes on tomato species and hybrids. *Genetics*, 32: 165-177.
- McAtee, W. L. 1932. Effectiveness in nature of so-called protective adaptations in the animal kingdom, chiefly as illustrated by the food-habits of nearctic birds. *Smithsonian Misc. Coll.*, Washington, 85, 7: 1-201.
- McClintock, B. 1929. A cytological and genetical study of triploid maize. *Genetics*, 14: 180-222.
- 1933. The association of nonhomologous parts of chromosomes in the mid-prophase of *Zea Mays*. *Zeitschr. Zellf. Mikr. Anat.*, 19: 191-237.
- 1934. The relation of a particular chromosomal element to the development of the nucleoli in *Zea Mays*. *Zeitschr. Zellf. Mikr. Anat.*, 21: 294-328.
- 1938. The production of homozygous tissues with mutant characteristics by means of the aberrant behavior of ring-shaped chromosomes. *Genetics*, 23: 315-376.
- 1941. The association of mutants with homozygous deficiencies in *Zea mays*. *Genetics*, 26: 542-571.
- 1942. Maize genetics. Carnegie Inst. Washington, Yearbook No. 41: 181-186.
- 1944. The relation of homozygous deficiencies to mutations and allelic series in maize. *Genetics*, 29: 478-502.
- McClintock, E., and C. Eppling. 1946. A revision of *Teucrium* in the New World with observations on its variation, geographical distribution, and history. *Brittonia*, 5: 49-510.
- McCullagh, D. 1934. Chromosome and chromosome morphology in *Plantaginaceae*. I. *Genetica*, 16: 1-44.
- MacDougal, D. T. 1907. Hybridization of wild plants. *Bot. Gaz.*, 43: 45-58.
- McFadden, E. S., and E. R. Sears. 1946. The origin of *Triticum spelta* and its free-threshing hexaploid relatives. *Jour. Hered.*, 37: 81-89; 107-116.
- 1947. The genome approach in radical wheat breeding. *Jour. Amer. Soc. Agron.*, 39: 1011-1026.
- MacGinitie, H. D. 1941. A middle Eocene flora from the central

- Sierra Nevada. Carnegie Inst. Washington, Publ. No. 534, 178 pp.
- McKelvey, S. D., and K. Sax. 1933. Taxonomic and cytological relationships of *Yucca* and *Agave*. Jour. Arnold Arboretum, 14: 76-81.
- McLean, S. W. 1946. Interspecific crosses involving *Datura ceratocaula* obtained by embryo dissection. Amer. Jour. Bot., 33: 630-638.
- McMinn, H. E. 1942. A systematic study of the genus *Ceanothus*. In *Ceanothus*, Publ. Santa Barbara Botanic Garden, pp. 131-279.
- 1944. The importance of field hybrids in determining species in the genus *Ceanothus*. Proc. Calif. Acad. Sci., 4th Ser., 25 (14): 323-356.
- Mädler, K. 1939. Die pliozäne Flora von Frankfurt A.M. Abh. Senckenberg. Naturforsch. Ges., 446, 202 pp.
- Maeda, T. 1937. Chiassia studies in *Allium fistulosum*, *Allium cepa*, and their F₁, F₂, and backcross hybrids. Jap. Jour. Genet., 13: 146-159.
- Malte, M. O. 1934. *Antennaria* of arctic America. Rhodora, 36: 101-117.
- Mangelsdorf, P. C. 1947. The origin and evolution of maize. Advances in Genetics, 1: 161-207.
- Mangelsdorf, P. C., and J. W. Cameron. 1942. Western Guatemala, a secondary center of origin of cultivated maize varieties. Leaflets Bot. Mus. Harvard Univ., 10: 217-250.
- Mangelsdorf, P. C., and R. G. Reeves. 1939. The origin of Indian corn and its relatives. Texas Agr. Expt. Sta., Bull. No. 574, 315 pp.
- Manton, I. 1932. Introduction to the general cytology of the Cruciferae. Ann. Bot., 46: 509-556.
- 1934. The problem of *Biscutella laevigata* L. Zeitschr. Ind. Abst. u. Vererbungsl., 67: 41-57.
- 1935. The cytological history of watercress (*Nasturtium officinale* R. Br.). Zeitschr. Ind. Abst. u. Vererbungsl., 69: 132-157.
- 1937. The problem of *Biscutella laevigata* L. II. The evidence from meiosis. Ann. Bot., n.s. 1: 439-462.
- 1947. Polyploidy in *Polypodium vulgare*. Nature, 159: 136.
- Marie-Victorin, Frère. 1929. Le dynamisme dans la flore du Québec. Contr. Lab. Bot. Univ. Montréal, No. 13: 1-89.
- 1938. Phytogeographical problems of eastern Canada. Amer. Midl. Nat., 19: 489-558.
- Marquardt, H. 1937. Die Meiosis von *Oenothera* L. Zeitschr. f. Zellf. u. Mikr. Anat., 27: 159-210.
- Marsden-Jones, E. M. 1930. The genetics of *Geum intermedium* Willd. haud Ehrh. and its backcrosses. Jour. Genet., 23: 377-395.
- Marsden-Jones, E. M., and W. B. Turrill. 1947. Researches on *Silene maritima* and *S. vulgaris*. XXXVI. Kew Bull., 1946: 97-107.
- Mason, H. L. 1936. The principles of geographic distribution as applied to flora analysis. Madroño, 3: 181-190.

- 1946a. The edaphic factor in narrow endemism. I. The nature of environmental influences. Madroño, 8: 209-226.
- 1946b. The edaphic factor in narrow endemism. II. The geographic occurrence of plants of highly restricted patterns of distribution. Madroño, 8: 241-257.
- 1947. Evolution of certain floristic associations in western North America. Ecological Monographs, 17: 201-210.
- Massart, J. 1894. La récapitulation et l'innovation en embryologie végétale. Bull. Soc. Bot. Belg., 33: 150-247.
- Mather, K. 1932. Chromosome variation in *Crocus* L. Jour. Genet., 26: 129-142.
- 1941. Variation and selection of polygenic characters. Jour. Genet., 41: 159-193.
- 1943. Polygenic inheritance and natural selection. Biol. Rev., 18: 32-64.
- 1947. Species crosses in *Antirrhinum*. I. Genetic isolation of the species *majus*, *gluiniosum*, and *onustum*. Heredity, 1: 175-186.
- Mather, K., and L. G. Wigan. 1942. The selection of invisible mutations. Proc. Roy. Soc. London, 131: 50-65.
- Matsuura, H. 1935. On Karyo-ecotypes of *Fritillaria camschatcensis* (L.) Ker-Gawler. Jour. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, III: 219-232.
- Mattfeld, J. 1930. Über hybridogene Sippen der Tannen. Biblioteca Botanica 25, No. 100: 1-84.
- Matthew, W. D. 1939. Climate and evolution. 2d ed. New York Acad. Sci. Special Publ. 223 pp.
- Mayr, E. 1939. The origin and history of the bird fauna of Polynesia. Proc. 6th Pac. Sci. Congr., IV: 197-216.
- 1942. Systematics and the origin of species. New York, Columbia University Press, 334 pp.
- 1943. The zoogeographic position of the Hawaiian Islands. The Condor, 45: 45-48.
- 1947. Ecological factors in speciation. Evolution, 1: 263-288.
- Mehlquist, G. A. L. 1945. Inheritance in the carnation. V. Tetraploid carnations from interspecific hybridization. Proc. Amer. Soc. Hort. Sci., 46: 397-406.
- Melchers, G. 1939. Genetik und Evolution. Zeitschr. Ind. Abst. u. Vererbungsl., 76: 229-259.
- 1946. Die Ursachen für die bessere Anpassungsfähigkeit der Polyploid-Zeitschr. f. Naturforschung, 1: 160-165.
- Metz, C. W. 1947. Duplication of chromosome parts as a factor in evolution. Amer. Nat., 81: 81-103.
- Meurman, O., and E. Therman. 1939. Studies on the chromosome morphology and structural hybridity in the genus *Clematis*. Cytologia, 10: 1-14.
- Mez, C., and H. Siegenspeck. 1926. Der Königsberger serodiagnos-tische Stammbaum. Bot. Archiv, 12: 163-202.

- Michaelis, P. 1931. Die Bedeutung des Plasmas für die Pollenfertilität reciprok verschiedener *Epilobium*-Bastarde. Ber. Deu. Bot. Ges., 49: 96-104.
- 1933. Entwicklungsgeschichtlich-genetische Untersuchungen an des *Epilobium luteum-hirsutum*-Bastards. Zeitschr. Ind. Abst. u. Vererbungsl., 65: 1-71, 353-471.
- 1938. Über das Konstanz des Plasmons. Zeitschr. Ind. Abst. u. Vererbungsl., 74: 435-459.
- 1940. Über reciprok verschiedene Sippen-Bastarde bei *Epilobium hirsutum*. I. Die reciprok verschiedene Bastarde der *Epilobium hirsutum*-Sippe Jena. Zeitschr. Ind. Abst. u. Vererbungsl., 78: 187-222.
- Michaelis, P., and E. Wertz. 1935. Entwicklungsgeschichtlich-genetische Untersuchungen an *Epilobium*. VI. Vergleichende Untersuchungen über das Plasmon von *Epilobium hirsutum*, *E. luteum*, *E. montanum*, und *E. roseum*. Zeitschr. Ind. Abst. u. Vererbungsl., 70: 138-159.
- Miki, S. 1941. On the change of flora in eastern Asia since Tertiary Period. I. The clay or lignite beds flora in Japan with special reference to the *Pinus trifolia* beds in central Hondo. Jap. Jour. Bot., 11: 237-303.
- Miller, A. H. 1941. Speciation in the avian genus *Junco*. Univ. of Calif. Publ. Zool., 44 (3): 173-434.
- Mirov, N. T., and C. J. Kraebel. 1939. Collecting and handling seeds of wild plants. Civilian Conservation Corps Forestry Publication No. 5. 42 pp.
- Miyaji, Y. 1929. Studien über die Zahlenverhältnisse der Chromosomen bei der Gattung *Viola*. Cytologia, 1: 28-58.
- Modlewski, J. 1930. Neue Beiträge zur Polyembryonie von *Allium odorum*. Ber. Deu. Bot. Ges., 48: 285-294.
- Moffett, A. A. 1931. The chromosome constitution of the Pomoideae. Proc. Roy. Soc., B, 108: 423-446.
- 1932. Studies on the formation of multinuclear giant pollen grains in *Kniphofia*. Jour. Genet., 25: 315-336.
- Mölsch, H. 1938. The longevity of plants (English ed.). Transl. and publ. by E. R. Fulling, New York.
- Moore, R. J. 1947. Cytotaxonomic studies in the Loganiaceae. I. Chromosome numbers and phylogeny in the Loganiaceae. Amer. Jour. Bot., 34: 527-538.
- Müller, H. J. 1925. Why polyplody is rarer in animals than in plants. Amer. Nat., 59: 346-353.
- 1930. Radiation and genetics. Amer. Nat., 64: 220-251.
- 1932. Some genetic aspects of sex. Amer. Nat., 66: 118-138.
- 1939. Reversibility in evolution, considered from the standpoint of genetics. Biol. Rev., 14: 261-280.
- 1940. Bearings of the "Drosophila" work on systematics. In J. Huxley, ed., The New Systematics: 185-268.
- 1942. Isolating mechanisms, evolution, and temperature. Biol. Symposia, 6: 71-125.
- 1947. The gene. Proc. Roy. Soc., B, 134: 1-37.
- Münzing, A. 1930a. Outlines to a genetic monograph of *Galeopsis*. Hereditas, 13: 185-341.
- 1930b. Über Chromosomenvermehrung in *Galeopsis*-Kreuzungen und ihre phylogenetische Bedeutung. Hereditas, 14: 153-172.
- 1933. Apomictic and sexual seed formation in *Poa*. Hereditas, 17: 131-154.
- 1936. The evolutionary significance of autoploidy. Hereditas, 21: 263-378.
- 1937. The effects of chromosomal variation in *Dactylis*. Hereditas, 23: 113-235.
- 1938. Sterility and chromosome pairing in intraspecific *Galeopsis* hybrids. Hereditas, 24: 117-188.
- 1939. Studies on the properties and the ways of production of rye-wheat amphidiploids. Hereditas, 25: 387-430.
- 1940. Further studies on apomixis and sexuality in *Poa*. Hereditas, 26: 115-190.
- Münzing, A., and G. Münzing. 1941. Some new results concerning apomixis, sexuality, and polymorphism in *Potentilla*. Bot. Not. (Lund): 237-278.
- Münzing, A., and R. Prakken. 1940. The mode of chromosome pairing in *Phleum* twins with 63 chromosomes and its cytogenetic consequences. Hereditas, 26: 463-501.
- Münzing, A., O. Tedin, and G. Turesson. 1931. Field studies and experimental methods in taxonomy. Hereditas, 15: 1-12.
- Munz, P. 1946. *Aquilegia*. The cultivated and wild columbines. Gentes Herbarum, 7: 1-150.
- 1949. The *Oenothera hookeri* group. El Aliso, Publ. Rancho Santa Ana Bot. Gard., 2: 1-47.
- Myers, W. M. 1943. Analysis of variance and covariance of chromosomal association and behavior during meiosis in clones of *Dactylis glomerata*. Bot. Gaz., 104: 541-552.
- 1944. Cytological and genetic analysis of chromosomal association and behavior during meiosis in hexaploid timothy (*Phleum pratense*). Jour. Agr. Res., 68(1): 21-83.
- 1945. Meiosis in autotetraploid *Lolium perenne* in relation to chromosomal behavior in autopolyploids. Bot. Gaz., 106: 304-316.
- 1948. Studies on the origin of *Dactylis glomerata* L. (Abstract) Genetics, 33: 117.
- Myers, W. M., and H. D. Hill. 1942. Variations in chromosomal association and behavior during meiosis among plants from open-pollinated populations of *Dactylis glomerata*. Bot. Gaz., 104: 171-177.

- Nagaharu U. See U, Nagaharu.
- Nagel, L. 1939. Morphogenetic differences between *Nicotiana alata* and *N. langsdorffii* as indicated by their response to indoleacetic acid. Ann. Missouri Bot. Gard., 26: 349-368.
- Nakamura, M. 1937. Cytogenetical studies in the genus *Solanum* I. Autopolyploidy of *Solanum nigrum* L. Cytologia, Fujii Jubil. Vol.: 57-68.
- Nandi, H. K. 1936. The chromosome morphology, secondary association, and origin of cultivated rice. Jour. Genet., 33: 315-336.
- Namfeldt, J. A. 1937. The chromosome numbers of *Poa*, sect. *Ochlophoa* A and Gr. and their taxonomical significance. Bot. Not.: 238-254.
- Nast, C. G., and I. W. Bailey. 1945. Morphology and relationships of *Trochodendron* and *Tetracentron*. II. Inflorescence, flower, and fruit. Jour. Arnold Arboretum, 26: 267-276.
- 1946. Morphology of *Euptelea* and comparison with *Trochodendron*. Jour. Arnold Arboretum, 27: 186-191.
- Natividade, J. V. 1937a. Recherches cytologiques sur quelques espèces et hybrides du genre *Quercus*. Bol. Soc. Broteriana, 12: 21-85.
- 1937b. Investigações citológicas na algumas espécies e híbridos do género *Quercus*. Publ. Dir. Ger. Serv. Flor. e Agric. (Portugal), 4: 7-74.
- Navashin, M. 1932. The dislocation hypothesis of evolution of chromosome numbers. Zeitschr. Ind. Abst. u. Vererbungsl., 63: 224-231.
- 1934. Chromosome alterations caused by hybridization and their bearing upon certain general genetic problems. Cytologia, 5: 169-203.
- Ness, H. 1927. Possibilities of hybrid oaks. Jour. Hered., 18: 381-386.
- Newton, W. C. F., and G. Pelley. 1929. *Primula keewensis* and its derivatives. Jour. Genet., 20: 405-467.
- Nielsen, E. L. 1947. Polyploidy and winter survival in *Panicum virgatum* L. Jour. Amer. Soc. Agron., 39: 822-827.
- Nisson, F. 1933. Studies in fertility and inbreeding in some herbage grasses. Hereditas, 19: 1-162.
- Noggle, G. R. 1946. The physiology of Polyploidy in plants. I. Review of the literature. Lloydia, 9: 153-173.
- Nordenskiöld, H. 1941. Cytological studies in triploid *Phleum*. Bot. Not., 12-32.
- 1945. Cytogenetic studies in the genus *Phleum*. Acta Agriculturae Suecanae 1(1): 1-136.
- Nygren, A. 1946. The genesis of some Scandinavian species of *Calamagrostis*. Hereditas, 32: 131-262.
- 1948. Further studies in spontaneous and synthetic *Calamagrostis purpurea*. Hereditas, 34: 113-134.
- Oehler, E. 1936. Untersuchungen an einen neuen konstanten additiven *Aegilops*-Weizenbastard. Züchter, 8: 29-33.

- Olmsted, C. E. 1944. Growth and development in range grasses. IV. Photoperiodic responses in twelve geographic strains of side-oats grama. Bot. Gaz., 106: 46-74.
- O'Mara, J. G. 1940. Cytogenetic studies on *Triticale*. I. A method for determining the effects of individual *Secale* chromosomes on *Triticum*. Genetics, 25: 401-408.
- Ono, H. 1937. Intergeneric hybridization in Cichorieae. III. Fertility and chromosome variations in F_1 and F_2 progeny of *Paraxieris dentata* and *Crepidiastrum lanceolatum* var. *latifolium*. Cytologia, Fujii Jubil. Vol.: 535-539.
- 1941. Intergeneric hybridization in Cichorieae. V. Variation in karyotypes and fertility of *Crepidiastrixis denticulata-platyphylla*. Cytologia, 11 (3): 338-352.
- Ono, H., and D. Sato. 1935. Intergenera Hybridogen Cichorieae. II. Hybridoj de *Crepidiastrum lanceolatum* var. *latifolium* kaj *Paraxieris denticulata*. Jap. Jour. Genet., 11: 169-179.
- Orth, R. 1939. Zur Morphologie der Primärblätter einheimischer Farne. Flora, n.s. 33: 1-55.
- Osborn, A. 1941. An interesting hybrid conifer: *Cupressocyparis leylandii*. Jour. Roy. Hort. Soc., 66: 54-55.
- Ostenfeld, C. H. 1910. Further studies on the apogamy and hybridization of the Hieracia. Zeitschr. Ind. Abst. u. Vererbungsl., 3: 241-285.
- 1929. Genetic studies in *Polemonium*. II. Experiments with crosses of *P. mexicanum* Cerv. and *P. pauciflorum* Wats. Hereditas, 12: 33-40.
- Owen, R. D., G. Stormont, and M. R. Irwin. 1947. An immunogenetic analysis of racial differences in dairy cattle. Genetics, 32: 64-74.
- Ownbey, R. P. 1944. The liliaceous genus *Polygonatum* in North America. Ann. Missouri Bot. Gard., 31: 373-413.
- Palmer, E. J. 1948. Hybrid oaks of North America. Jour. Arnold Arboretum, 29: 1-48.
- Papajoanou, J. 1936. Über Artbastarde zwischen *Pinus brutia* Ten. und *Pinus halepensis* Mill. in Nordost-Chalkidiki, Griechenland. Forstwiss. Zentralbl., 58: 194-205.
- Payne, F. 1920. Selection for high and low bristle number in the mutant strain "reduced." Genetics, 5: 501-542.
- Petersen, A. K. 1921. Blackberries of New England - genetic status of the plants. Vermont Agr. Expt. Sta., Bull. No. 218. 34 pp.
- Perry, B. A. 1943. Chromosome number and phylogenetic relationships in the Euphorbiaceae. Amer. Jour. Bot., 30: 527-543.
- Peto, F. H. 1933. The cytology of certain intergeneric hybrids between *Festuca* and *Lolium*. Jour. Genet., 28: 113-156.
- 1936. Hybridization of *Triticum* and *Agropyron*. II. Cytology of the male parents and F_1 generation. Canad. Jour. Res., Ser. C, 14: 203-214.

- 1938. Cytology of poplar species and natural hybrids. *Canad. Jour. Res.*, 16: 445-455.
- Pfeffer, W. 1872. Zur Blütenentwicklung der Primulaceen und Ampeliden. *Pringsh. Jahrb. Wiss. Bot.*, 8: 194-215.
- Philipson, W. R. 1934. The morphology of the lemma in grasses. *New Phytologist*, 33: 359-371.
- Pierce, W. P. 1937. The effect of phosphorus on chromosome and nuclear volume in a violet species. *Bull. Torrey Bot. Club*, 64: 345-354.
- Pijl, L. Van der. 1934. Über die Polyembryonie bei *Eugenia*. *Rec. Trav. Bot. Neerl.*, 31: 113-187.
- Pincher, H. C. 1937. A genetical interpretation of alternation of generations. *New Phytologist*, 36: 179-183.
- Pirschle, K. 1942a. Quantitative Untersuchungen über Wachstum und "Ertrag" autopolyploider Pflanzen. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 80: 126-156.
- 1942b. Weitere Untersuchungen über Wachstum und "Ertrag" von Autopolyploidien ($2n$, $3n$, $4n$) und ihren Bastarden. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 80: 247-270.
- Pissarev, V. E., and N. M. Vinogradova. 1944. Hybrids between wheat and *Elymus*. *Compt. Rend. (Doklady) Acad. Sci. URSS*, 45: 129-132.
- Pjarnitzky, S. S. 1946a. Experimental production of interspecific hybrids in the genus *Quercus*. *Compt. Rend. (Doklady) Acad. Sci. URSS*, 52: 343-345.
- 1946b. New hybrid forms of oak, *Quercus komarovii* and *Quercus timarizzevii* produced experimentally. *Compt. Rend. (Doklady) Acad. Sci. URSS*, 52: 625-626.
- Poddubnaja-Arnoldi, V. 1939a. Development of pollen and embryosac in interspecific hybrids of *Taraxacum*. *Compt. Rend. (Doklady) Acad. Sci. URSS*, 24: 374-377.
- 1939b. Embryogenesis in remote hybridization in the genus *Taraxacum*. *Compt. Rend. (Doklady) Acad. Sci. URSS*, 24: 382-385.
- Podubnaja-Arnoldi, V., and V. Dianova. 1934. Eine zytoembryologische Untersuchung einiger Arten der Gattung *Taraxacum*. *Planta*, 23: 19-46.
- Pontecorvo, G. 1947. Genetic systems based on heterokaryosis. *Cold Spring Harbor Symp. Quant. Biol.*, 11: 193-201.
- Pontecorvo, G., and A. R. Gemmell. 1944. Colonies of *Penicillium notatum* and other molds as models for the study of population genetics. *Nature*, 154: 532-534.
- Poole, C. F. 1931. The interspecific hybrid *Crepis rubra* \times *foetida*, and some of its derivatives. *Univ. of Calif. Publ. Agr. Sci.* 6: No. 6, 169-200.
- Popoff, A. 1935. Über die Fortpflanzungsverhältnisse der Gattung *Potentilla*. *Planta*, 24: 510-522.

- Powers, L. 1945. Fertilization without reduction in guayule (*Parthenium argentatum* Gray) and a hypothesis as to the evolution of apomixis and polyploidy. *Genetics*, 30: 323-346.
- Powers, L., and R. C. Rollins. 1945. Reproduction and pollination studies on guayule, *Parthenium argentatum* Gray and *P. incanum* H.B.K. *Jour. Amer. Soc. Agron.*, 37: 184-193.
- Prat, H. 1932. L'épiderme des Graminées. Étude anatomique et systématique. *Ann. Sci. Nat., Ser.* 10, *Bot.* 14: 117-324.
- 1936. La systématique des Graminées. *Ann. Sci. Nat., Ser.* 10, *Bot.* 18: 165-258.
- Propach, H. 1937. Cytogenetische Untersuchungen in der Gattung *Solanum*, sect. *Tuberarium*. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 72: 555-563.
- 1940. Cytogenetische Untersuchungen in der Gattung *Solanum*, sect. *Tuberarium*. V. Diploide Artbastarde. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 78: 115-128.
- Randolph, L. F. 1935. The cytogenetics of tetraploid maize. *Jour. Agr. Res.*, 50: 591-605.
- 1941a. An evaluation of induced polyploidy as a method of breeding crop plants. *Amer. Nat.*, 75: 347-363.
- 1941b. Genetic characteristics of the B chromosomes in maize. *Genetics*, 26: 608-631.
- Randolph, L. F., E. C. Abbe, and J. Einset. 1944. Comparison of shoot apex and leaf development and structure in diploid and tetraploid maize. *Jour. Agr. Res.*, 69: 47-76.
- Randolph, L. F., and H. E. Fischer. 1939. The occurrence of parthenogenetic diploids in tetraploid maize. *Proc. Nat. Acad. Sci.*, 25: 161-164.
- Raunkjaer, C. 1925. Ermitagesletters Tjorne. Isoreagentstudier. I. *Kgl. Danske Videnskab. Selskab. Biol. Meddel.*, 5: 1-76.
- 1934. The life forms of plants and statistical plant geography. Oxford, Clarendon Press. 632 pp.
- Reeder, J. R. 1946. Additional evidence of affinities between *Eragrostis* and certain Chlorideae. (Abstract.) *Amer. Jour. Bot.*, 33: 843.
- Reid, C., and E. M. Reid. 1915. The Pliocene floras of the Dutch-Prussian border, Mededeel. van de Rijksopsporing van Delfstoffen, No. 6. 178 pp.
- Reid, E. M. 1920a. A comparative review of Pliocene floras, based on the study of fossil seeds. *Quart. Jour. Geol. Soc. London*, 76: 145-161.
- 1920b. On two preglacial floras from Castle Eden. *Quart. Jour. Geol. Soc. London*, 76: 104-144.
- Reid, E. M., and M. E. J. Chandler. 1933. The London Clay Flora. London, British Museum. 561 pp.
- Renner, O. 1917. Versuche über die gametische Konstitution der Oenotheren. *Zeitschr. Ind. Abst. u. Vererbungsl.*, 18: 121-294.

- 1921. Heterogamie im weiblichen Geschlecht und Embryosackentwicklung bei den Oenotheren. Zeitschr. Bot., 13: 609-621.
- 1929. Artbastarde bei Pflanzen. Berlin, Borntraeger. 161 pp.
- 1936. Zur Kenntnis der nichtmendelnden Buntheit der Laubblätter. Flora, 30: 218-290.
- Rensch, B. 1939. Über die Anwendungsmöglichkeit zoologisch-systematischer Prinzipien in der Botanik. Chon. Bot., 5: 46-49.
- Resende, F. 1937. Über die Ubiquität der SAT-chromosomen bei den Blütenpflanzen. Planta, 26: 757-807.
- Rhoades, M. M. 1938. Effect of the Dt gene on the mutability of the a_1 allele in maize. Genetics, 23: 377-397.
- Richardson, M. M. 1935. Meiosis in Crepis. I. Jour. Genet., 31: 101-117.
- 1936. Structural hybridity in *Lilium martagon album* \times *L. hansonii*. Jour. Genet., 32: 411-450.
- Richens, R. H. 1945. Forest tree breeding and genetics. Imp. Agr. Bur., Joint Publ. No. 8. Aberystwyth. 79 pp.
- Rick, C. M. 1947. Partial suppression of hair development indirectly affecting fruitfulness and the proportion of cross-pollination in a tomato mutant. Amer. Nat., 81: 185-202.
- Righter, F. I. 1946. New perspectives in forest tree breeding. Science, 104 (2688): 1-3.
- Riley, H. P. 1938. A character analysis of colonies of *Iris fulva*, *Iris hexagona* var. *giganticaerulea* and natural hybrids. Amer. Jour. Bot., 25: 727-738.
- 1939. Introgressive hybridization in a natural population of *Troidescantia*. Genetics, 24: 753-769.
- 1942. Development and relative growth in ovaries of *Iris fulva* and *I. hexagona* var. *giganticaerulea*. Amer. Jour. Bot., 29: 323-331.
- 1943. Cell size in developing ovaries of *Iris hexagona* var. *giganticaerulea*. Amer. Jour. Bot., 30: 356-361.
- 1944. Relative growth of flower parts of two species of *Iris*. Bull. Torrey Bot. Club, 71: 122-133.
- Robbins, W. W. 1940. Alien plants growing without cultivation in California. Univ. of Calif. Agr. Expt. Sta., Bull. No. 637. 128 pp.
- Robson, G. C., and O. W. Richards. 1936. The variations of animals in nature. London, Longmans Green. 425 pp.
- Rohwedder, H. 1934. Beiträge zur Systematik und Phylogenie des Genus *Dianthus*, unter Berücksichtigung der karyologischen Verhältnisse. Bot. Jahrb., 66: 249-368.
- 1937. Versuch zur Erfassung der Mengemässigen Bedeckung des Darss und Zingst mit polyploiden Pflanzen. Ein Beitrag zur Bedeutung der Polyploidie bei der Eroberung neuer Lebensräume. Planta, 27: 500-549.
- Rollins, R. 1939. The cruciferous genus *Physaria*. Rhodora, 41: 392-414.

- 1941. Monographic study of *Arabis* in western North America. Rhodora, 43: 289-325.
- 1944. Evidence for natural hybridity between guayule (*Parthenium argentatum*) and mariola (*Parthenium incanum*). Amer. Jour. Bot., 31: 93-99.
- 1945a. Interspecific hybridization in *Parthenium*. I. Crosses between guayule (*P. argentatum*) and mariola (*P. incanum*). Amer. Jour. Bot., 32: 395-404.
- 1945b. Evidence for genetic variation among apomictically produced plants of several F_1 progenies of guayule (*Parthenium argentatum*) and mariola (*P. incanum*). Amer. Jour. Bot., 32: 554-560.
- 1946. Interspecific hybridization in *Parthenium*. II. Crosses involving *P. argentatum*, *P. incanum*, *P. stramonium*, *P. tomentosum*, and *P. hysterophorus*. Amer. Jour. Bot., 33: 21-30.
- Rollins, R. C., D. G. Catcheside, and D. U. Gerstel. 1947. Genetics. In Final Report, Stanford Research Institute, National Rubber Research Project: 3-33. (Mimeographed.)
- Rosenberg, O. 1909. Cytologische und morphologische Studien an *Drosera longifolia* \times *rotundifolia*. K. Svensk. Vet. Akad. Handl., 43(1): 1-64.
- 1917. Die Reduktionsteilung und ihre Degeneration in *Hieracium*. Svensk. Bot. Tidskr., 11: 145-206.
- 1930. Apogamie und Parthenogenesis bei Pflanzen. Handbuch der Vererbungswissenschaft, II. 66 pp.
- Rozanova, M. 1934. Origin of new forms in the genus *Rubus*. Bot. Zhurnal, 19: 376-384.
- 1938. On the polymorphic origin of species. Compt. Rend. Acad. Sci. URSS, 18: 677-680.
- 1940. On genotypic differences between races of *Rubus caesius* L. Compt. Rend. (Doklady) Acad. Sci. URSS, 27: 590-593.
- Rubtsov, I. A. 1945. The inequality of rates of evolution. Jour. Gen. Biol., 6: 411-441.
- Ryan, F. J. 1947. Back-mutation and adaptation of nutritional mutants. Cold Spring Harbor Symp. Quant. Biol., 11: 215-227.
- Ryan, F. J., and J. Lederburg. 1946. Reverse-mutation and adaptation in leucineless *Neurospora*. Proc. Nat. Acad. Sci., 32: 163-173.
- Rybin, W. A. 1936. Spontane und experimentell erzeugte Bastarde zwischen Schwarzdorn und Kirschpflaume und das Abstammungsproblem der Kulturpflaume. Planta, 25: 22-58.
- Sacharov, V. V., S. L. Frolova, and V. V. Mansurova. 1944. High fertility of buckwheat tetraploids obtained by means of colchicine treatment. Nature, 154: 613.
- Sahni, B. 1937. Revolutions in the plant world. Proc. Nat. Acad. Sci., India, 7: 46-60.
- Sakai, K. 1935. Chromosome studies in *Oryza sativa* L. I. The second-

Works Cited

- ary association of the meiotic chromosomes. Jap. Jour. Genet., 11: 145-156.
- Sakamura, T. 1918. Kurze Mitteilung über die Chromosomenzahlen und die Verwandtschaftsverhältnisse der *Triticum*-Arten. Bot. Mag. Tokyo, 32: 151-154.
- Salisbury, E. J. 1940. Ecological aspects of plant taxonomy. In J. Huxley, ed., The New Systematics: 329-340.
- 1942. The reproductive capacity of plants. London, Bell and Sons. 24 pp.
- Sando, W. J. 1935. Intergeneric hybrids of *Triticum* and *Secale* with *Haynaldia villosa*. Jour. Agr. Res., 51: 759-800.
- Sansome, E. R. 1932. Segmental interchange in *Pisum*. Cytologia, 3: 200-219.
- 1946. Heterokaryosis, mating-type factors and sexual reproduction in *Neurospora*. Bull. Torrey Bot. Club, 73: 397-409.
- Sato, D. 1937. Karyotype alteration and phylogeny. I. Analysis of karyotypes in Aloinae with special reference to the SAT-chromosome. Cytologia, Fujii Jubil. Vol.: 80-95.
- Saunders, A. P., and G. L. Stebbins, Jr. 1938. Cytogenetic studies in *Paconia*. I. The compatibility of the species and the appearance of the hybrids. Genetics, 28: 65-82.
- Sax, H. J. 1930. Chromosome numbers in *Quercus*. Jour. Arnold Arboretum, 11: 220-223.
- Sax, K. 1922. Sterility in wheat hybrids. II. Chromosome behavior in partially sterile hybrids. Genetics, 7: 513-522.
- 1930. Chromosome stability in the genus *Rhododendron*. Amer. Jour. Bot., 17: 247-251.
- 1931a. Chromosome ring formation in *Rhoeo discolor*. Cytologia, 3: 36-53.
- 1931b. The origin and relationship of the Pomoideae. Jour. Arnold Arboretum, 12: 3-22.
- 1932. Chromosome relationships in the Pomoideae. Jour. Arnold Arboretum, 13: 363-367.
- 1933. Species hybrids in *Platanus* and *Campsip*. Jour. Arnold Arboretum, 14: 274-278.
- 1936. Polyploidy and geographic distribution in *Spiraea*. Jour. Arnold Arboretum, 17: 352-356.
- Sax, K., and E. Anderson. 1933. Segmental interchange in chromosomes of *Tradescantia*. Genetics, 18: 53-94.
- Sax, K., and J. M. Beal. 1934. Chromosomes of the Cycadales. Jour. Arnold Arboretum, 15: 255-258.
- Sax, K., and H. J. Sax. 1933. Chromosome number and morphology in the conifers. Jour. Arnold Arboretum, 14: 356-375.
- Schaffner, J. H. 1929. Orthogenetic series involving a diversity of morphological systems. Ohio Jour. Sci., 29: 45-60.
- 1930. Orthogenetic series resulting from a simple progressive movement. Ohio Jour. Sci., 30: 61-71.

Works Cited

- 1932. Orthogenetic evolution of degree of divergence between carpel and foliige leaf. Ohio Jour. Sci., 32: 367-378.
- 1933. Color in various plant structures and the so-called principle of selective adaptation. Studies in determinate evolution VII. Ohio Jour. Sci., 23: 182-191.
- 1937. The fundamental nature of the flower. Bull. Torrey Bot. Club, 64: 569-582.
- Scheel, M. 1931. Karyologische Untersuchung der Gattung *Salvia*. Bot. Archiv, 32: 148-208.
- Schiemann, E. 1939. Gedanken zur Genzentrentheorie Vavilovs. Naturwiss., 27: 377-383; 394-401.
- Schlösser, L. A. 1936. Befruchtungs-schwierigkeiten bei Autopolyploidien und ihre Überwindung. Der Züchter, 8: 295-301.
- Schmalhausen, I. I. 1946. Factors of evolution: the theory of stabilizing selection. Theodosius Dobzhansky, ed.; I. Dordick, tr. Philadelphia, Blakiston. 327 pp. Illustrated.
- Schnack, B., and G. Covas, 1944. Nota sobre la validez del género *Glandularia*. Darwiniana, 6: 469-476.
- 1945a. Un híbrido interespecífico del género *Glandularia* (*G. peruviana* × *G. megapotamica*). Rev. Arg. de Agronomía, 12(3): 224-229.
- 1945b. Hibridación interespecífica en *Glandularia* (Verbenaceas). Darwiniana, 7: 71-79.
- Schuster, J. 1931. Über das Verhältnis der systematischen Gliederung, der geographischen Verbreitung, und der paläontologischen Entwicklung der Cycadaceen. Englers Bot. Jahrb., 64: 165-260.
- Schwarz, O. 1936. Über die Typologie des Eichenblattes und ihre Anwendung in der Paläobotanik. Fedde Rep. Bot., 86: 60-70.
- Schwennle, J. 1938. Genetische und zytologische Untersuchungen an Eucommiaceen. Zeitschr. Ind. Abst. u. Vererbungsl., 75: 358-468.
- Schwennle, J., and M. Zintl. 1939. Genetische und zytologische Untersuchungen an Eucommiaceen: Die Analyse der *Oenothera argentea*. Zeitschr. Ind. Abst. u. Vererbungsl., 76: 353-410.
- Scott-Moncrieff, R. 1936. A biochemical survey of some Mendelian factors for flower color. Jour. Genet., 32: 117-170.
- Sears, E. R. 1941a. Amphidiploids in the seven-chromosome Triticeae. Missouri Agr. Expt. Sta., Res. Bull. 336. 46 pp.
- 1941b. Chromosome pairing and fertility in hybrids and amphidiploids in the Triticeae. Missouri Agr. Expt. Sta., Res. Bull. 337. 20 pp.
- 1944. Cytogenetic studies with polyploid species of wheat. II. Additional chromosomal aberrations in *Triticum vulgare*. Genetics, 29: 232-246.
- 1947. The *sphaerococcum* gene in wheat. (Abstract.) Genetics, 32: 102-103.
- Seibert, R. J. 1947. A study of *Hevea* (with its economic aspects) in the republic of Peru. Ann. Missouri Bot. Gard., 34: 261-352.

- Senjannova Korezagina, M. 1932. Karyo-Systematical investigation of the genus *Aegilops* L. Bull. Appl. Bot., Genet., Plant Breed. 11 Ser., I: 1-90.
- Senn, H. A. 1938a. Chromosome number relationships in the Leguminosae. Bibliographic Genetica, 12: 175-336.
- 1938b. Experimental data for a revision of the genus *Lathyrus*. Amer. Jour. Bot., 25: 67-78.
- Sechell, W. A., T. H. Goodspeed, and R. E. Clausen. 1922. Inheritance in *Nicotiana tabacum*. I. A report on the results of crossing certain varieties. Univ. of Calif. Publ. Bot., 5: 457-582.
- Seward, A. C. 1931. Plant life through the ages. Cambridge, Cambridge University Press. 601 pp.
- 1934. A phytogeographical problem, fossil plants from the Kerguelen archipelago. Ann. Bot., 48: 715-741.
- Shaparenko, K. K. 1936. The nearest ancestors of *Ginkgo biloba* L. Acta Inst. Bot. Acad. Sci. USSR 1, v. 2: 5-32. (In Russian.)
- Shapiro, N. J. 1938. The mutation process as an adaptive character of a species. Zool. Zhurnal (Moscow), 17: 592-601.
- Sherman, M. 1946. Karyotype evolution: a cytogenetic study of seven species and six interspecific hybrids of *Crepis*. Univ. of Calif. Publ. Bot., 18: 369-408.
- Shimotomai, N. 1933. Zur Karyogenetik der Gattung *Chrysanthemum*. Jour. Sci. Hiroshima Univ., Ser. B, Div. 2, Vol. 2: 1-100.
- Siow, R. A. 1944. The genetics of species development in the Old World cottons. Jour. Genet., 46: 62-77.
- Simonet, M. 1934. Nouvelles recherches cytologiques et génétiques chez les Iris. Ann. Sci. Nat. Bot., Ser. 10, 16: 299-383.
- 1935. Observations sur quelques espèces et hybrides d'*Agropyrum*. I. Revision de l'*Agropyrum junceum* (L.) P. B. et de l'*A. elongatum* (Host.) P. B. d'après l'étude cytologique. Bull. Soc. Bot. France, 82: 624-632.
- Simpson, G. C. 1940. Possible causes of change in climate and their limitations. Proc. Linn. Soc. London, 152: 190-219.
- Simpson, G. G. 1944. Tempo and mode in evolution. New York, Columbia University Press. 237 pp.
- Sinnett, E. W. 1914. Investigations on the phylogeny of the angiosperms. I. The anatomy of the node as an aid in the classification of sperms. Amer. Jour. Bot., 1: 303-322.
- 1916. Comparative rapidity of evolution in various plant types. Amer. Nat., 50: 466-478.
- 1936. A developmental analysis of inherited shape differences in Cucurbit fruits. Amer. Nat., 70: 245-254.
- 1937. The genetic control of developmental relationships. Amer. Nat., 71: 113-119.
- 1939. A developmental analysis of the relation between cell size and fruit size in Cucurbits. Amer. Jour. Bot., 26: 179-189.

- Simott, E. W., and S. Kaiser. 1934. Two types of genetic control over the development of shape. Bull. Torrey Bot. Club, 61: 1-7.
- Sinskaia, E. N. 1928. The oleiferous plants and root crops of the family Cruciferae. Bull. Appl. Bot., Genet., Plant Breed., 19 (3): 1-619.
- 1931a. The study of species in their dynamics and interrelation with different types of vegetation. Bull. Appl. Bot., Genet., Plant Breed., 25 (2): 1-97.
- Sinskaja, E. N., and A. A. Bestuzheva. 1931. The forms of *Camelina sativa* in connection with climate, flax, and man. Bull. Appl. Bot., Genet., Plant Breed., 25: 98-200.
- Skalinska, M. 1928a. Sur les causes d'une disjunction non typique des hybrides du genre *Aquilegia*. Acta Soc. Bot. Polon., 5: 141-173.
- 1928b. Études sur la sterilité partielle des hybrides du genre *Aquilegia*. Zeitschr. Ind. Abst. u. Vererbungsl., Suppl.: 1343-1372.
- 1929. Das Problem des Nichterscheinen des väterlichen Typus in der Spaltung der partiell sterilen *Aquilegia*-Species-Bastarde. Acta Soc. Bot. Polon., 6: 138-164.
- 1931. A new case of unlike reciprocal hybrids in *Aquilegia*. Proc. 5th Int. Bot. Cong., Cambridge: 250.
- 1935. Cytogenetic investigations of an allotetraploid *Aquilegia*. Bull. Acad. Pol. Sci. et Lettres, Ser. B: 33-63.
- Skirm, G. W. 1942. Bivalent pairing in an induced tetraploid of *Tradescantia*. Genetics, 27: 635-640.
- Skottsberg, C. 1925. Juan Fernandez and Hawaii, a phytogeographical discussion. B. P. Bishop Mus., Bull. 16: 1-47.
- 1936. Antarctic plants in Polynesia. Essays in Geobotany in honor of W. A. Setchell, Univ. of California Press: 291-311.
- 1938. Geographical isolation as a factor in species formation, and its relation to certain insular floras. Proc. Linn. Soc. London, 150: 286-293.
- 1939. Remarks on the Hawaiian flora. Proc. Linn. Soc. London, 151: 181-186.
- Skovsted, A. 1934. Cytological studies in cotton. II. Two interspecific hybrids between Asiatic and New World cottons. Jour. Genet., 28: 407-424.
- 1943. Successive mutations in *Nadsonia richieri* Kostka. Compt. Rend. Carlsberg Lab., Ser. Phys. 23(20): 409-457.
- Small, J. 1937a. Quantitative evolution. II. Composite D_p-ages in relation to time. Proc. Roy. Soc. Edinburgh, 57: 215-220.
- 1937b. Quantitative evolution. III. D_p-ages of Gramineae. Proc. Roy. Soc. Edinburgh, 57: 221-227.
- 1945. Tables to illustrate the geological history of species-number in diatoms. Proc. Roy. Irish Acad., 50, Sec. B: 295-309.
- 1946. Quantitative evolution. VIII. Numerical analysis of tables to illustrate the geological history of species number in Diatoms; an introductory summary. Proc. Roy. Irish Acad., 51, Sec. B: 53-80.

- Small, J., and I. K. Johnston. 1937. Quantitative evolution in *Compositae*. Proc. Roy. Soc. Edinburgh, 57: 26-54.
- Smith, A. C. 1945. Geographical distribution of the Winteraceae. Jour. Arnold Arboretum, 26: 48-59.
- 1946. A taxonomic review of *Euptelea*. Jour. Arnold Arboretum, 27: 175-185.
- Smith, D. C. 1944. Pollination and seed formation in grasses. Jour. Agr. Res., 68: 79-95.
- Smith, E. C. 1941. Chromosome behavior in *Catalpa hybrida* Spaeth. Jour. Arnold Arboretum, 22: 219-221.
- Smith, E. C., and C. Nichols, Jr. 1941. Species hybrids in forest trees. Jour. Arnold Arboretum, 22: 443-454.
- Smith, H. E. 1946. *Sedum pulchellum*: a physiological and morphological comparison of diploid, tetraploid, and hexaploid races. Bull. Torrey Bot. Club, 73: 495-541.
- Smith, J. P. 1919. Climatic relations of the Tertiary and Quaternary faunas of the California region. Proc. Calif. Acad. Sci., Ser. 4, 9: 123-173.
- Smith, L. 1936. Cytogenetic studies in *Triticum monococcum* L. and *T. aegilopoides* Bal. Univ. of Missouri Agr. Expt. Sta., Res. Bull., 248: 1-38.
- 1946. Haploidy in einkorn. Jour. Agr. Res., 73: 291-301.
- Sokolovskaya, A. P., and O. S. Strelkova. 1940. Karyological investigation of the alpine flora on the main Caucasus range and the problem of geographical distribution of polyploids. Compt. Rend. Acad. Sci. URSS, 29: 415-418.
- Sörensen, T., and G. Gudjónsson. 1946. Spontaneous chromosome aberrants in apomictic Taraxacum. Kongel. Danske Vidensk. Selsk., Biol. Skr. 4(2): 1-48.
- Sparrow, A. H., M. L. Ruttledge, and B. R. Nebel. 1942. Comparative cytology of sterile intra- and fertile intervarietal hybrids of *Antirrhinum majus* L. Amer. Jour. Bot., 29: 711-715.
- Spencer, W. P. 1947. Genetic drift in a population of *Drosophila immigrans*. Evolution, 1: 103-110.
- Spiegelman, S., and C. C. Lindegren. 1944. A comparison of the kinetics of enzymatic adaptation in genetically homogeneous and heterogeneous populations of yeast. Ann. Missouri Bot. Gard., 31: 219-233.
- Sprecher, M. A. 1919. Étude sur la sémente et la germination du *Garcinia mangostana* L. Rev. Gén. Bot., 31: 513-531; 611-634.
- Springer, E. 1935. Über apogame (vegetative entstandene) Sporengone an der bivalenten Rasse des Laubmooses *Phascum cuspidatum*. Zeitschr. Ind. Abst. u. Vererbungsl., 69: 249-262.
- Stadler, L. J. 1932. On the genetic nature of induced mutations in plants. Proc. 6th Int. Congr. Genet., 1: 274-294.
- 1942. Some observations on gene variability and spontaneous

- gene mutation. Spragg Memorial Lectures on Plant Breed., 3d Ser., 15 pp. Michigan State College, East Lansing.
- Stadler, L. J., and G. F. Sprague. 1936. Genetic effects of ultraviolet radiation in maize, I, II, and III. Proc. Nat. Acad. Sci., 22: 572-591.
- Stakman, E. C., M. F. Kerkamp, T. H. King, and W. J. Martin. 1943. Genetic factors for mutability and mutant characters in *Ustilago zeae*. Amer. Jour. Bot., 30: 37-48.
- Stebbins, G. L., Jr. 1932a. Cytology of *Antennaria*. I. Normal species. Bot. Gaz., 94: 134-151.
- 1932b. Cytology of *Antennaria*. II. Parthenogenetic species. Bot. Gaz., 94: 322-345.
- 1935. A new species of *Antennaria* from the Appalachian region. Rhodora, 37: 229-237.
- 1937. Critical notes on the genus *Ixeris*. Jour. Bot., 1937: 43-51.
- 1938a. Cytogenetic studies in *Paeonia*. II. The cytology of the diploid species and hybrids. Genetics, 23: 83-110.
- 1938b. Cytological characteristics associated with the different growth habits in the dicotyledons. Amer. Jour. Bot., 25: 189-198.
- 1939. Notes on the systematic relationships of the Old World species and of some horticultural forms of *Paeonia*. Univ. of Calif. Publ. Bot., 19: 245-266.
- 1940a. The significance of polyploidy in plant evolution. Amer. Nat., 74: 54-66.
- 1940b. Studies in the Cichorieae: *Dubyaea* and *Soroseris*, endemics of the Sino-Himalayan region. Mem. Torrey Bot. Club, 19: 1-76.
- 1941a. Apomixis in the angiosperms. Bot. Rev., 7: 507-542.
- 1941b. Comparative growth rates of diploid and autotetraploid *Siphula lepida*. (Abstract.) Amer. Jour. Bot., 28, Suppl: 6s.
- 1941c. Additional evidence for a holarctic dispersal of flowering plants in the Mesozoic era. Proc. 6th Pac. Sci. Congr.: 649-660.
- 1942a. The role of isolation in the differentiation of plant species. Biol. Symposia, 6: 217-233.
- 1942b. The genetic approach to problems of rare and endemic species. Madroño, 6: 240-258.
- 1942c. Polyploid complexes in relation to ecology and the history of floras. Amer. Nat., 76: 36-45.
- 1945. The cytological analysis of species hybrids. Bot. Rev., 11: 463-486.
- 1947a. Types of polyploids: their classification and significance. Advances in Genetics, 1: 403-429.
- 1947b. Evidence on rates of evolution from the distribution of existing and fossil plant species. Ecological Monographs, 17: 149-158.
- 1947c. The origin of the complex of *Bromus carinatus* and its phyogeographic implications. Contr. Gray. Herb., 165: 42-55.
- 1948. Review of "A Study of the Genus *Paeonia*," by F. C. Stern. Madroño, 9: 193-199.

- 1949a. Rates of evolution in plants. *Genetics, Paleontology, and Evolution*, Princeton University Press: 229-242.
- 1949b. The evolutionary significance of natural and artificial polyploids in the family Gramineae. *Proc. 8th Int. Congr. Genetics*: 461-485.
- Stebbins, G. L., Jr., and E. B. Babcock. 1939. The effect of polyploidy and apomixis on the evolution of species in *Crepis*. *Jour. Hered.*, 30: 519-530.
- Stebbins, G. L., Jr., and S. Ellerton. 1939. Structural hybridity in *Puonia californica* and *P. brownii*. *Jour. Genet.*, 38: 1-36.
- Stebbins, G. L., Jr., and J. A. Jenkins. 1939. Aposporic development in the North American species of *Crepis*. *Genetica*, 21: 1-34.
- Stebbins, G. L., Jr., and M. Kodani. 1944. Chromosomal variation in guayule and mariola. *Jour. Hered.*, 35: 163-172.
- Stebbins, G. L., Jr., and R. M. Love. 1944. A cytological study of California tobage grasses. *Amer. Jour. Bot.*, 28: 371-382.
- Stebbins, G. L., Jr., E. B. Matzke, and C. Epling. 1947. Hybridization in a population of *Quercus mariandica* and *Quercus ilicifolia*. *Evolution*, 1: 79-88.
- Stebbins, G. L., Jr., and H. A. Tobgy. 1944. The cytogenetics of hybrids in *Bromus*. I. Hybrids within the section *Ceratochloa*. *Amer. Jour. Bot.*, 31: 1-11.
- Stebbins, G. L., Jr., H. A. Tobgy, and J. R. Harlan. 1944. The cytogenetics of hybrids in *Bromus*. II. *Bromus carinatus* and *Bromus arizonicus*. *Proc. Calif. Acad. Sci.*, 25: 307-322.
- Stebbins, G. L., Jr., J. I. Valencia, and R. M. Valencia. 1946a. Artificial and natural hybrids in the Gramineae, tribe Hordeae. I. *Elymus*, *Sitanon*, and *Agropyron*. *Amer. Jour. Bot.*, 33: 338-351.
- 1946b. Artificial and natural hybrids in the Gramineae, tribe Hordeae. II. *Agropyron*, *Elymus*, and *Hordeum*. *Amer. Jour. Bot.*, 33: 579-586.
- Stephens, S. G. 1947. Cytogenetics of *Gossypium* and the problem of the New World cottons. *Advances in Genetics*, 1: 431-442.
- Stern, F. C. 1946. A study of the genus *Paonia*. London, Royal Horticultural Society. viii + 155 pp.
- 1947. Plant distribution in the Northern Hemisphere. *Geogr. Jour.*, 108: 24-40.
- Steyernark, C. S. 1939. Distribution and hybridization of *Vernonia* in Missouri. *Bot. Gaz.*, 100: 548-562.
- Stockwell, P., and F. I. Righter. 1946. *Pinus*: the fertile species hybrid between knobcone and Monterey pines. *Madroño*, 8: 157-160.
- Stout, A. B., and C. Chandler. 1941. Change from self-incompatibility to self-compatibility accompanying change from diploidy to tetraploidy. *Science*, 94: 118.
- Stout, A. B., R. H. McKee, and E. I. Schreiner. 1927. The breeding of forest trees for pulp wood. *Jour. N. Y. Bot. Gard.*, 28: 49-63.

- Stout, A. B., and E. J. Schreiner. 1934. Hybrids between the necklace cottonwood and the large-leaved aspen. *Jour. N. Y. Bot. Gard.*, 35: 140-143.
- Straub, J. 1940. Quantitative und qualitative Verschiedenheiten innerhalb von polyploiden Pflanzenreihen. *Biol. Zentralbl.*, 60: 659-669.
- Stubbe, H., and F. von Wettstein. 1941. Über die Bedeutung von Klein- und Grossmutationen in der Evolution. *Biol. Zentralbl.*, 61: 265-297.
- Sturtevant, A. H. 1937. Essays on evolution. I. On the effects of selection on mutation rate. *Quart. Rev. Biol.*, 12: 464-467.
- 1938. Essays on evolution. III. On the origin of interspecific sterility. *Quart. Rev. Biol.*, 13: 333-335.
- Sturtevant, A. H., and G. W. Beadle. 1939. An introduction to genetics. Philadelphia, Saunders. 391 pp.
- Sugura, T. 1936. Studies on the chromosome numbers in higher plants, with special reference to cytokinesis. *Cytologia*, 7: 544-595.
- Sukatschew, W. 1928. Einige experimentelle Untersuchungen über den Kampf ums Dasein zwischen Biotypen derselben Art. *Zeitschr. Ind. Abst. u. Vererbungsdl.*, 47: 54-74.
- Sule, E. P. 1946. On the question of the production of perennial forms of wheat (Russian). *Trudy Zonal. Inst. Zern. Khoz. Nechern. Polocy USSR*, 13: 32-49.
- Summer, F. B. 1942. Where does adaptation come in? *Amer. Nat.*, 76: 433-444.
- Suneson, C. A., and G. A. Wiebe. 1942. Survival of barley and wheat varieties in mixtures. *Jour. Amer. Soc. Agron.*, 34(11): 1052-1056.
- Suomalainen, Eeva. 1947. On the cytology of the genus *Polygonatum*, group *Altenuifolia*. *Ann. Acad. Sci. Fenn. Ser. A, IV(13)*: 1-66.
- Suomalainen, Esko. 1940a. Beiträge zur Zytologie der parthenogenetischen Insekten. I. Coleoptera. *Ann. Acad. Sci. Fenn.*, Ser. A, 54(7): 1-143.
- 1940b. Polyploidy in parthenogenetic Curculionidae. *Hereditas*, 26: 51-64.
- 1945. Zu den Chromosomenverhältnissen und dem Artbildungsproblem bei parthenogenetischen Tieren. *Sitzungsber. Finn. Akad. Wiss.*, 181-201.
- 1947. Parthenogenese und Polyploidie bei Rüsselkäfern (Curculionidae). *Hereditas*, 33: 425-456.
- Svärdson, G. 1945. Chromosome studies on Salmonidae. Rep. Swedish State Inst. Fresh-Water Fishery Res., Drottningholm, No. 23: 1-151.
- Svedelius, N. 1929. An evaluation of the structural evidences for genetic relationships in plants: Algae. *Proc. Int. Congr. Plant Sci.*, Ithaca, N.Y., 1: 457-471.
- Sveshnikova, I. N. 1927. Die Genese des Kerns im Genus *Vicia*. *Verh. 5th Int. Kongr. Vererb.*: 1415-1421.

- 1936. Translocations in hybrids as an indicator of karyotype evolution. Biol. Zhurn., 5: 303-326.
- Swamy, B. G. L. 1949. Further contributions to the morphology of the Degeneriaceae. Jour. Arnold Arboretum, 30: 10-38.
- Sweedner, W. R. 1937. Hybridization and the phylogeny of the genus *Platyania*. Ann. Carnegie Mus., 25: 163-242.
- Sweet, E. D. 1938. Chiasmata, crossing over, and mutation in *Oenothera* hybrids. Jour. Genet., 35: 397-419.
- Swingle, W. T. 1932. Recapitulation of seedling characters by nucellar buds developing in the embryo-sac of *Citrus*. Proc. 6th Internat. Cong. of Genetics, 2: 196-197.
- Sylven, N. 1937. The influence of climatic conditions on type composition. Imp. Bureau Plant Genetics, Herbage Bull. No. 21, 8 pp.
- Syrach-Larsen, C. 1937. The employment of species, types, and individuals in forestry. Roy. Vet. Agr. Coll. Yearbook, Copenhagen, 69-222.
- Täckholm, G. 1922. Zytologische Studien über die Gattung *Rosa*. Acta Hort. Berg., 7: 97-381.
- Tahara, M. 1915. Cytological studies on *Chrysanthemum*. II. Bot. Mag. Tokyo, 29: 48-50.
- Takhtadzhian, A. 1943. Comparative ontogeny and phylogeny in the higher plants. Trans. Molotov State University, Erevan 22: 71-176. (In Russian, with English summary.)
- Tabbot, M. W., H. H. Biswell, and A. L. Hormay. 1939. Fluctuations in the annual vegetation of California. Ecology, 20: 394-402.
- Tanaka, N. 1937. Chromosome studies in Cyperaceae. I. Cytologia, Fujii Jubil. Vol.: 814-821.
- 1939. Chromosome studies in Cyperaceae. IV. Chromosome number of *Carex* species. Cytologia, 10: 51-58.
- Tarnavski, T. 1939. Karyologische Untersuchungen an Halophyten aus Rumänien im Lichte zytöökologischer und zito-geographischer Forschung. Bul. Fac. Stiinte din Cernauti, 12: 68-106.
- Tatebe, T. 1936. Genetic and cytological studies on the F_1 hybrid of scarlet or tomato eggplant (*Solanum integrifolium* Poir.) \times eggplant (*Solanum melongena* L.). Bot. Mag. Tokyo, 50: 457-462.
- Taylor, H. 1945. Cytotaxonomy and phylogeny of the Oleaceae. Brittonia, 5: 337-367.
- Tedin, O. 1925. Vererbung, Variation, und Systematik in der Gattung *Camellia*. Hereditas, 6: 275-386.
- Terao, H., and U. Midusima. 1939. Some considerations on the classification of *Oryza sativa* L. into two subspecies, so-called "japonica" and "indica." Jap. Jour. Bot., 10: 213-258.
- Thomas, H. H. 1925. The Caytoniales, a new group of angiospermous plants from the Jurassic rocks of Yorkshire. Phil. Trans. Roy. Soc., B, 213: 299-313.

- Thomas, P. T. 1940a. Reproductive versatility in *Rubus*. II. The chromosomes and development. Jour. Genet., 40: 119-128.
- 1940b. The origin of new forms in *Rubus*. III. The chromosome constitution of *R. loganobaccus* Bailey, its parents and derivatives. Jour. Genet., 40: 141-156.
- Thompson, J. M. 1933. Studies in advancing sterility. VI. The theory of sciaminean flowering. Publ. Hartley Bot. Lab., Liverpool, No. 11, 114 pp.
- 1934. Studies in advancing sterility. VII. The state of flowering known as angiospermy. Publ. Hartley Bot. Lab., Liverpool, No. 12, 47 pp.
- Thompson, W. P., E. J. Britten, and J. C. Harding. 1943. The artificial synthesis of a 42-chromosome species resembling common wheat. Canad. Jour. Res., C, 21: 134-144.
- Timofeeff-Ressovsky, N. W. 1940. Mutations and geographical variation. In J. Huxley, ed., The New Systematics; 73-136.
- Tinney, F. W., and G. S. Aamodt. 1940. The progeny test as a measure of the types of seed development in *Poa pratensis* L. Jour. Hered., 31: 457-464.
- Tischler, G. 1931. Pflanzliche Chromosomenzahlen. Tab. Biolog. Period. 7: 109-226.
- 1935. Die Bedeutung der Polyplidie für die Verbreitung der Angiospermen, erlaubt an den Arten Schleswig-Holsteins, mit Ausblicken auf andere Florenegebiete. Bot. Jahrb., 67 (1): 1-36.
- 1936. Pflanzliche Chromosomenzahlen. II. Tab. Biol. Per. 11: 281-304; 12: 57-115.
- 1937. Die Halligen flora der Nordsee im Lichte cytologischer Forschung. Cytologia, Fujii Jubil. Vol.: 162-169.
- 1938. Pflanzliche Chromosomenzahlen. IV. Tab. Biol. Per. 16: 162-218.
- 1946. Über die Siedlungsfähigkeit von Polyploidien. Zeitschr. f. Naturforschung, 1: 157-159.
- Tobgy, H. A. 1943. A cytological study of *Crepis fuliginosa*, *C. neglecta*, and their F_1 hybrid, and its bearing on the mechanism of phylogenetic reduction in chromosome number. Jour. Genet., 45: 67-111.
- Tobler, M. 1931. Experimentelle Analyse der Genom- und Plasmawirkung bei Moosen. IV. Zur Variabilität des Zellvolumens einer Sippenkreuzung von *Funaria hygrometrica* und deren bivalenten Rassen. Zeitschr. Ind. Abst. u. Vererbungsl., 60: 39-62.
- Tomé, G. A., and I. J. Johnson. 1945. Self- and cross-fertility relationships in *Lotus corniculatus* L. and *Lotus temuis* Wald. and Kit. Jour. Amer. Soc. Agron., 37: 1011-1023.
- Tomterp, G. 1939. Cytological studies on haploid *Hordeum distichum*. Hereditas, 25: 241-254.
- Trelease, W. F. 1924. The American Oaks. Mem. Nat. Acad. Sci., 20: 1-255.

- Turesson, G. 1922a. The species and the variety as ecological units. *Hereditas*, 3: 100-113.
- 1922b. The genotypical response of the plant species to the habitat. *Hereditas*, 3: 211-350.
- 1925. The plant species in relation to habitat and climate. Contributions to the knowledge of genealogical units. *Hereditas*, 6: 147-236.
- 1927. Contributions to the genealogy of glacial relict species. *Hereditas*, 9: 81-101.
- 1929. Zur Natur und Begrenzung der Artenkreisen. *Hereditas*, 12: 323-333.
- 1930. Studien über *Festuca ovina*. II. Chromosomenzahl und Viviparie. *Hereditas*, 13: 177-184.
- 1931a. The selective effect of climate upon the plant species. *Hereditas*, 14: 99-152.
- 1931b. Studien über *Festuca ovina*. III. Weitere Beiträge zur Kenntnis der Chromosomenzahlen viviparen Formen. *Hereditas*, 15: 13-16.
- 1932. Die Genenzentrumstheorie und das Entwicklungszentrum der Pflanzenart. *K. Fys. Salsk. Lund Forhandl.*, 2(6): 1-11.
- 1936. Rassenökologie und Pflanzengeographie. *Bot. Not.*: 420.
- 1943. Variation in the apomictic microspecies of *Alchemilla vulgaris* L. *Bot. Not.* (Lund): 413-427.
- Turnill, W. B. 1936a. Contacts between plant classification and experimental botany. *Nature*, 137: 563-566.
- 1936b. Natural selection and the distribution of plants. *Proc. Roy. Soc., B*, 121: 49-52.
- 1938a. The expansion of taxonomy, with special reference to the Spermatophyta. *Biol. Rev.*, 13: 342-353.
- 1938b. Taxonomy and genetics. *Jour. Bot. London*, 76: 33-39.
- 1938c. Problems of British Taraxaca. *Proc. Linn. Soc.*, 150: 120-124.
- 1938d. Material for a study of taxonomic problems in *Taraxacum*. Rep. Bot. Exchange Club, 11: 570-589.
- 1940. Experimental and synthetic plant taxonomy. In J. Huxley, ed., *The New Systematics*: 47-71.
- 1942a. Differences in the systematics of plants and animals and their dependence on differences in structure, function, and behavior in the two groups. *Proc. Linn. Soc. London*, 153: 272-277.
- 1942b. Experimental attacks on species problems. *Chronica Botanica*, 7: 281-283.
- 1946. The ecotype concept; a consideration with appreciation and criticism, especially of recent trends. *New Phytologist*, 45: 34-43.
- U, Nagaharu. 1935. Genome analysis in *Brassica* with special reference to the experimental formation of *B. Napus* and peculiar mode of fertilization. *Jap. Jour. Bot.*, 7: 389-452.

- Upcott, M. 1936. The Parents and progeny of *Aesculus carnea*. *Jour. Genet.*, 33: 135-149.
- 1939. The nature of tetraploidy in *Primula kewensis*. *Jour. Genet.*, 39: 79-100.
- Vaarama, A. 1939. Cytological studies on some Finnish species and hybrids of the genus *Rubus* L. *Jour. Sci. Agr. Soc. Finland*, 11: 1-13.
- Valentine, D. H. 1948. Studies in British Primulas. II. Ecology and taxonomy of primrose and oxlip (*Primula vulgaris* Huds. and *P. elatior* Schreb.) *New Phytologist*, 47: 111-130.
- Vandell, A. 1938. Chromosome number, polyploidy and sex in the animal kingdom. *Proc. Zool. Soc. London*, A, 107: 519-541.
- Vassilchenko, I. T. 1939. *Camelina*, in Komarov, V. *Flora USSR*, 8: 596-602.
- Vavilov, N. I. 1926. Studies on the origin of cultivated plants. *Bull. Appl. Bot. Plant Breed.* (Leningrad), 16(2): 1-248.
- Viosca, P. 1935. The irises of southeastern Louisiana. *Bull. Amer. Iris Soc.*, April, No. 57. 56 pp.
- Vries, H. de. 1923. Über die Entstehung von *Oenothera lamarckiana* mut. *velutina*. *Biol. Zentralbl.*, 43: 213-224.
- Wahl, H. A. 1940. Chromosome numbers and meiosis in the genus *Carex*. *Amer. Jour. Bot.*, 27: 458-470.
- Wakar, B. A. 1935a. Zytologische Untersuchung über F_1 der Weizen-Queckengrasbastarde. *Cytologia*, 7: 293-312.
- 1935b. Cytological Untersuchung der ersten Generation der Weizen-Queckengrasbastarde. *Der Züchter*, 7: 199-207.
- 1937. Cytologische Untersuchung der selbstertilen ersten Generation der Weizen-Queckengrasbastarde. *Cytologia*, 8: 67-90.
- Walters, J. L. 1942. Distribution of structural hybrids in *Paeonia californica*. *Amer. Jour. Bot.*, 29: 270-275.
- Warmke, H. E. 1945. Experimental polyploidy and rubber content in *Taraxacum kok-saghyz*. *Bot. Gazz.*, 106: 316-324.
- 1940. Experimental and synthetic plant taxonomy. In J. Huxley, ed., *The New Systematics*: 47-71.
- 1942a. Differences in the systematics of plants and animals and their dependence on differences in structure, function, and behavior in the two groups. *Proc. Linn. Soc. London*, 153: 272-277.
- 1942b. Experimental attacks on species problems. *Chronica Botanica*, 7: 281-283.
- 1946. The ecotype concept; a consideration with appreciation and criticism, especially of recent trends. *New Phytologist*, 45: 34-43.
- Westergaard, M. 1940. Studies on cytology and sex determination in
- Wheeler, W. A. 1946. A taxonomic and cytological study of the genus *Wyethia*, family Compositae with notes on the related genus *Balsamorhiza*. *Amer. Mid. Nat.*, 35: 400-452.

- polyploid forms of *Melandrium album*. Dansk. Bot. Arkiv., 10: 1-131.
- 1948. The aspects of polyploidy in the genus *Solanum*. III. Seed production in autopolyploid and allopolyploid *Solanums*. Kgl. Danske Vidensk. Selsk. Biol. Meddel., 18, No. 3: 1-18.
- Wetmore, R. H., and A. L. Delsie. 1939. Studies in the genetics and cytology of two species in the genus *Aster* and their polymorphy in nature. Amer. Jour. Bot., 26: 1-12.
- Wettstein, F. von. 1924. Kreuzungsversuche mit multiplioiden Moosrasen. II. Biol. Zentralbl., 44: 145-168.
- 1927. Die Erscheinung der Heteroploidie, besonders im Pflanzenreich. Ergebn. der Biologie, 2: 311-356.
- 1937. Experimentelle Untersuchungen zum Artbildungsproblem. I. Zellgrößenregulation und Fertilwerden einer polyploiden *Bryum*-Sippe. Zeitschr. Ind. Abst. u. Vererbungsl., 74: 34-53.
- Wettstein, F., and J. Straub. 1942. Experimentelle Untersuchungen zum Artbildungsproblem. III. Weitere Beobachtungen an polyploiden *Bryum*-Sippen. Zeitschr. Ind. Abst. u. Vererbungsl., 80: 271-280.
- Wettstein, W. von. 1933. Die Kreuzungsmethode und die Beschreibung von F₁-Bastarden bei *Populus*. Zeitschr. f. Züchtung A, 18: 597-626.
- 1937. Leistungssteigerung durch Herkunftskreuzung bei *Populus tremula*. Naturwissenschaften, 25: 434-436.
- Wherry, Edgar T. 1939. A provisional key to the Polemoniaceae. Bartonia, 13-17.
- Whittaker, T. W. 1933. Chromosome number and relationship in the Magnoliaceae. Jour. Arnold Arboretum, 14: 376-385.
- 1934a. Chromosome constitution in certain monocotyledons. Jour. Arnold Arboretum, 15: 135-143.
- 1934b. The occurrence of tumors on certain *Nicotiana* hybrids. Jour. Arnold Arboretum, 15: 144-153.
- 1936. Fragmentation in *Tradescantia*. Amer. Jour. Bot., 23: 517-519.
- 1944. The inheritance of certain characters in a cross of two American species of *Lactuca*. Bull. Torrey Bot. Club, 71: 347-355.
- Whittaker, T. W., and R. C. Thompson. 1941. Cytological studies in *Lactuca*. Bull. Torrey Bot. Club, 68: 388-394.
- White, M. J. D. 1945. Animal cytology and evolution. Cambridge, Cambridge University Press. 375 pp.
- White, W. J. 1940. Intergeneric crosses between *Triticum* and *Agropyron*. Scient. Agr., 21: 198-232.
- Wiegand, K. M. 1935. A taxonomist's experience with hybrids in the wild. Science, 81: 161-166.
- Willis, J. C. 1922. Age and area. Cambridge, Cambridge Univ. Press. 259 pp.

- 1940. The course of evolution by differentiation or divergent mutation rather than by selection. Cambridge, Cambridge University Press. 207 pp.
- Wilson, G. B. 1946. Cytological studies in the Musae. I. Meiosis in some triploid clones. Genetics, 31: 241-258.
- Winge, O. 1917. The chromosomes. Their numbers and general importance. Compt. Rend. Trav. Lab. Carlsberg, 13: 131-275.
- 1933. A case of amphidiploidy within the collective species *Erophila verna*. Hereditas, 18: 181-191.
- 1938. Inheritance of species characters in *Tragopogon*. A cytogenetic investigation. Compt. Rend. Trav. Lab. Carlsberg, Sér. Phys. 22: 155-193.
- 1940. Taxonomic and evolutionary studies in *Erophila* based on cytogenetic investigations. Compt. Rend. Trav. Lab. Carlsberg, Sér. Phys. 23: 17-39.
- 1944. On segregation and mutation in yeast. Compt. Rend. Trav. Lab. Carlsberg, Sér. Phys. 24: 79-96.
- Winkler, H. 1916. Über die experimentelle Erzeugung von Pflanzen mit abweichenden chromosomenzahlen. Zeitschr. Bot., 8: 417-531.
- 1920. Verbreitung und Ursache der Parthenogenesis im Pflanzen- und Tierreiche. Jena, G. Fischer.
- 1934. Fortpflanzung der Gewächse 7. Aponixis. Handw. d. Naturwiss., 4: 451-461. Jena, G. Fischer.
- Winter, F. L. 1929. The mean and variability as affected by continuous selection for composition in corn. Jour. Agr. Res., 39: 451-476.
- 1935. Pollen grains. New York, McGraw-Hill. 574 pp.
- Wolf, C. B. 1938. California plant notes. II. Rancho Santa Ana Bot. Gard., Occas. Papers, 1: 44-90.
- 1944. The Gander oak, a new hybrid oak from San Diego County, California. Proc. Calif. Acad. Sci., 25: 177-188.
- Woodson, R. E., Jr. 1941. The North American Asclepiadaceae. I. Perspective of the genera. Ann. Missouri Bot. Gard., 28: 193-248.
- 1947. Some dynamics of leaf variation in *Asclepias tuberosa*. Ann. Missouri Bot. Gard., 34: 353-432.
- Wright, S. 1931. Evolution in Mendelian populations. Genetics, 16: 97-159.
- 1940a. The statistical consequences of Mendelian heredity in relation to speciation. In J. Huxley, ed., The New Systematics: 161-183.
- 1940b. Breeding structure of populations in relation to speciation. Amer. Nat., 74: 239-248.
- 1941a. The material basis of evolution. Scient. Monthly, 53: 165-170.
- 1941b. The "age and area" concept extended. Ecology, 22: 345-347.

- 1943. An analysis of local variability of flower color in *Linanthus parryae*. *Genetics*, 28: 139-156.
- 1946. Isolation by distance under diverse systems of mating. *Genetics*, 31: 39-59.
- Wright, S., and Th. Dobzhansky. 1946. Genetics of natural populations. XII. Experimental reproduction of some of the changes caused by natural selection in certain populations of *Drosophila pseudoobscura*. *Genetics*, 31: 125-156.
- Wulff, E. V. 1943. An introduction to historical plant geography. Engl. trans., based on the 2d ed. (1936) revised in 1939. Waltham, Mass., Chronica Botanica. 223 pp.
- Wulff, H. D. 1937a. Karyologische Untersuchungen an der Halophyten-flora Schleswig-Holsteins. *Jahrb. Wiss. Bot.*, 84: 812-840.
- 1937b. Chromosomensstudien an der schleswig-holsteinischen Angiospermen-Flora. I. *Ber. Deu. Bot. Ges.*, 55: 262-269.
- Wynne-Edwards, V. C. 1937. Isolated arctic-alpine floras in eastern North America: a discussion of their glacial and recent history. *Trans. Roy. Soc. Canada*, III (5) 31: 33-58.
- Yakovleva, S. V. 1933. Karyological investigation of some *Salvia* species. *Bull. Appl. Bot., Ser. 2*, 5: 207-213.
- Yarnell, S. H. 1933. Inheritance in an oak species hybrid. *Jour. Arnold Arboretum*, 14: 68-75.
- 1936. Chromosome behavior in blackberry-raspberry hybrids. *Jour. Agr. Res.*, 52: 385-396.
- Zakharjevsky, A. 1941. Control of sterility and the breeding of hybrids of *T. durum* \times *T. timopheevi*. *Proc. Acad. Agr. Sci. USSR*, 6(2): 5-9. (In Russian.)
- Zhebrak, A. 1944a. Synthesis of new species of wheats. *Nature*, 153(3888): 549-551.
- 1944b. Synthesis of new species of wheats. *Acta Timiriacev Agr. Acad.*, 6 (Genet. div.): 5-54. (In Russian with English summary.)
- Zhebrak, A. R. 1946. New amphidiploid species of wheat and their significance for selection and evolution. *Amer. Nat.*, 80: 271-279.
- Zimmerman, E. C. 1942. Distribution and origin of some eastern Oceanic insects. *Amer. Nat.*, 76: 280-307.
- 1948. Insects of Hawaii. Vol. I. Introduction. Honolulu, University of Hawaii Press. 206 pp.
- Zimmermann, W. 1930. Die Phylogenie der Pflanzen. Jena, G. Fischer. 452 pp.
- Zinger, H. B. 1909. On the species of *Camelina* and *Spargularia* occurring as weeds in sowings of flax and their origin. *Trudy Bot. Muz. Akad. Nauk. USSR*, 6: 1-303. (In Russian.)

Index

- Aamodt, G. S., 419
- Aaronsohn, A., 372
- Aase, H. C., 142, 235
- Abbe, E. C., 20, 87
- Abies, 280-82, 511, 519
- Abrams, L., 238
- Acacia, 489-90, 533, 549; *melanoxyton*, 481
- Acmaea, 490, 538, 545
- Acer, 517, 524, 546; *nigrum*, 269, 274-75; *sacharophyllum*, 269, 274-75
- Achillea, 120, 143, 345; *borealis*, 23-24, 44; *lamata*, 44-45
- Aconitum, 459
- Acorus calamus*, 185
- Acquired characters, inheritance, 74-75
- Adaptive compensation, 121-34, 173
- Adaptive value of characters, 118-21, 271, 278, 506-10, 558-59
- Adatia, R. D., 363, 471
- Adenostoma*, 545; *fasciculatum*, 490
- Adesmia*, 545
- Adnation, phylogenetic, 484
- Aegilops*, 141-42, 179, 235, 248, 324, 372-73, 460-61; *bicornis*, 331; *ovata*, 331; *speltoides*, 372; *squarrova*, 373, 377; *trivittata*, 331; *undulata*, 226, 330
- Aesculus*, 364; *cavees*, 319
- Agamic complexes, 396-405, 549-50; and plant geography, 411-13; evolutionary significance, 414-17; species concepts, 8-9
- Age and area hypothesis, 531-32
- “Aggregate difference,” 20
- Agave*, 382, 391, 461
- Agave*, 38, 495, 545
- Agave*, 38, 495, 545
- Agriculture, hybridization in, 290-94; polyploidy in, 369-79
- Agropyron*, 141-42, 291, 375-78, 468; *cristatum*, 307; *elongatum*, 226-27, 334; *glaucum*, 226; *faristii*, 180, 227; *repens*, 307; *trachyculum*, 180, 227; *trichophyllum*, 226, 335, 377
- Airy-Shaw, H. K., 309
- Alchemilla*, 404, 490
- Alchornea ilicifolia*, 383-84
- Algae, 172, 175-76, 182, 300; haploidy and diploidy, 156-60
- Allan, H. H., 229, 550
- Allard, H. A., 23, 26, 64
- Allium*, 235, 382, 384, 391, 421, 451, 458, 474, 483; *carrinatum*, 388, 405; *cephaelos*; *tulosum*, 219, 319; *nutans*, 306; *odoratum*, 385; *paniculatum-oliveraceum*, 318, 394; *pulchellum*, 388; *schrenkianum*, 318
- Allotrioploid species, 35, 199-204
- Allotrioploids, segmental, 324-26; typical, 326-32
- Allotrioploidy, 219-27, 235, 257, 277, 286, 299, 306, 370-79; see also Polyploidy, types of
- Alnus*, 391, 511, 517, 546
- Aloe*, 461
- Aloniac, 461
- Alper, C., 5
- Alseonemia, 229
- Alternation of generations, evolution of, 158-59, 175-76
- Amelanchier*, 270
- Ames, O., 211-12
- Amphiploids, 315, 375-79
- Anacardiaceae, 504-5
- Anacharis canadensis*, 185
- Analytical methods, for studying variation, 21-30
- Anatomy, in investigation of phylogeny, 8-9
- Anderson, Edgar, 15, 17-20, 22, 25, 56-57, 62-64, 81, 83, 87-88, 95, 153, 182, 194, 207, 221-22, 230, 259-66, 274, 283, 287, 312, 327, 348, 351, 363, 477, 487, 511
- Andersson-Kottö, I., 392
- Anemone*, 301, 479-80; *multifida*, 324, 331; *subverticillata*, 324, 331
- Aneuploid alteration of chromosome number, 445-58
- Aneuploidy, 235-36, 301, 445-58
- Angiosperms, primitive, and polyploidy, 363-66
- Animals: centers of origin, 533-34; chromosomes in, 459, 462-63; frequency of hybridization, 252-54; ge-