



neo4j\$ match (n) return n;

Graph

Table

Text

Code

Customer (533) Review (497) Category (15) Product (1,000)

WROTE\_REVIEW (499) FRIEND\_WITH (985) REVIEWS (497) IN\_CATEGORY (1,000)

Customer <id>: 497 customerID: 239-19-8171 firstName: Jacey lastName: Reynolds

neo4j\$ MATCH (c:Customer) WHERE exists(c.tablesPageRank) MATCH (c:Customer) WHERE c.tablesPageRank > 0.16 WITH c ORDER BY c.tabl...

	customerID	lastName	pageRank	TablesReviews	totalReviews	friends
1	"309-09-0628"	"Raynor"	0.27750000506639483	1	2	4
2	"437-71-4622"	"Glover"	0.27750000506639483	1	1	2

Started streaming 2 records after 14 ms and completed after 28 ms.

neo4j\$ MATCH (c:Customer) WHERE exists(c.tablesPageRank) return avg(c.tablesPageRank) as ave, apoc.math.round(percentileDisc(c.t...

	ave	50%	75%	90%	95%	99%	100%
1	0.15796875031664973	0.15	0.15	0.15	0.28	0.28	0.28

Started streaming 1 records after 20 ms and completed after 27 ms.

neo4j\$ CALL gds.pageRank.write({ nodeQuery: 'MATCH (c:Customer)-[:WROTE\_REVIEW]->()-[:REVIEWS]->(p), (p)-[:IN\_CATEGORY]->(:Categ...

	nodePropertiesWritten	createMillis	computeMillis	writeMillis	raniterations
1	32	2499	9	142	2

Started streaming 1 records after 44 ms and completed after 2712 ms.

neo4j\$ // Create the REVIEWS relationship LOAD CSV WITH HEADERS FROM 'file:///Sample\_Orders\_Log\_1000\_Transactions.csv' AS row WI...

Created 497 relationships, completed after 354 ms.

```
neo4j$ // Create the IN_CATEGORY relationship LOAD CSV WITH HEADERS FROM 'file:///Sample_Orders_Log_1000_Transactions.csv' AS ro...
Created 1000 relationships, completed after 452 ms.
```

```
neo4j$ // Create the Product nodes LOAD CSV WITH HEADERS FROM 'file:///Sample_Orders_Log_1000_Transactions.csv' AS row MERGE (p:
Added 1000 labels, created 1000 nodes, set 2000 properties, completed after 169 ms.
```

```
neo4j$ // Create the Category nodes LOAD CSV WITH HEADERS FROM 'file:///Sample_Orders_Log_1000_Transactions.csv' AS row MERGE (c:
Added 15 labels, created 15 nodes, set 15 properties, completed after 29 ms.
```

```
neo4j$ // Create the WROTE_REVIEW relationship LOAD CSV WITH HEADERS FROM 'file:///Sample_Orders_Log_1000_Transactions.csv' AS r...
Created 499 relationships, completed after 312 ms.
```

```
neo4j$ // Create the Review Nodes LOAD CSV WITH HEADERS FROM 'file:///Sample_Orders_Log_1000_Transactions.csv' AS row WITH row W...
Added 497 labels, created 497 nodes, set 994 properties, completed after 80 ms.
```

```
neo4j$ // UNWIND multiple values for FRIENDS of the customer // And build FRIEND_WITH relationship LOAD CSV WITH HEADERS FROM 'f...
Created 986 relationships, completed after 994 ms.
```

neo4j\$ // Create the customer nodes LOAD CSV WITH HEADERS FROM 'file:///Sample\_Orders\_Log\_1000\_Transactions.csv' AS row MERGE (c...

Table

Code

Added 633 labels, created 633 nodes, set 1899 properties, completed after 401 ms.

neo4j\$ match (n) return n;

Table

Code

(no changes, no records)

Completed after 5 ms.