

OneX Token Lab

Production & Deployment Guide

Multi-chain ERC-20 token generator

June 2026

Live Production

OneX Token Lab is deployed and running in production mode on your VPS.

- App URL: `http://51.75.64.28:9340`
- Health: `GET /health` | Ready: `GET /ready`
- Mode: production (API key required for deploy/register)
- Chains: 12 supported (BSC, Ethereum, Base, Polygon, Arbitrum, Optimism, Avalanche, Linea, Blast, Scroll, Solana track, Sui track)

GitHub Repository

Source code is published on GitHub:

```
https://github.com/zaragoza444/shiva-blockchain
```

Main branch contains OneX Token Lab, OneXToken contract, multi-chain server, and production UI.

First-Time Setup (Browser)

- Open `http://51.75.64.28:9340`
- Click Settings in the top navigation bar
- Paste your `BSC_LAUNCHER_API_KEY` from the server `.env` file
- Click Save API key
- Connect MetaMask and select your target chain in the wizard
- Complete the 4-step wizard and Deploy

Liquidity tools (PancakeSwap V2, BSCScan \$1 listing) are available on BSC only.

Server Environment (.env)

Production variables on the VPS at `/home/ubuntu/onex-token-lab/bsc-launcher/.env`:

```
BSC_LAUNCHER_ENV=production
BSC_LAUNCHER_LISTEN=:9340
BSC_LAUNCHER_API_KEY=<your-secret-key>
BSC_LAUNCHER_CORS_ORIGINS=http://51.75.64.28:9340
BSC_RPC_URL=https://bsc-dataseed.binance.org
BSCSCAN_API_KEY=<etherscan-v2-key>
```

Never commit `.env` or private keys to Git. The API key is stored in the browser via Settings (localStorage).

VPS Details

- Host: `ubuntu@51.75.64.28`

- Install path: /home/ubuntu/onex-token-lab
- Binary: /home/ubuntu/onex-token-lab/bin/bsc-launcher
- Systemd service: onex-token-lab
- Go version on server: 1.22+

Useful commands on the VPS:

```
sudo systemctl status onex-token-lab
sudo systemctl restart onex-token-lab
curl -s http://127.0.0.1:9340/health
```

Update VPS from GitHub

After pushing changes to GitHub main, redeploy on the VPS from your Windows machine:

```
cd C:\Users\AT\cursor\worktrees\shiva-blockchain\bg26
$env:SSH_PASS='your-vps-password'
python scripts/vps_pull_github.py
```

This script pulls main, rebuilds the Go binary, and restarts the systemd service.

Local Development

```
bsc-launcher\run-onex-token-lab.bat
```

Opens <http://127.0.0.1:9340> in development mode (API key optional).

Production Features

- OneXToken.sol - 17 on-chain wizard features (taxes, limits, mintable, pausable, blacklist, permit, enableTrading, etc.)
- MetaMask deploy (user pays gas) or backend deploy (platform wallet)
- Multi-chain MetaMask network switching
- Dashboard with DexScreener prices and explorer links
- PancakeSwap V2 liquidity wizard for BSCScan USD price
- API key auth, CORS, rate limits, health/ready endpoints

API Endpoints

```
GET /health, /ready
GET /api/config, /api/tokens
GET /api/bscscan/:addr?chain=bsc
GET /api/price/:addr?chain=bsc
POST /api/tokens/register (X-API-Key)
POST /api/deploy (X-API-Key)
POST /api/liquidity/register (X-API-Key)
```

Security Checklist

- Change VPS password and use SSH keys
- Rotate BSC_LAUNCHER_API_KEY periodically
- Set BSC_LAUNCHER_CORS_ORIGINS to your real domain when using HTTPS
- Add BSCSCAN_API_KEY for holder stats on dashboard
- Fund platform deployer wallet with minimal BNB only if using backend deploy

Support Links

- BSCScan: <https://bscscan.com>
- DexScreener: <https://dexscreener.com>
- PancakeSwap: <https://pancakeswap.finance>
- Repo: <https://github.com/zaragoza444/shiva-blockchain>