Lab-3

Program

```
#include <iostream>
using namespace std;
void main () {
double number1, number2, Sum;
cout << "Enter a number ";
cin << number1;
cout << "Enter another number ";
cin << number2;
number1 + Number2 = Sum;
cout "The Sum of the two number is "<< Sum
}
```

Program

```
# include "stdafx.h"
# include <iostream>
using namespace std;
  int main () {
    int val1;
    int val2;
    int val3;
  cout << "please enter your 3 numbers: ";
   cin >> val1 >> val2 >> val3;
   cout << val1 << "\n" << val2 << "\n" << val3 << "\n";
   cout << val3 << "\n" << val2 << "\n" << val1 << "\n";
      system ("PAUSE");
       return 0;
    }
```

Lab 3 Program = 2

```
#include<iostream>
using namespace std;
void main() {
int number1, number2;
float quotient;
cout << "Enter two numbers and I will divide\n";
cout << "the first by the second for you\n";
cin >> number1; number2;
quotient = float(static_cast<int>(number1)/number2;
    cout << quotient
}
```

b=4;

Program 1

```
#include <iostream>
using namespace std;
int main () {
    int age = 87;
    if (age > 100) {
        cout << "Why are you still alive? ";
    }
    }else{
        cout <<"You are young. Get a Job" << endl;
    }
    return 0;
}
```

Program 2

```
#include <iostream>
using namespace std;
int main () {
int marks = 55;
if (marks >= 88) {
cout << "u are 1st class !!";
}
else {
if (marks >= 60) {
cout << "u are 2nd class !!";
}
else {
if (marks >= 40 {
cout << 'u are 3rd class !! ";
}
else
cout << "u are fail !! ";
}
}
return 0;
}
```

Lab 05

Task 1

```
#include <iostream>
using namespace std;
int main () {
int num;
cout<<"Enter a number:";
cin >> num;
for(int i= 1; i<=10; i++){
cout<< num <<" * "<< i <<" = "<<num*i<<endl;}
return 0;
}
```

output:-

```
2 * 1 = 2
2 * 2 = 4
2 * 3 = 6
2 * 4 = 8
2 * 5 = 10
2 * 6 = 12
2 * 7 = 14
2 * 8 = 16
2 * 9 = 18
2 * 10 = 20
```

CamScanner

Task #2

```
# include <iostream>
using namespace std;
  int main () {
int num, power result = 1;
cout << "Enter a number:
 cin >> num;
cout << "Enter "Power:";
 cin >> Power;
for (i=1; i <= Power; i++) { result = result * num;
 cout << "Answer: << result;
 output
```

Enter number = 2 : Answer = 8

Enter Power = 3