Wireframe


Home Screen
Year to Date
2022
2023
TOTAL
Cabo 24%
Loft 30%
Arrowhead 24%
OTHER 20%
History
History
Return
Prev
History
1/1 - 1/10 Loft
1/10 - 1/21 Arrowhead
+
From Date
To Date
Location
DENVER
Cabo
Vail


Locations
Edit location
delete location
Edit Stays
Enter Stay
Graphs YTD
Year
month

Design Structure - Main



Design Structure -History



Description - Provide user ability to track their location and show how much time they spend + where.

Backlog

Releases

Version 1.0 - Basic Location List & navigation

Version 2.0 - Reset project using the UI-calendar example

General structures

- Events
  - Date
  - location

- Locations
  - location Name
  - Array of Dates stored @ that location

  Crud for locations

  Display locations w/ Card

- Need to Remove Stays structure to Array of Dates
  - Event will update its structure and this Array based on location

---

Version 2.1

- Moving away from Events to location Struct

- Need location ID to move from String to UUID, this will allow it to be Codable, Identifable

- Add date Components (assume this is for Calendar functionality

Feel like this is wrong Path. I can use the Events as the Primary Calendar Entry + Just Tie back to locations.

Can use Filters + map to break down as needed to slice and dice.

Reverting back to 2.0 for ver 2.2

Ver 2.2 (Based on 2.0)

- Error Code (Restart xcode / Reboot)
- Need to Tie Location ID to Events

Option 1 - Started down Path of EventFormView and Pass Location variable, but since it's structured to be generic based on Update or Add. Couldn't find way to Pass variable in as part of a new Datamod EventFormViewModel

RABBIT HOLE

Option 2. Create new for modify and one for create. Will use the generic approach as if for Location

TERMINATED Rabbit Hole

VER 2.3 Resolved by Using Env variables to FormView3

- Add ID and temporary name to Events

VER 2.4

- Create function to return Location Name / icon based on Event loc ID + Remove name from Event
- ✓ Add city to location
- ✓ Created func countEvents to return # of events by location (need to Add Date element to return by loc, month, year or YTD
- ✓ Mandate Location Entry on new event
- ✓ Changed Calendar View from ExcelType to Location on display.
- ✓ Fixed "" tag undefined error on Location Picker

VER 2.5

- ✓ Enter Stay/Event Range to: From:
  Reworked Event list, org by action
- ✓ Fixed recursive deletes on Location TW all events associated w/ location.
- ✓ Added more event types

Terminating Code Base
⇒ LOCTrac

git hub has bunch of JUNK and no logic commits.

Copying files to LOCTrac and starting clean.

Notes

Struct Stays {
FromDate: Date,
To Date: Date
Location: Location

Struct Locations
groupName: String = "Dave"
totalDays: Int = 0
totalPercent: Float
group Region: String = "Colorado"



Period tracker structure

Cabo
Jan 1 - Jan 5
4 days

Denver
Jan 5 - Jan 22
16 days

Jan 1 - Jan 5 Cabo 5 day

```
ForEach (stay) {
    CalcStaysInYear (stay, Year)

CalcStaysYears (Year: Date(YYYY)),

    Case YYYY: {
        Case Cabo
            If Stays.LocationName = Cabo
                # StayCount
        Case Vail
                # StayCount

        Case

                # StayCount

        Return Range
```

Log ordered by oldest to newest

```
ForEachLocation in Locations {
    Case Cabo
Log.Append.Cabo.Stay(From, TO)
    Case Vail
Log.Append.Vail.stays(From, TO)
    Case
Log.Append.Other.Stays(From, TO)

Order by(FromDate)
```

Step 1 - Get App working based on MVVM structure

Step 2 - Load Stay Sample data
Display on View, simple view
List of locations

Listo of sequential Date Log

Step 3 - Build function to return # of days by location Given a date Range

When Loading data if date Range crosses a year bound create 2 entries, 1 #Days in Stay for Previous Year, 1 #Days New Year
i.e.

Dec 27 - Jan 12 Denver

12/27 - 12/31 (Denver) 4 days

1/1 - 1/12 (Denver) 12 days

Step 4 - Build view to show by location