

- _____ involves creating heavy user traffic and measuring its response.
 - Stress Test
 - Load Test
 - Compatibility Test
 - Performance Test
-
- A _____ is a stored procedure that is executed when an attempt is made to modify data in a table protected by the trigger.
 - Trigger
 - Function
 - Query
 - Procedure
-
- Identify the correct syntax to create a view with check option.
 - CREATE VIEW <view_name> AS select_statement [CHECK]
 - CREATE VIEW <view_name> AS select_statement [WITH CHECK]
 - CREATE VIEW <view_name> AS select_statement [WITH CHECK OPTION ON]
 - CREATE VIEW <view_name> AS select_statement [WITH CHECK OPTION]
-
- Which of the following code snippets creates a clustered index, IX_EmployeeID, on the EmployeeID column in the Employee_Details table?
 - CREATE INDEX IX_EmployeeID ON Employee_Details(EmployeeID)
 - CREATE NONCLUSTERED INDEX IX_EmployeeID ON Employee_Details(EmployeeID)
 - CREATE UNIQUE INDEX IX_EmployeeID ON Employee_Details(EmployeeID)
 - CREATE CLUSTERED INDEX IX_EmployeeID ON Employee_Details(EmployeeID)
-
- Which of the following trace flag is used to allocate database objects to only Uniform Extents?
 - 1140
 - 1117

- 1118
 - None of these
-
- When few changes are made to query and an error occurred in the production environment but not in the test environment, which of the following features would be most helpful to troubleshoot the problem?
 - Polybase
 - Query Store
 - Stretch Database
 - Compare Execution Plans
-
- _____ clause of JSON automatically formats the nested JSON sub arrays of query result.
 - FOR JSON [AUTO][PATH] clause
 - FOR JSON AUTO clause
 - FOR JSON PATH clause
 - FOR JSON command itself
-
- In SQL Server 2012, the size of each data page is _____ kilo Bytes(KB).
 - 2
 - 6
 - 12
 - 8
-
- A _____ is a virtual table that is made up of selected columns from one or more tables.
 - Stored procedure
 - View
 - Function
 - Query

- Identify the correct syntax to drop a table.
 - DROP <Table_Name>
 - <Table_Name>.DROP
 - DROP_TABLE<Table_Name>
 - DROP TABLE <Table_Name>
-
- Match the attribute value with the description

SI No.	Left Column	SI No.	Right Column	Correct Answer for column A
A1	value	B1	Value must be included.	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A2	#REQUIRED	B2	Value is fixed	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A3	#IMPLIED	B3	default	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A4	#FIXED	B4	Value does not have to be included	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4

- Match the following:

SI No.	Left Column	SI No.	Right Column	Correct Answer for column A
A1	PERIOD FOR SYSTEM_TIME	B1	Loss of history data	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A2	ALERT TABLE Dbo.BankAccount SET (SYSTEM_VERSIONING=OFF)	B2	Temporal tables	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A3	tempdb tables	B3	Mixed extents	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4
A4	non-tempdb tables	B4	Uniform extents	<input type="radio"/> B1 <input type="radio"/> B2 <input type="radio"/> B3 <input type="radio"/> B4