BAKERZ BITE

Bakery e-Project Website

DEVELOPER GUIDE

Project Team

#	Member	Student ID
1	Zarish (Team Leader)	Student1731320
2	Ayesha Faizan	Student1731614
3	Fariha	Student1730174
4	Hadia Khan	Student1732712
5	Maha Zareen	Student1731318
6	Shamaim Fatima	Student1730746

Acknowledgement

We would like to express our sincere gratitude to our faculty, Mr. Muhammad Umar Ali, and our coordinator, Miss Malaika, for their guidance, patience and encouragement throughout the development of the Bakerz Bite e-project.

Their feedback on our design, code structure and documentation helped us improve the website at every stage. Their support turned a classroom assignment into a project we are proud of.

We also thank our batch 2606F1 classmates and everyone who tested the website and shared suggestions.

Team Bakerz Bite

Table of Contents

1. About Bakerz Bite..... 3
1.1 Problem Definition..... 3
1.2 Requirements..... 3
1.3 Scope and Limitations..... 3
1.4 Design Specifications..... 4
1.5 Technologies Used..... 4
2. Site Structure..... 5
2.1 Sitemap..... 5
2.2 Wireframes..... 5
3. File Maps..... 7
3.1 Project File Map..... 7
3.2 Internal Structure of Files..... 7
4. Flow Diagrams..... 10
4.1 Basic Flow..... 10
4.2 Detailed Flows..... 10
4.3 Data Flow Diagrams..... 16
5. Source Code Excerpts..... 18
5.1 index.html..... 18
5.2 style.css..... 22
5.3 script.js..... 24
6. Installation Instructions..... 25
7. Test Data..... 26
8. Task Sheet..... 27
9. Future Improvements..... 28
10. Conclusion..... 29
11. Glossary..... 30
Thank You..... 31

1. About Bakerz Bite

Bakerz Bite is a bakery website that lets customers explore the full bakery range, choose a delivery or pickup area, build a cart and read about the bakery. It is a Single-Page-Application style, responsive website that works in the leading browsers on desktop, tablet and mobile.

The site presents six product categories: cakes, savory items, cupcakes and pastries, shakes, coffee and customised cakes. It also has bakery merchandise, special offers, customer feedback, an About page with a photo gallery and a Contact page with an FAQ.

1.1 Problem Definition

Small bakeries often depend on word of mouth and social media. Customers cannot easily see the full menu, compare prices, pick a quantity or find out where the bakery delivers. The Bakerz Bite website solves this by giving customers one place to:

- browse the complete menu with images and prices,
- select delivery or pickup and choose their area,
- pick quantities and add items to a cart,
- read offers and customer reviews, and
- contact the bakery and find answers in the FAQ.

1.2 Requirements

Functional

- Home page with hero carousel, categories, search and filter.
- Six product sections with detail modals and quantity controls.
- Merchandise and offers sections.
- Location popup with delivery/pickup toggle and area list.
- Cart badge, cart sidebar and checkout confirmation.
- Feedback form with star rating and a testimonial carousel.
- Back-to-top button that appears after scrolling down.
- About page with video and a lightbox gallery; Contact page with form, map and FAQ.

Non-functional

- Responsive layout for desktop, tablet and mobile.
- Works in current Chrome, Edge, Firefox and Safari.
- Consistent colour theme and fonts across all pages.
- Easy to maintain: one stylesheet, one script file and plain HTML pages.

1.3 Scope and Limitations

Scope

- A front-end website built with HTML, CSS, JavaScript and Bootstrap.
- Menu display, cart handling and customer interaction on the client side.
- Static content pages (About, Contact, FAQ).

Limitations

- The website is front-end only; no server or database is connected.
- Orders are not sent to the bakery or stored on a server.
- Online payment is not included.
- Customer reviews are stored in the visitor's own browser.

- An internet connection is needed for libraries, fonts and the map.

1.4 Design Specifications

Item	Specification
Pages	index.html (home), About.html, contact.html
Layout	Bootstrap 5 grid; header, sections, footer on every page; top bar and navbar stay fixed at the top while scrolling
Colours	Background #fff8ed, gold #DEA347, light purple #d8a7ff, dark purple #3b123c, hover #511d53
Fonts	Poppins, Playfair Display, Dancing Script, Great Vibes, body font Cinzel with sans-serif fallback
Icons	Font Awesome 7.3.0
Animation	AOS scroll animations, Counter-Up visitor counter, Bootstrap carousels
Alerts	SweetAlert2 pop-ups
Navigation aid	Floating back-to-top button (appears after 300px scroll)
Breakpoints	Tablet 888px, mobile 480px, small mobile 360px; modal-specific queries at 500px and others

1.5 Technologies Used

Technology	Version	Purpose
HTML5	-	Page structure
CSS3	-	Styling, layout, media queries
JavaScript (ES6)	-	Interaction, cart, validation
Bootstrap	5.3.8	Grid, navbar, modals, carousel, accordion
jQuery	3.7.1	Required by Counter-Up and Waypoints
Counter-Up and Waypoints	1.0.0 / 4.0.1	Animated visitor counter
AOS	2.3.1	Animate on scroll
Lightbox2	2.12.0	Gallery image viewer
Font Awesome	7.3.0	Icons
SweetAlert2	11	Alert dialogs
Google Fonts	-	Typography
localStorage	-	Saves customer reviews in the browser

2. Site Structure

2.1 Sitemap

The sitemap shows the three pages, the sections inside each page and how the product modals lead to the cart.




Figure 1: Sitemap

2.2 Wireframes

The wireframes show the block layout of each main screen.




Figure 2: Home, About and Contact page wireframes




Figure 3: Product modal and cart sidebar wireframes

3. File Maps

3.1 Project File Map

This map shows every file in the project and how the pages connect to the stylesheet, script and media folder. A new developer can start here to find what to change.




Figure 4: Project file map

File	Purpose
index.html	Home page: header, product sections, modals, merchandise, offers, cart sidebar, feedback, testimonials, footer
About.html	About text, video and photo gallery
contact.html	Contact form, map and FAQ
style.css	All styles and media queries
script.js	All behaviour: location, quantities, feedback, search, cart
Material/	Images, logo and video used by the pages

3.2 Internal Structure of Files

Each large file is organised in a fixed order. The maps below give the order and line range of each part, so a developer can jump to the right place.

index.html - order of sections

<head>	meta, CDN CSS links, style.css	1-47
Header (top bar + navbar)	fixed top bar, location popup, logo, counter, cart, menu	52-192
Hero carousel	main#home	199-327
Categories	category tiles	331-415
Search and filter		418-440
Product sections	6 product sections (#cake ... #customized)	448-1202
Product modals	6 categories of modals	1206-3771
Merchandise	#merchandise hero, cards, modals	3774-4401
Cart sidebar		4402-4421
Offers	#offers hero + cards	4424-4508
Feedback form		4510-4552
Testimonials	hero + carousel	4556-4588
Back-to-top button	floating button	4591-4594
Footer		4596-4658
Scripts	jQuery, Bootstrap, SweetAlert2, AOS, Lightbox2, script.js	4661-4725

Figure 5: index.html section order

script.js - order of functions

Menu, live time and date	toggleMenu, getTime, getDate	**1-25**
Location popup	open/close/confirm, delivery-pickup, areas	**26-156**
getLocation (Geolocation)		**157-238**
Quantity helpers per category	6 categories	**239-560**
Merchandise modalData	+ / - / total	**563-628**
Feedback and testimonials	validation, localStorage, carousel	**631-825**
Category and search scroll	categoryToSectionId, highlightCard	**829-905**
Cart count badge		**909-962**
Cart sidebar and checkout	render, remove, bakerzCheckoutAction	**965-1110**
Back-to-top button	scroll listener and smooth scroll	**1112-1129**

Figure 6: script.js function order

style.css - order of sections

Theme variables and base	fixed top bar, fixed navbar	**1-69**
Location popup		**87-281**
Logo, menu, cart icon		**346-462**
Hero, categories, search		**483-694**
Footer		**696-802**
Media queries (tablet, mobile)	888px, 480px, 360px	**810-1475**
Product sections and gallery		**1475-2795**
Modal styles and modal media queries		**1985-3195**
About page		**3198-3357**
Merchandise and offers		**3358-3918**
Feedback and testimonials		**4300-4700**
FAQ, contact, cart sidebar		**4727-5440**
Back-to-top button	#backToTop	**5441-5466**

Figure 7: style.css section order

Line numbers are for the delivered version of each file and will shift as code is added.

4. Flow Diagrams

4.1 Basic Flow

The basic flow shows a typical visit from opening the site to checkout.




Figure 8: Basic visitor flow

4.2 Detailed Flows

The following diagrams show how each feature works internally.

Page load




Figure 9: Page load and initialisation

Location selection




Figure 10: Location selection

Browse, modal and cart




Figure 11: Product modal, cart and checkout

Category filter and search




Figure 12: Category filter and search

Feedback and testimonials




Figure 13: Feedback and testimonials

Contact form




Figure 14: Contact form and FAQ

Gallery



Figure 15: About page gallery

Menu navigation and back-to-top




Figure 16: Menu links and back-to-top button

4.3 Data Flow Diagrams

Level 0 shows the website as one process with the visitor and its data store. Level 1 breaks it into six processes.




Figure 17: DFD Level 0




Figure 18: DFD Level 1

5. Source Code Excerpts

The excerpts below show the main parts of the code. Line numbers are relative to each excerpt.

5.1 index.html

Header: top bar and navigation with location, logo, visitor counter, cart and menu.

```
<header>
  <!-- Top Bar -->
  <div class="top-bar">
    <p>Now Delivering in Karachi!</p>

  </div>
  <!-- Navbar -->
  <nav class="navitem">
    <div class="nav-left">
      <!--  LOCATION  -->

      <div class="location" onclick="openLocationPopup()">

        <div class="location-icon">
          <i class="fa-solid fa-location-dot"></i>
        </div>

        <div class="location-content">
          <span class="location-title">DELIVERY</span>
          <span id="display">Select Location</span>
        </div>

        <div class="location-arrow">
          <i class="fa-solid fa-chevron-right"></i>
        </div>

      </div>
```

```
<!-- Logo -->
<a href="" class="navlogo"><img src="Material/Logo.png" alt="Bakerz Bite"></a>
<!-- Visitor Counter -->
<div class="nav-right">
  <div class="visitor "> <i class="fa-regular fa-user vc"></i><span id="counter">1204</span> </div>

  <!-- Cart -->
  <div class="cart"><i class="fa-solid fa-cart-shopping"></i>
    <span id="cart-count">0</span>
  </div>

  <!-- Menu Button -->
  <button class="menu-btn" id="menuBtn" onclick="toggleMenu()">☰</button>
</div>

<div class="nav-menu" id="navMenu">

  <!-- Close Button -->
  <button class="close-btn" onclick="toggleMenu()">×</button>

  <a href="#home">Home</a>
  <a href="#merchandise">Merchandise</a>
  <a href="#offers">Offers</a>
  <a href="About.html#gallery">Gallery</a>
  <a href="About.html">About Us</a>
  <a href="contact.html#faq">FAQ</a>
  <a href="contact.html">Contact Us</a>
</div>
```

Figure 19: Header (index.html)

Products: section heading and product cards that open the modal.

```
<section class="bakery-section" id="cake">
  <!-- bs carousel -->
  <div id="bakerySlider" class="carousel slide container" data-bs-ride="false">
    <div class="text-center our-bakery">
      <h1 data-aos="fade-right">Our Fresh Cakes</h1>
      <p>Where smiles are served daily</p>
    </div>

    <!-- carousel-inner  -->
    <div class="carousel-inner ">
      <!-- slide1  -->
      <div class="carousel-item active">
        <div class="row g-4 border-item">
          <!-- product1 -->
          <div class="col-12 col-sm-6 col-lg-3 ">
            <div class="card bakery-card ">
              <img src="MATERIAL/cake1.jpg" alt="cake">
              <div class="card-body text-center">
                <h6> Lotus Tri milk</h6>
                <p class="price">Rs.2780</p>
                <button class="btn btn-dark w-100 btn-sm" data-bs-toggle="modal" data-bs-target="#c1">Add to Cart
                </button>
              </div>
            </div>
          </div>

          <!-- product2 -->
          <div class="col-12 col-sm-6 col-lg-3 ">
            <div class="card bakery-card">
              <img src="MATERIAL/cake2.jpg" alt="cake">
              <div class="card-body text-center">
                <h6> Chocolate Fudge Cake</h6>
                <p class="price">Rs.3000</p>
                <button class="btn btn-dark w-100 btn-sm" data-bs-toggle="modal" data-bs-target="#c2">Add to Cart
                </button>
              </div>
            </div>
          </div>
```

Figure 20: Product section (index.html)

Modals: product modal with image, details, quantity buttons and Add to Cart.

```
<div class="modal fade cake-modal " id="c1" tabindex="-1">
  <div class="modal-dialog modal-xl modal-dialog-centered">
    <div class="modal-content">

      <div class="modal-body p-0">

        <div class="modal-flex">

          <!-- Cake Image -->
          <div class="modal-image">
            <img src="MATERIAL/cake1.jpg" alt="Lotus Tri Milk">
          </div>

          <!-- Right Side -->
          <div class="modal-info">

            <button type="button" class="modal-close" data-bs-dismiss="modal">
              ×
            </button>

            <h1>Lotus Tri Milk</h1>

            <h2>Rs. 2780</h2>

            <p class="modal-description">
              A soft and creamy milk cake topped with
              delicious Lotus spread and biscuit crumbs.
            </p>

            <div class="ingredients">

              <h4>Ingredients</h4>

              <p>
                Vanilla sponge, three milk mixture,
                Lotus spread, whipped cream and
                Lotus biscuit crumbs.
              </p>

            </div>
```

```
<!-- Bottom -->
<div class="modal-bottom">

  <div class="quantity">

    <button class="delete-btn" onclick="removeItem(1)">
      
    </button>

    <button onclick="decrease(1)">
      −
    </button>

    <span id="qty1">1</span>

    <button onclick="increase(1)">
      +
    </button>

  </div>

  <button class="modal-cart add-to-cart-btn" onclick="addCart('Lotus Tri Milk',2780,1)">

    Rs. <span id="total1">2780</span>

    <span>|</span>

    Add to Cart →

  </button>

</div>
```

Figure 21: Product modal (index.html)

Merchandise and offers: merchandise card and the offers heading and card.

```
<section class="container-fluid merchandise">
  <h2 class="text-center merch-head">Our Bakerz Bite Collection</h2>
  <p class="text-center merch-para">Take a little Bakerz bite home</p>

  <!-- row 1 -->
  <div class="row g-4">
    <!-- card 1 -->
    <div class="col-12 col-md-6 col-lg-4">
      <!-- box 1  -->
      <div class="box" data-aos="flip-up">

        <!-- Product Image -->
        <div class="image">
          <img src="MATERIAL/cup.jfif" alt="Bakerz Bite Mug">
        </div>

        <div class="box-details">
          <div class="content">
            <h3 class="main-heading">Mug</h3>
            <p class="description">
              Enjoy your favorite coffee or tea in our stylish mug.
            </p>
          </div>

          <div class="price">
            <strong>Rs.</strong> 600 PKR
          </div>

          <div class="cart">
            <button class="cart-btn" data-bs-toggle="modal" data-bs-target="#mug">
              Add to Cart
            </button>
          </div>

        </div><!-- box-details closing div -->

      </div><!-- box 1 closing div -->
    </div><!-- card 1 closing div -->
```

```
<section class="offers" id="offers" data-aos="fade-right">
  <img src="MATERIAL/hero offer.jfif" alt="Bakerz Bite offers">

  <div class="offer-text">
    <h1 class="offer-head">First Order Offer</h1>
  </div>
  <div class="offer-circle">
    15%<br>
    <span>OFF</span>
  </div>
</section>

<!-- offer section cards -->
<div class="container-fluid offers-container ">
  <div class="row g-4">

    <div class="col-12 col-md-6 col-lg-4"><!-- card 1  -->

      <div class="offersCard">
        <div class="image">
          <img src="MATERIAL/offer1.jfif" alt="Bakerz Bite cake">
        </div>

        <div class="content">
          <span class="offer-badge">15% OFF</span>
          <h3 class="offer-heading">Freshly Baked Favorites</h3>

          <p class="offer-para">
            Get 15% OFF on selected bakery favorites and make your day a little sweeter.
          </p>
          <button class="offer-btn"><a href="#cake">Shop Now</a></button>

        </div>
```

Figure 22: Merchandise and offers (index.html)

5.2 style.css

Theme and navbar: colour variables, base styles, and the fixed top bar and navbar.

```css
:root {
    --background-color--: #fff8ed;
    --gold: #DEA347;
    --light-purple: #d8a7ff;
    --cream: #fff0df;
    --hover: #511d53;
    --white--: #ffffff;
    --nav-bg: #3b123c;
    --text-color--: #3b123c;
    --purple: #6f3fa8;
    --text-color: #120b18;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    background-color: var(--background-color--);
    color: var(--text-color--);
    font-family: "cinzel", sans-serif;
}

/* Top Announcement Bar */
.top-bar {
    background: var(--nav-bg);
    color: var(--gold);
    text-align: center;
    font-size: 15px;
    font-weight: 500;
    height: 34px;
    padding: 8px 0;

    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    z-index: 1001;
}

.top-bar p {
    margin: 0;
}

/* Sticky Navbar */
.navitem {
    background-color: var(--white--);
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 0 3.5%;
    gap: 10px;
    height: 80px;

    position: fixed;
    top: 34px;
    left: 0;
    width: 100%;
    z-index: 1000;
}
```

Figure 23: Theme variables and navbar (style.css)

Media query: modal layout for screens up to 500px.

```css
/* MOBILE */
@media screen and (max-width: 500px) {
    .cake-modal .modal-dialog {
        width: calc(100% - 16px);
        max-width: none;
        margin: 8px auto;
    }

    .cake-modal .modal-content {
        max-height: calc(100dvh - 16px);
        overflow-y: auto;
        border-radius: 14px;
    }

    .cake-modal .modal-flex {
        display: flex;
        flex-direction: column;
        min-height: 0;
    }

    .cake-modal .modal-image,
    .cake-modal .modal-info {
        width: 100%;
        flex: 0 0 100%;
        min-width: 0;
    }

    .cake-modal .modal-image img {
        display: block;
        width: 100%;
        height: 210px;
        min-height: 0;
        max-height: none;
        object-fit: cover;
    }

    .cake-modal .modal-info {
        padding: 18px 15px;
        overflow: visible;
    }
```

Figure 24: Mobile media query (style.css)

5.3 script.js

Cart sidebar: captures item details on Add to Cart and updates the sidebar.

```
    // Capture product info when any add-to-cart button is clicked
    document.addEventListener("click", function (event) {
        const targetBtn = event.target.closest(".add-to-cart-btn, .cart-btn");
        if (!targetBtn) return;

        let itemName = "Bakery Item";
        let itemPrice = 0;
        let itemQty = 1;

        // Check if inside a modal
        const parentModal = targetBtn.closest(".modal");
        if (parentModal) {
            const titleEl = parentModal.querySelector("h1");
            const priceEl = parentModal.querySelector("h2, .modalprice");
            const qtyEl = parentModal.querySelector(".qty, [id^='qty'], [id^='sqty'], [id^='bqty'], [id^='pqty'], [id^='aqty'], [id^='fqty']");

            if (titleEl) itemName = titleEl.innerText.trim();
            if (priceEl) {
                let pText = priceEl.innerText.replace(/[^0-9]/g, "");
                itemPrice = Number(pText) || 0;
            }
            if (qtyEl) {
                itemQty = Number(qtyEl.innerText) || 1;
            }
        } else {
            // Merchandise card fallback
            const boxCard = targetBtn.closest(".box");
            if (boxCard) {
                const titleEl = boxCard.querySelector(".main-heading");
                const priceEl = boxCard.querySelector(".price");
                if (titleEl) itemName = titleEl.innerText.trim();
                if (priceEl) {
                    let pText = priceEl.innerText.replace(/[^0-9]/g, "");
                    itemPrice = Number(pText) || 0;
                }
            }
        }

        // Set or update item exact quantity in the cart array (no double-adding)
        const existingIndex = bakerzCartItemsArray.findIndex(item => item.name === itemName);
        if (existingIndex > -1) {
            bakerzCartItemsArray[existingIndex].qty = itemQty;
        } else {
            bakerzCartItemsArray.push({
                name: itemName,
                price: itemPrice,
                qty: itemQty
            });
        }

        renderBakerzCartSidebar();
    });
});
```

Figure 25: Cart sidebar handler (script.js)

6. Installation Instructions

Bakerz Bite is a static website, so no server installation is needed.

Step	Action
1	Copy the whole project folder to your computer. Keep index.html, About.html, contact.html, style.css, script.js and the Material folder together.
2	Install a current browser such as Chrome, Edge or Firefox.
3	Connect to the internet, because Bootstrap, jQuery, fonts, icons and the map load from CDNs.
4	Open index.html in the browser by double-clicking it.
5	Use the navigation menu to open the About and Contact pages.

Folder rules for developers: keep file names and relative paths unchanged, add new images to the Material folder, and add new styles and functions to the matching section of style.css and script.js (see section 3.2).

7. Test Data

Each test case lists the action and the expected result. All test cases were run on the completed website and passed.

ID	Test Action	Expected Result	Result
T01	Open index.html	Home page loads with hero, categories and footer	Pass
T02	Click location, choose Delivery, select an area, Confirm	Navbar shows selected area; popup closes	Pass
T03	Confirm without selecting an area	User is asked to select an area	Pass
T04	Click outside the location popup	Popup closes	Pass
T05	Click a category tile	Page scrolls to that section	Pass
T06	Search "coffee" in search box	Page scrolls to the matching section and highlights the card	Pass
T07	Click a product card	Modal opens with image, price and quantity	Pass
T08	Press + and - in the modal	Quantity and total update; quantity does not go below 1	Pass
T09	Click Add to Cart	Success alert appears and cart badge updates	Pass
T10	Open cart sidebar	Added item with name, price and quantity is listed	Pass
T11	Remove an item in the cart	Item is removed and the list updates	Pass
T12	Click Checkout with an empty cart	Empty-cart alert is shown	Pass
T13	Click Checkout with items	Success message appears and cart is cleared	Pass
T14	Submit feedback with an empty field	Error alert appears	Pass
T15	Submit valid feedback with rating	Success alert; review appears in testimonials	Pass
T16	Reload page after feedback	Saved review is still shown	Pass
T17	Submit contact form with non-gmail email	Browser blocks submission with error	Pass
T18	Open FAQ items	Answer expands and collapses	Pass
T19	Open About page and click a gallery image	Lightbox opens; can go next, previous and close	Pass
T20	Resize to mobile width	Menu button appears; layout stacks correctly	Pass
T21	Scroll down more than 300px on the home page, then click the back-to-top button	Button appears and the page scrolls smoothly to the top	Pass
T22	Open the menu and click Gallery, then FAQ	Gallery opens at the gallery section of the About page; FAQ opens at the FAQ section of the Contact page	Pass

8. Task Sheet

The table lists the work done by each team member.

Member	Student ID	Role	Tasks	Status
Zarish (Team Leader)	Student1731320	Group Leader	Merge and integrate all team members' code, screen recording, remaining functions, User Guide, Developer Guide, final testing, coordination and completion	Lead
Shamaim Fatima	Student1730746	Frontend Developer	Navbar, carousel banner, categories bar, search bar, footer	Active
Maha Zareen	Student1731318	Frontend Developer	Product cards for all categories, product modals, gallery section, About us, ticker	Active
Fariha	Student1730174	Frontend Developer	Merchandise section, feedback and review form, offers section, local storage, FAQ	Active
Ayesha Faizan	Student1731614	Frontend Developer	Site map, Contact Us page	Active
Hadia Khan	Student1732712	Group Member	Product modals, image collection	Active

9. Future Improvements

- Add a backend and database to store orders, products and customers.
- Add user accounts and order history.
- Add online payment (card and mobile wallet).
- Send order confirmation by email or SMS.
- Add an admin panel to manage menu, prices and offers.
- Store reviews on a server so all visitors see them.
- Show live order tracking and delivery charges by area.
- Add multi-language support and accessibility improvements.

10. Conclusion

Bakerz Bite delivers a complete front-end bakery website with a clear structure, responsive design and a working cart experience. This guide documents its pages, files, flows and code so that future developers can maintain and extend it with confidence.

11. Glossary

Term	Meaning
HTML	HyperText Markup Language; defines page structure
CSS	Cascading Style Sheets; defines appearance
JavaScript	Programming language that adds behaviour to pages
Bootstrap	CSS/JS framework for responsive layouts and components
CDN	Content Delivery Network; hosts libraries loaded by the page
Modal	Pop-up window over the page, used for product details
Media query	CSS rule that applies at certain screen sizes
localStorage	Browser storage used to keep reviews
Carousel	Slideshow of images or reviews
DFD	Data Flow Diagram
SPA	Single-Page Application

Thank You

We sincerely thank our faculty, Mr. Muhammad Umar Ali, for his teaching, patience and support. His guidance helped us understand how to plan, build and document a real website. We are grateful for the time he gave us and for the standards he encouraged us to reach.

Thank you.