

SOP-40: Monthly, Quarterly and Annual Cadence

Operating SOP, Component #40 of the Operations Definition Register | v1.0 | 2026-08-10 | Owner: PPC Lead | First build, no prior version | Thresholds live in the Master PPC Decision Criteria System v4.0 only; this SOP carries zero local thresholds and issues zero verdicts of its own.

1. Verdict and Scope

VERDICT: the weekly cycle cannot see its own drift, so the calendar above it exists to run exactly the reads whose evidence window is longer than seven days. v4.0 Section 14 "Layer 9: Verification and Learning (V1-V8)", rule V4, fixes that ladder: monthly is override review, structure targets (M6), objective-mix (O8) and stage reviews (T7); quarterly is floor re-tests (M3), defense budgets (M8), family-level M5 and framework review. This SOP owns the placement, convening, evidence assembly, gate clearance, deferral control and closure of those slots, and nothing else. Every band, tolerance and verdict the slots produce belongs to v4.0 and to the SOP that owns the decision. The failure this component prevents is the one the account already exhibits: a weekly pass running cleanly for thirteen weeks while the structure mix sits 19.6 percentage points above its band top, the phrase layer sits at \$0 against a 5-10% floor, and no scheduled read exists that would have surfaced either.

1.1 What "above the weekly cycle" means, stated as arithmetic

Three evidence windows, three slot classes. The monthly slot carries reads that need four consecutive weekly observations before the signal separates from noise: override rate across a population of drafted verdicts, spend mix against the M6 destinations, objective mix against the stage target, and the stage tag itself. The quarterly slot carries reads that need thirteen weeks: a discovered floor re-tested against a moved auction, a declared defense budget re-priced against a moved organic position, family-level M5 arbitration across siblings rather than within one product, and the framework's own accuracy. The annual slot carries reads whose class cadence is set inside other components, and v4.0 sets no annual threshold of any kind, which Element 5 states plainly rather than filling.

A slot is a position in time. A tolerance is a number. This SOP owns the first and never the second. Ledger row 40 grants it "the operating calendar above the weekly cycle" and nothing beyond it, and the one place where an operating calendar would ordinarily carry its own numbers, the tolerance for a slipped slot, is logged in the closing register as an amendment item rather than written here.

1.2 Why this document reaches ten pages and not four

A calendar reduced to a list of dates is a poster, not an operating procedure. What makes the monthly and quarterly slots executable by an operator who has never run one is the evidence assembly that precedes each read, the gate state that decides whether the read produces a verdict or a flag, the routing that turns each finding into an owned item in another SOP, and the recovery path when a slot is missed. Those are the four things the corpus has never written down, and they are the reason the account has a weekly discipline and no monthly one.

1.3 Boundaries With Adjacent Components

Adjacent component	The seam, stated so it is owned
Criteria System v4.0 (#8)	Decides every threshold, band, scenario, verdict and cadence rule, including rule V4 itself. This SOP schedules and convenes; it never decides. A tolerance appearing in this SOP instead of v4.0 is a defect.
#4 Weekly and daily operating cadence	Owns the day-and-time operating calendar for the weekly cycle. This SOP places slots above that calendar and never restates a weekly or daily slot. Slot collisions resolve in favour of #4.
#36 Weekly audit execution	Owns the weekly audit pass and its reconciliation. This SOP consumes the audit's accumulated output across four or thirteen weeks and never re-runs a weekly pass inside a monthly slot.
#6 V5 prediction scoring	Owns the scoring rubric, the debt sweep, owner-level calibration and quarterly confidence calibration. This SOP places the slots those reads occupy and files nothing into the rubric. Per Ledger row #6, the current document is v2.0; no procedure number from it is load-bearing here.
#35 Incrementality testing	Owns the test register, the class calendar and the finding. This SOP de-conflicts the quarterly re-ladder slot against open tests so a rung read and a floor re-test never run on one entity. Per Ledger row #35, the current document is v2.0 and its release seam runs to SOP-26 P12.
#26 Mature and defend, including code red	Owns the quarterly re-ladder by term cohort, the annual defense-cost read, the defensive membership register and the code-red protocol. This SOP convenes the slot; #26 decides inside it.
#28 Placement and modifier operations	Owns ladder mechanics, descent floor derivation and drift restoration. Every quarterly floor re-test executes through it.
#12 Exact campaign operations	Executes the campaign-level bid and budget steps a re-test produces, and holds the taper and floor record in its own registry.
#33 Sibling and family arbitration	Owns shared-term ownership declaration and family composite computation. The quarterly family-level read hands its ranking there and never declares an owner itself.
#31 Budget and envelope	Absorbed into instruments per conflict C3. Queue ordering and envelope state read at the Account Rollup A2 tab and the Command Workbook, never at a #31 procedure number.
#41 Margin table and economics refresh	Owns the monthly per-variation margin refresh, its version stamp and its G9 freshness state. This SOP treats that output as a precondition and never recomputes a margin.
#37 Automation platform rules	Owns the rule register and change control. The monthly slot reads its diff as evidence and never edits a rule.
#38 Bulk-file deployment mechanics	Owns staging, upload and the T+1 verification pass. Anything a cadence review stages leaves through it.
#32 Deal and event window operations	Owns window declaration and arming. This SOP blacks out slots inside armed windows and re-slots them; it never declares or lifts a window.
#1 Document governance and supersession	Owns component numbering and the Supersession Map. This SOP registers there at publication and at every version increment.
#44 Operator onboarding and certification	Consumes Element 11 of this SOP. Due 2026-09-25 per its Ledger row; until it exists, Element 11 runs under the PPC Lead directly.
#3 Decision rights and authority matrix	Owns who decides. The Authority Matrix v2.0 carries no row naming cadence-review decisions; the rows this SOP inherits are

named in Element 11, and the missing row is amendment item AM-6.

2. Trigger Conditions

Every trigger names the artifact that detects it and the slot position at which the procedure opens. Slot positions are calendar anchors owned by this component. They are not tolerances, and no tolerance for a late slot is written here (see AM-1).

Trigger	Detecting artifact	Procedure and slot position
Month end reached	The cadence line in the PPC Command Workbook READ ME and the A0 Account Command refresh for the closing month	P2 opens at the first Monday cascade whose T0 to T2 pass has closed after month end, and never before that pass closes: a monthly read taken on an unclosed weekly surface reads a partial month.
Quarter end reached	The same cascade close, with the thirteenth weekly T6 block complete for the quarter	P8 opens at the first Monday cascade after quarter end. The monthly slot for the closing month runs first and inside the same week; the quarterly slot consumes its output.
Annual anchor reached	The annual read register held by this SOP (Element 8)	P13 opens at the quarterly slot that carries the annual anchor, so the annual reads never need a fifth slot class.
Margin refresh landed	Margin table version stamp and G9 state, from #41	Precondition for P2 step 3. A stamp older than the closing month holds every ceiling-referencing read at flag level.
Manifest degradation	T7 Manifest completeness rollup per product	P2 step 4 decision tree: the packet state decides whether the slot produces verdict-bearing findings or flags only, per v4.0 Section 5 "Layer 0: Gates (G1-G12). Nothing Proceeds Until These Pass", gate G8.
Event window armed across a slot	G12 arming from the #32 event plan, carried in T2 and T0 zone B event posture	P1 step 5: the slot blacks out and re-slots. Reads inside the window and its guard are excluded per v4.0 Section 5, gate G10.
Recovery Mode entered	Product code-red flag on A0 and the mode entry log	P1 step 6: mode precedence applies per v4.0 Section 12 "Layer 7: Precedence and Conflict Resolution (P1-P10)", rule P7. The cadence slots continue and their scope narrows to the mode's own triage set.
Recovery Mode exited	The exit log with recovered weekly dollars	The post-mortem required by v4.0 Section 11 "Layer 6: Transitions, Stages, Modes (T1-T8) and Recovery Mode (R1-R6)", rule R6, and by Section 14 rule V7, enters the next monthly docket as a standing item.
v4.0 version increment	Version stamp on the Criteria System file and the Supersession Map entry	P12 step 5 re-validation, at the first slot of either class after the increment, before any read runs against the new file.
Rule accuracy breach	The A3 V5 Scoreboard by rule and scenario ID, from #6	Monthly docket item under v4.0 Section 14, rule V5, which sets the accuracy line and the scored-prediction count that opens a rule review.
Scoring debt reported	The debt count returned by #6	Monthly docket item; the count is reported, never re-scored inside this slot.
Slot missed	The cadence register's open-slot line	P13 steps 4 to 6, the recovery path, which reconstructs the read on the evidence that exists rather than skipping the period.

3. Preconditions and Gates

A cadence slot opens on artifacts, not on availability. Each precondition below names its manifest field group as carried in the T7 Manifest tab of the PPC Command Workbook, and the observable that proves it passed. A field group short of its requirement does not stop the slot; it narrows the slot, and the narrowing is recorded in the closing record with a count.

Precondition (T7 manifest field group)	Requirement before the read runs	Observable that proves it passed
D1 Per-variation margin	Refreshed for the closing month by #41, with its G9 state readable	Margin table version stamp dated inside the closing month, and the T0 economics block named cells populated from it rather than from a blended carry.
D7 Decision log and V5 scoring	Every T6 row whose review date fell inside the period carries a score or appears in the debt count	Count of T6 rows in period, count scored, count in debt; the three reconcile to each other and the difference is zero or is the reported debt.
A5 Threshold flags in-row	Band flags computed for the period, so reads compare flags and never re-derive thresholds	Flag columns populated on every oversight row, per v4.0 Section 3 "Layer M: The Master Metric Criteria Dictionary (F1-F16)", which requires bands to pre-compute as columns.
B5 Coverage counts	Registry counts per match type current for the closing period	The A4 Structure Targets tab computes its actual column without a pending flag on the source table.
C1 to C8 Syntax layer	Syntax spend shares and caps current, for the objective-mix and cap reads	T1 spend-governance columns filled for every syntax on the product, with cap status resolved rather than blank.
B3 Rank pack	Rank, velocity and ETA present on every term carrying a stage-relevant objective	Stage renewal evidence exists per term, not per product average; long-tail absence is counted and named.
D6 Sibling CPC view	Family grids populated for every family with more than one live product	A1 Family Boards composite computes for both siblings rather than one, which is the condition the quarterly family read needs.
B7 Placement splits	Placement decomposition present for terms carrying a recorded floor	T4 performance columns filled. This group reads MISSING in the current template manifest, so quarterly floor re-tests run at flag level until it lands (AM-3).
E Composite indices	Composite and efficiency indices computed for ranked queues	The A2 queue orders by value rather than by entry date.

Gates in force across every slot. G8 packet completeness decides verdict-bearing versus flag-only, per v4.0 Section 5. G10 event exclusion removes event weeks and their guard from every trend read taken in a cadence slot. G12 MKL hygiene degrades the manifest when the keyword list is stale, which

reaches the coverage and mix reads first. Precedence is not negotiable: v4.0 Section 12, rule P8, places a quarantine or a degraded manifest above every other consideration including urgency, so a cadence slot whose packet is degraded repairs data before it produces findings.

4. Step-Level Procedures

P1. Place the year: build the slot skeleton (90 minutes, once per year, 20 minutes per re-slot)

1. Open the cadence register (Element 8) and write twelve monthly slots and four quarterly slots for the coming year. Each slot carries: slot class, anchor date, the products in scope, the convening role, and the reads it must produce.
2. Anchor every monthly slot to the first Monday cascade after month end, and every quarterly slot to the first Monday cascade after quarter end. The anchor is the cascade, not the calendar date, because the read consumes the cascade's closed output.
3. Check collision against the weekly and daily calendar owned by #4. Where a monthly slot would consume cascade time that #4 has already allocated, the monthly slot moves to the same week's later day and the weekly cycle is not displaced.
4. Write the four quarterly slots' read lists from v4.0 Section 14, rule V4, and mark which quarterly slot carries the annual anchor. One quarterly slot per year carries it; the register names which.
5. Blackout rule: read the confirmed deal windows from the #32 event plan into the skeleton. A slot whose anchor falls inside an armed window or its post-window guard moves to the first cascade after the guard closes, and the register records the original anchor, the new anchor and the window reference. The read is not compressed and it is not skipped.
6. Mode rule: a product in Recovery Mode keeps its slots. The slot's scope narrows to that product's triage set and its findings route inside the mode, per v4.0 Section 11, rule T8, which orders Recovery Mode above Event Mode above stage defaults.
7. Publish the skeleton to the roles named in Element 11 and register it against #1. The skeleton is re-issued whole at any org change touching the convening roles.

P2. Monthly evidence assembly and packet-state call (45 minutes per product)

1. Confirm the closing month's four weekly cascades all closed. A month with an unclosed cascade is a three-week month and reads as one; the missing week is named in the record.
2. Pull the period surfaces: T6 Decision Log rows dated inside the month, the A3 V5 Scoreboard detail for the same rows, A4 Structure Targets, T0 zone F TACOS decomposition, T0 zone E product state vector, and the T7 Manifest as it stood at each of the month's four refreshes.
3. Read the margin state from #41. If the stamp predates the closing month, every read that references a ceiling carries the provisional flag forward and says so in its finding line.
4. **Packet-state decision tree.** Compute the manifest completeness rollout for the product and route on it:
 - Completeness at or above the v4.0 Section 3, family F15 FULL line: the slot produces verdict-bearing findings and routes them to owning SOPs.
 - Completeness inside the WORKABLE band: findings issue, and every finding whose evidence depends on a partial field group carries that group's ID in its flag line.
 - Completeness below the DEGRADED line of v4.0 Section 5, gate G8: the slot produces flags and data-repair tasks only, no verdict-bearing findings, and the repair tasks carry owners and dates. This is not a reduced slot; it is the slot doing its job on the evidence that exists.
5. Record the packet state, the completeness figure and the field groups short of requirement in the opening line of the monthly record. The record states what it could not see before it states what it found.

P3. Monthly read 1: the override fold and rule-level accuracy (40 minutes)

1. Count the month's drafted verdicts and the human overrides against them from the T6 rows. Compute the override rate as overrides divided by drafted verdicts, and hold it beside the prior three months so the direction is visible rather than the level alone.
2. Group overrides by reason. A reason class recurring across products is a candidate threshold or scenario amendment, not a repeated operator preference.
3. Take the rule-level and scenario-level accuracy from the A3 scoreboard, produced by #6. Apply the accuracy line and the scored-prediction count that v4.0 Section 14, rule V5, sets. Rules that cross that line enter review; this slot lists them and never amends them.
4. Fold validated overrides into the amendment docket as proposals under v4.0 Section 14, rule V3, which requires versioned amendment with a supersession note and forbids oral re-derivation. A validated override is a proposal, and a proposal is not a live threshold.
5. Record the scoring-debt count reported by #6 without re-scoring anything. Debt is #6's finding; this slot carries it into the docket so it accumulates visibly rather than quietly.

P4. Monthly read 2: structure targets against the M6 destinations (35 minutes per product)

1. Open A4 Structure Targets. Read match-type actual against band for exact, broad, phrase, auto and PAT, then format actual against band for SP, SB and SD. The bands are v4.0's, held at Section 10 "Layer 5: Sizing Mathematics (M1-M10). Every Action Carries Numbers", rule M6, and this SOP reads them where the workbook computes them.
2. Compute the deviation in percentage points and in dollars for every line outside band. Percentage points size the finding; dollars route it, because a two point deviation on a \$30,000 month outranks a nine point deviation on a \$900 one.
3. Apply the governing clause of M6 exactly: deviations are findings to explain, never errors to auto-correct. A monthly slot that issues a blanket budget shift has violated the rule it was convened to read.
4. Route each explained deviation to the keyword-level verdict that closes it, named in Element 5. Route each unexplained deviation to the owning SOP with the deviation figure attached and a review date at the next monthly slot.
5. Carry forward: a deviation present at three consecutive monthly slots without a closing verdict escalates to the PPC Lead with the three figures shown. The escalation is the pattern, not the level.

P5. Monthly read 3: objective mix against the stage target (30 minutes per product)

1. Read T0 zone F TACOS decomposition: spend and share of sales by Ranking, Conversions, Defense, Discovery, Conquest and UNTAGGED, with the rows reconciling to total TACOS.

2. Compare actual mix to the stage's target mix. Both the mix targets and the finding requirement live in v4.0 Section 6 "Layer 1: Objective Assignment (O1-O8)", rule O8, which makes actual mix against target a monthly product finding to be explained or corrected.
3. Read the UNTAGGED row on its own. Untagged spend is not a mix problem; it is an assignment gap under rule O1, and every dollar in it routes to the assignment workload rather than to a mix explanation.
4. Where mix and structure both sit outside band on the same product, write one combined finding. Two findings on one cause produce two owners and no fix.
5. File the mix finding beside the structure finding in the monthly record so the pair reads as one product statement.

P6. Monthly read 4: stage renewal (25 minutes per product)

1. Read the stage tag, its declaration date and its evidence from T0 zone E and the A0 stage and expiry columns.
2. Confirm or transition each tag against the criteria v4.0 Section 11, rule T7, names, reading them against the stage gates of rule T2. The tag is confirmed on evidence or it transitions; it is never carried because nothing changed.
3. An expired ranking-push tag without rank evidence transitions per rule T7, which then moves the product's TACOS band and mechanically re-poses the product-level checks of v4.0 Section 8.1 "Product-Level Scenarios (S-A). The posture every keyword inherits".
4. Record every transition with its evidence line and its new band. A transition without an evidence line is F9.
5. Hand the transitioned products to the weekly cycle: the next weekly pass reads them under the new band, and the cadence slot does nothing further.

P7. Monthly close (30 minutes)

1. Assemble the Monthly Cadence Record: packet state and completeness figure, the four reads with their figures, every finding with its owner and review date, the amendment docket additions, and the count of reads deferred with the reason.
2. Confirm every finding names an owning component by number. A finding without an owning number is this SOP writing a verdict, which it may not do.
3. File the record beside the period's T6 rows and post the docket additions to the amendment register.
4. Close the slot in the cadence register with its actual date, and open the next slot's anchor.

P8. Quarterly evidence assembly (60 minutes)

1. Run the closing month's monthly slot first, in the same week. The quarterly reads consume three monthly records, and a quarter assembled from two records is a two-month quarter.
2. Pull the thirteen-week surfaces: recorded floors and their dates from the exact registry, defense budget declarations by syntax, the A2 cross-product queue with its funded and queued lines, and the A3 scoreboard grouped by confidence band.
3. Read the open incrementality tests from #35 and mark every entity under test. Those entities are excluded from the quarterly re-ladder slot this quarter, because a rung read and a floor re-test on one entity answer neither question.
4. Apply the P2 packet-state decision tree at quarter scope, and record the state.

P9. Quarterly read 1: floor re-tests (50 minutes plus execution by #28 and #12)

1. List every recorded floor whose record date is older than the re-test interval v4.0 Section 10, rule M3, sets, which re-tests a discovered minimum viable CPC quarterly or after a logged competitive shock.
2. Sort the list by premium dollars per week, computed as the floor bid minus the term's max profitable CPC, multiplied by maintenance clicks per week. The premium sizes the prize; the age of the record only qualifies the term.
3. Exclude entities under incrementality test (P8 step 3), entities inside an armed event window, and entities whose product sits in Recovery Mode where the mode's triage order governs instead.
4. Hand the cohort to #28 for ladder mechanics and to #12 for campaign-level execution, with the verdict string the finding carries named in Element 5. This SOP does not size a step, and the step size is v4.0's under Section 9 "Layer 4: The Lever Library (L1-L10). Order, Limits, Mechanics", rule L2.
5. Set the read date for the cohort at the interval the executing SOPs carry, and record the cohort in the quarterly record so the next quarterly slot can score it.

P10. Quarterly read 2: defense budgets (40 minutes)

1. List every primary syntax carrying a declared defense budget and the date of its declaration.
2. Re-declare against the sizing rule v4.0 Section 10, rule M8, states, which prices a syntax defense budget from organic revenue at risk and displacement probability, bounded by syntax contribution margin, and requires the declaration quarterly.
3. Read each syntax's organic share against its declared target alongside the budget. A defense budget rising while organic share falls is the renting pattern of v4.0 Section 8.1, scenario S-A5, and routes there rather than into a larger budget.
4. Hand every re-declaration to #26, which owns the defensive membership register and the annual defense-cost read. This slot produces the schedule and the evidence pack; #26 declares.
5. Record the prior and new declarations side by side. A budget that has not moved in three quarterly slots is either correct or unexamined, and the record makes the difference visible.

P11. Quarterly read 3: family-level M5 (45 minutes)

1. Open A1 Family Boards and A2 Cross-product M5 Queue. Confirm every family with more than one live product has both sibling rows populated; a one-sided family board cannot arbitrate.
2. Rank pushes across products, not within them, on the ordering v4.0 Section 10, rule M5, sets, which funds by revenue potential at target rank divided by cost to close the gap and runs at family level quarterly per Section 8.11 "Sibling & Portfolio Scenarios (S-B1 to S-B6). The level no per-product file can see", scenario S-B6.
3. Apply the tiebreak the rules name: margin-dollar class, earning-potential class, inventory depth. Where the ranking reverses a live within-product order, the reversal is the finding and it is stated with both figures.
4. Hand shared-term ownership consequences to #33, which declares. Hand funding consequences to the queue instrument. This slot ranks; it does not declare an owner and it does not release a dollar.

- Where a family board cannot compute because a sibling row is empty, record the no-push guard as standing and name the missing input. An unarbitrated shared root is a live risk, not a blank cell.

P12. Quarterly read 4: framework review and confidence calibration (60 minutes)

- Read realized accuracy across confidence bands from A3, grouped by the band each verdict carried. The comparison and its consequence are set by v4.0 Section 14, rule V6, which recalibrates the confidence weights when a band's realized accuracy contradicts its label.
- Read the rules that entered review under rule V5 during the quarter's three monthly slots. Each closes as an amendment proposal, a threshold-change proposal, or a documented defense of the rule. A rule may not stay in review across two quarterly slots.
- Assemble the amendment docket for the quarter: the monthly override folds, the V5 rule outcomes, the V6 calibration result, the Recovery post-mortems filed under rule R6, and every amendment item logged by build sessions in the period.
- Route the docket to the threshold owner as a single versioned package under rule V3. The docket proposes; v4.0 changes only by supersession, and the Authority Matrix places the decision on v4.0 threshold changes with the CEO.
- On any v4.0 increment, re-validate this SOP's Element 5 mapping and every citation in it against the new file before the next slot of either class runs. A mapping validated against a superseded file is worse than no mapping.

P13. Annual reads, and the recovery path for a missed slot (50 minutes annual, 30 minutes per recovery)

- Open the annual read register. It lists the reads whose class cadence is annual and names the component that owns each: the annual defense-cost read at #26, the annual test classes at #35, and any read another SOP has declared annual in its own version governance.
- Convene each annual read inside the quarterly slot that carries the annual anchor. This SOP schedules and assembles; the owning component reads and decides.
- Where an annual read has no threshold basis in v4.0, the slot produces the read's evidence pack and an amendment item, and produces no number. v4.0 contains no annual threshold of any kind, which is stated in Element 5 and logged as AM-2.
- Missed-slot recovery, step 1.** Detect at the next slot's opening: the cadence register shows an open slot whose anchor has passed. Missed slots are found by the register, never by memory.
- Missed-slot recovery, step 2.** Reconstruct rather than skip. The reads run on the evidence the period actually holds, and every read whose window is now contaminated by an event window or a mode entry is marked contaminated rather than reported clean.
- Missed-slot recovery, step 3.** Record the miss, its cause class, and the reads recovered against the reads lost. Two consecutive misses of one slot class escalate to the PPC Lead with both records attached, because a cadence that misses twice is not late, it is absent.

5. Verdict Mapping, and the Local-Threshold Statement

This SOP issues no verdict. Every finding it produces routes to a component that issues one, and the strings below are quoted verbatim from the Keyword Decision Record Template v3.0, sheet "Bands & Verdicts Reference", which holds the closed vocabulary. Where the same action carries a string in v4.0 Section 13.1 "The Closed Verdict Vocabulary", that string is named beside it. No finding from a cadence slot may leave this SOP in any other words.

Cadence finding	Verdict string, verbatim (KDR v3.0)	v4.0 Section 13.1 string for the same action	Issued by
Recorded floor stale at the quarterly slot, premium confirmed	TAPER: RANK ACHIEVED, STEP BIDS DOWN	TAPER TO FLOOR (POST-OBJECTIVE)	#28 mechanics, #12 execution
Floor re-test slips, restoration required	DEFEND AT FLOOR	DEFEND AT FLOOR	#28, #26
Exact share above band top with dollars attached	BID DOWN TO PROFITABLE CPC; CAP SYNTAX	BID DOWN TO PROFITABLE CPC; CAP SYNTAX	#12 at campaign level, cap half at the instrument layer
Phrase or exact coverage short of band floor on proven roots	ADD EXACT + RESTRUCTURE	ADD EXACT + RESTRUCTURE	#12, #13
Discovery yield unconverted across the month	GRADUATE FROM DISCOVERY	GRADUATE + STEER	#30
Defense budget re-declared with cannibalization suspected	INCREMENTALITY LADDER	DEFEND AT FLOOR, with the test per Section 4 rule X12	#35 designs, #26 releases
Family read reverses a within-product funding order	STOP-LOSS: CONCEDE OR DEFER	PORTFOLIO CALL: ASSIGN LEAD	#33 declares, queue instrument funds
Packet degraded at the slot	QUARANTINE: DATA REFRESH	FLAG: DATA REPAIR	Data Operations, per gate G8
Stage transition moves a product to a lower band	HOLD; DEFEND LIGHTLY AT RANK	CONTINUE; VERIFY MOMENTUM	#25 on descent, #26 at steady state
Untagged spend found in the mix read	PAUSED-PENDING (REASON + RE-ENTRY)	PAUSE (LEVERS EXHAUSTED) where levers are documented, otherwise assignment under rule O1	Owning campaign-type SOP

5.1 Zero local thresholds, stated plainly

Three numbers a cadence SOP would ordinarily carry do not exist in v4.0, and none of them is written here.

- No annual cadence rule.** v4.0 Section 14, rule V4, defines daily, weekly, monthly and quarterly and stops. Every annual read in this document is scheduled by class from the component that owns it, and the absence of an annual layer in the threshold authority is AM-2.
- No slip tolerance.** v4.0 sets no tolerance for a late cadence slot and no escalation line for a missed one. P13 escalates on the pattern of two consecutive misses of one class, which is a structural rule this component owns, not a threshold; a numeric tolerance would be an invention and is AM-1.
- No cadence-specific completeness line.** The packet-state tree in P2 uses the completeness bands v4.0 already sets at Section 3, family F15, and the gate line at Section 5, gate G8. It does not set a separate bar for monthly or quarterly reads. Whether those weekly-scale bands are correct at

monthly scale is AM-4.

6. Worked Examples

WE-1. A clean monthly close: the structure read that pays for the slot

Values are the live Wk35 figures carried in the Account Rollup Workbook v1.0, tab A4, sourced there from the PPC Tactical Improvement Catalog v1.0. Band definitions are v4.0's under Section 10, rule M6.

Match-type attributed spend for the month: exact \$3,012.00, broad \$774.00, phrase \$0.00. Tracked total = $3,012.00 + 774.00 + 0.00 = \$3,786.00$. Exact share = $3,012.00 / 3,786.00 = 0.7956$, that is 79.6%. Broad share = $774.00 / 3,786.00 = 0.2044$, that is 20.4%. Phrase share = 0.0%.

Against the bands: exact band top is 60.0%, so the deviation is $79.6 - 60.0 = 19.6$ percentage points. Sized in dollars: the band top in dollars is $3,786.00 \times 0.60 = \$2,271.60$, so exact spend above band top is $3,012.00 - 2,271.60 = \$740.40$ for the month. Broad sits 0.4 percentage points above its 20.0% top, which is $3,786.00 \times 0.004 = \15.14 , a rounding-scale finding that is recorded and not routed. Phrase sits below its 5.0% floor by the whole floor: $3,786.00 \times 0.05 = \$189.30$ of phrase spend that the destination expects and the account does not run.

The slot's output is two findings, not a budget shift. Finding 1 routes \$740.40 of above-band exact spend to keyword-level verdicts as terms qualify, with the verdict string "BID DOWN TO PROFITABLE CPC; CAP SYNTAX" where the economics carry it. Finding 2 routes the phrase gap to #13 with the string "ADD EXACT + RESTRUCTURE" on the proven roots that would carry a phrase layer. Both carry the next monthly slot as their review date. Rule M6's own clause governs the restraint: deviations are findings to explain, never errors to auto-correct, so the slot that discovered \$740.40 does not move \$740.40.

WE-2. A quarterly floor re-test cohort, priced before it runs

Illustrative values on the standard training base, because the unblended per-variation margin table is Ledger dependency D1 and is still open: AOV \$80.00, contribution \$28.00 per order, break-even ACOS 35.0%, Target ACOS 17.5%, Maximum Acceptable 26.3%, CVR 5.2%.

Max profitable CPC = contribution $\times$ CVR = $28.00 \times 0.052 = \$1.456$, that is \$1.46. One cohort term carries a recorded floor of \$2.24 from a taper closed last quarter. Premium over the profitable ceiling = $2.24 - 1.46 = \$0.78$ per click. At 30 maintenance clicks per week: $0.78 \times 30 = \$23.40$ per week of premium, and across the thirteen-week quarter $23.40 \times 13 = \$304.20$ on one term.

The re-test steps one rung at the ladder size v4.0 Section 9, rule L2, carries, which is approximately 10% per week: $2.24 \times 0.90 = \$2.016$, staged at \$2.02. Held at 30 clicks, weekly spend moves from $2.24 \times 30 = \$67.20$ to $2.02 \times 30 = \$60.60$, a recovery of \$6.60 per week per term that holds.

The cohort is 18 terms whose floor records are older than the M3 re-test interval. Two are excluded because they sit under an open incrementality test at #35, and one because its product entered Recovery Mode, leaving 15 staged. The prediction filed with the cohort: 11 of 15 hold at the stepped level through the two-week read. If it lands, recovery = $11 \times 6.60 = \$72.60$ per week, which is $72.60 \times 52 = \$3,775.20$ annualized. The four that slip restore one rung and re-record their floors with the new date, which is the ladder working rather than the test failing.

The slot did none of the execution. It ranked the cohort by premium dollars, excluded three entities on gate and mode grounds, wrote the prediction, and handed the staged set to #28 and #12. The V5 score on that prediction lands at the next quarterly slot.

WE-3. The edge case: a monthly slot on a degraded packet inside an armed window

The monthly slot opens on the pilot product. The T7 Manifest carries 28 field-group rows. Counted at the refresh: 10 read PRESENT (A2, A4, A5, A7, B1, B5, B8, B10, B11, D7), 6 read MISSING (A1, B6, B7, D3, D8, D12), and the remaining 12 read PARTIAL. The manifest's own completeness formula weights a partial at one half: $(10 + 0.5 \times 12) / 28 = 16 / 28 = 0.571$, that is 57.1%. The KDR packet weighting, which counts decision-blocking groups only, reads 0.72 on the same product. Both sit below the DEGRADED line of v4.0 Section 5, gate G8, so the packet state is the same under either weighting and the slot does not need to resolve which weighting governs to know its answer.

Compounding it, the product's event posture reads in-window: a confirmed deal window is armed and two of the month's four weeks fall inside it, with a further guard period after. Gate G10 excludes event weeks and their guard from trend verdicts.

What the slot does, in order. First, it records the state before it records a finding: completeness 0.571 on 28 groups, six groups missing by ID, two of four weeks excluded by G10. Second, it splits the reads. The stage renewal read of P6 proceeds, because it runs on rank evidence in B3 and a declaration date, and neither is excluded by the window. The structure and mix reads of P4 and P5 do not produce findings: their evidence is two clean weeks against a four-week band, and A1 four-period comparability reads MISSING, so they produce flags with their field-group IDs attached. Third, the quarterly floor re-test scheduled to be prepared in this slot is held, because B7 placement splits reads MISSING and a floor re-test without placement decomposition cannot price its own premium. Fourth, the slot opens three data-repair tasks with owners and dates, which is the correct urgent action under v4.0 Section 12, rule P8, where a degraded manifest outranks urgency and the right response is repairing the data the same day.

What the slot must not do, and the reason the failure modes exist: it must not average the two clean weeks up to a month, it must not report the mix read as passing because nothing looked wrong in two weeks, and it must not close the slot as complete. The record closes with two reads produced, two reads flagged, one read held, three repair tasks opened, and the next slot inheriting all of it.

WE-4. An annual read with no threshold basis

The quarterly slot carrying the annual anchor convenes the annual defense-cost read. The evidence pack assembles cleanly: twelve months of defense spend by syntax, organic share against declared target across the same span, and the incursion history from the defensive register.

The operator then looks for the read's threshold and finds none. v4.0 Section 14, rule V4, names monthly and quarterly and stops. Section 10, rule M8, declares defense budgets quarterly and gives the sizing basis, but sets no annual test, no annual tolerance and no annual verdict. The annual read exists because #26 declares it in its own scope, not because the threshold authority schedules it.

The correct output is therefore three things and not four. One: the evidence pack, complete and dated, handed to #26 which owns the read. Two: the slot record stating that the read ran without a v4.0 basis and that its conclusions are #26's under its own Ledger row. Three: amendment item AM-2,

proposing that v4.0 rule V4 gain an annual layer naming which reads it carries. The fourth thing, a number chosen because it looked reasonable, is what anti-drift rule 1 forbids and what this example exists to refuse. A cadence SOP that invents an annual tolerance has quietly become a threshold authority, and the library then has two.

7. Failure Modes and Escalation

Failure	Detection signal	Response
F1. Slot silently skipped	Cadence register shows an open slot whose anchor has passed, found at the next slot's opening	P13 recovery: reconstruct on the evidence held, mark contaminated windows, record reads recovered against reads lost. Two consecutive misses of one class escalate to the PPC Lead.
F2. Read produced on a degraded packet as though clean	A finding whose record carries no packet-state line, or a completeness figure below the G8 line with verdict-bearing findings attached	Void the findings, re-issue as flags with field-group IDs, open the repair tasks. The account's most expensive failure class is a confident verdict on a silently incomplete packet.
F3. Slot convened inside an armed window	Slot anchor date falls inside a G12-armed window or its guard, with trend findings attached	Re-slot per P1 step 5 and void the window-contaminated reads under gate G10. The window is not a reason to skip the period; it is a reason to move the read.
F4. Findings filed without owner or date	Monthly or quarterly record containing a finding line with no owning component number and no review date	Return the record to the slot. A finding nobody owns is cadence theater, and the slot's product is the moved decision, not the written observation.
F5. Local verdict string minted in a cadence record	A finding whose action text does not match a string in the KDR v3.0 closed vocabulary	Re-write to the verbatim string per Element 5. A locally minted string breaks the queryability the closed vocabulary exists to give the decision log.
F6. Threshold invented where v4.0 is silent	A number in a cadence record that traces to no v4.0 section, most often an annual tolerance or a slip limit	Strike the number, log the amendment item, run the read without it. This is the structural risk of a calendar document and the reason Element 5.1 exists.
F7. Cadence drift between classes	A quarterly read run at a monthly slot, or a monthly read deferred to the quarterly slot	Restore the class. A quarterly read taken at four weeks has a four-week evidence window wearing a thirteen-week label, which is a sample-size failure with a governance costume.
F8. Recovery Mode treated as a cadence holiday	A product in code-red with monthly or quarterly slots closed as "not applicable"	Run the slot at the mode's scope per P1 step 6. Mode precedence narrows the slot; it never cancels it, and the post-mortem is itself a cadence obligation under rules R6 and V7.
F9. Stage tag renewed without evidence	A confirmed tag in the monthly record with no rank or stage evidence line beside it	Transition the tag per rule T7 and re-pose the product-level checks under its new band. An expired ranking-push tag carried forward is the account's known persistence failure.
F10. Override folded straight into a threshold	A threshold value in use that traces to a monthly override fold rather than to a versioned amendment	Revert to the v4.0 value and re-enter the change as a proposal under rule V3. A validated override is evidence for an amendment, never an amendment.
F11. Two calendars in the account	A slot appearing both in this SOP's cadence register and in another instrument's own schedule, with different anchors	Reconcile to the register and correct the other instrument. One source per field applies to schedules exactly as it applies to metrics, and a second calendar drifts inside a month.
F12. Annual reads never anchored	The annual read register carries entries with no quarterly slot marked as the annual anchor	Mark the anchor in the skeleton at P1 step 4. Reads with no threshold basis are the easiest to defer indefinitely, which is precisely why they need a named slot rather than a named intention.

Escalation. The same failure mode at two consecutive slots of one class escalates to the PPC Lead with both records attached. F2, F6 and F10 escalate at first occurrence, because each one silently corrupts a decision surface that other components read as authoritative. F1 and F12 escalate with the count of periods lost, since the cost of a missing cadence is measured in unexamined periods, not in missed meetings.

8. Outputs and Artifacts

Artifact	Produced by	Storage and retention	Downstream consumer
The cadence register (annual skeleton plus slot states)	P1, closed at P7 and P12	Held with the PPC Command Workbook set, retained through the current and prior program year	#4 for collision checks, #44 for onboarding, #1 for governance registration
Monthly Cadence Record, one per product per month	P7	Filed beside the period's T6 Decision Log rows, retained twelve months minimum so three-slot carry-forwards are readable	The quarterly slot, the owning SOP of every finding, the PPC Lead
Quarterly Cadence Record	P12	Filed with the quarter's monthly records, retained through the current and prior program year	Threshold owner, #26, #33, #28, #12
Amendment docket, versioned per quarter	P3 step 4, P12 step 3	Amendment register, retained until the proposals land in a v4.0 release or are refused with reasons	The v4.0 threshold owner and the CEO on threshold changes
Floor re-test cohort with its prediction	P9	Recorded in the quarterly record and in T6 as a prediction with a review date	#28 mechanics, #12 execution, #6 scoring
Defense budget re-declaration pack	P10	Quarterly record, prior and new declarations side by side	#26, which declares
Family-level ranking	P11	Quarterly record, cross-	#33 for ownership, the queue instrument for funding

		referenced to A1 and A2	
Annual read register and its evidence packs	P13	Held with the cadence register, one entry per annual class	#26 and #35 as owning components
Deferral and miss log	P7, P13	Cadence register, permanent for the program year	PPC Lead on escalation, #1 on governance review

A slot's gate artifact is its closed record with every finding carrying an owner and a date. A slot that produced observations and no owned items has not closed.

9. Skill-Conversion Block

Block	Specification
Input bindings	T6 Decision Log rows filtered to period; A3 V5 Scoreboard detail and by-rule rollup; A4 Structure Targets actual against band; T0 zone E product state vector and zone F TACOS decomposition; A0 stage and expiry columns; A1 Family Boards composites; A2 queue with funded and queued lines; T1 syntax spend governance and cap status; the exact registry floor records with dates; T7 Manifest field-group statuses at each refresh in period; the margin table version stamp and G9 state from #41; the #32 window calendar; the #37 rule register diff. An absent binding suppresses its dependent read and is named by field-group ID in the record; the skill never reconstructs a missing feed from an adjacent one.
Deterministic logic	Slot placement against the cascade anchor and the #4 calendar; blackout and re-slot on armed windows; scope narrowing under mode precedence; the P2 packet-state tree against the v4.0 completeness bands; period arithmetic for share, deviation in points and deviation in dollars; cohort ranking by premium dollars per week; exclusion of entities under test, in window, or in mode; the three-slot carry-forward counter; the missed-slot detector. Zero thresholds are computed here: every band and every line is read from v4.0 where the workbook has pre-computed it.
Human checkpoints (10-80-10)	AI-executable with audit: evidence assembly, packet-state computation, all share and deviation arithmetic, cohort ranking and exclusion, record drafting, the miss detector, docket assembly. Human-mandatory, drawn from the Authority Matrix v2.0 rows in Element 11: every stage transition (PPC Lead decides, weekly-verdict row); every quarterly family ranking that reverses a live within-product order (PPC Lead within envelope, CEO above it, push funding row); every amendment docket routed to the threshold owner (CEO decides, v4.0 threshold changes row); every escalation on F2, F6 or F10; and closure of any slot that ran on a degraded packet.
Cadence	Monthly slot at the first Monday cascade after month end; quarterly slot at the first Monday cascade after quarter end, with the closing month's monthly slot run first in the same week; annual reads inside the marked quarterly slot; skeleton rebuilt annually and re-issued on any org change touching the convening roles. This SOP declares its own cadence against the 10-80-10 method, which is the requirement every Element 9 in the library carries.
Outputs	The two record types, the amendment docket, the cohort and prediction sets, the deferral and miss log, and F1 to F12 alarms with evidence lines: F2, F3 and F8 to the operator queue same day; F1, F4, F5, F7, F9, F11 and F12 into the next slot's worklist; F6 and F10 to the PPC Lead with the offending record attached.

10. Version Governance

Owner: PPC Lead. This document is v1.0 and is the first build of component #40; nothing is carried forward and nothing is preserved.

Review triggers specific to this component, not generic: any change to v4.0 Section 14 rule V4, which is the cadence ladder this SOP schedules, and which forces a re-validation of every slot's read list; any change to rules M3, M5, M6, M8, O8 or T7, each of which owns one read in one slot; publication of the Authority Matrix row for cadence-review decisions, which retires AM-6 and changes Element 11; any change to the weekly and daily calendar owned by #4, since every anchor here is expressed relative to the Monday cascade; publication of #44 operator onboarding, which consumes Element 11 and may change its shape; landing of Ledger dependency D1, the unblended per-variation margin table, which moves WE-2 from the training base to live values; landing of manifest group B7, which lifts the quarterly floor re-test read from flag level to verdict level; and rebuild of any component named in Element 12, since a procedure number cited in an interface row is a stale-reference risk and this SOP cites Ledger rows rather than procedure numbers precisely for that reason.

Registered in the Supersession Map at publication under component #1. The v4.1 amendment items opened by this build are listed in the closing register below and travel with the quarterly docket assembled at P12.

11. Operator Ramp

Built from the Authority Matrix v2.0 rows that name the decisions a cadence slot touches. The Matrix carries no row for cadence-review decisions themselves, so the competences below are drawn from the rows the slots inherit, and the missing row is AM-6. Where a role is unfilled, Matrix standing rule 5 applies: the D reverts to the PPC Lead and the E to the PPC Manager until filled.

Week	Authority Matrix row inherited	What the incoming operator demonstrates
Week 1 Observation and artifact familiarity	Weekly verdicts (established US): PPC Lead decides, incoming operator executes in assigned scope	Locates every input a monthly slot consumes without being told where it lives: T6 rows in period, A3 detail, A4, T0 zones E and F, A0 stage columns, T7 statuses at each refresh. Attends one monthly slot and takes no action in it.
	Automation rules (#37): PPC Lead decides, incoming operator executes and reviews	Reads the rule register diff as evidence for a monthly docket item and states why the cadence slot may not edit a rule.
	Structure creation (all SOPs): PPC Lead decides or per SOP scope	Traces one A4 deviation from the percentage-point figure to the dollar figure to the owning component number, on paper, before any slot runs.
	Matrix standing rule 4 (Transition Brief scope stack controls)	States which of this SOP's checkpoints sit in the incoming operator's own scope and which sit with the PPC Lead, and where that assignment is written.
Week 2 Supervised execution, checkpoint holder reviewing	Weekly verdicts row, executing scope	Runs P2 to P7 end to end on one product with the PPC Lead reviewing every finding before it files. Produces a Monthly Cadence Record whose packet-state line precedes its findings.
	Sibling declarations (S-series): PPC Lead decides, incoming operator executes, BM owner reviews	Assembles the family evidence for P11 and states, without ranking, why a one-sided family board cannot arbitrate.

	Incrementality tests: incoming operator decides and executes, PPC Lead reviews	Produces the P8 step 3 exclusion list correctly: names every entity under test and holds it out of the re-ladder cohort.
	Code-red declaration and close: PPC Lead decides, incoming operator executes	Runs a slot on a product in Recovery Mode at narrowed scope and shows the mode precedence chain that produced the narrowing.
Week 4 Unsupervised execution, checkpoint holder auditing	Weekly verdicts row, full assigned scope	Runs the monthly slot across all products in scope unsupervised. The PPC Lead audits the closed records: every finding owned, every deferral counted, every packet state stated.
	Push funding, the M5 queue: CEO decides above envelope, PPC Lead within, incoming operator executes	Produces the P11 family ranking with its arithmetic shown and routes it, stopping at the boundary rather than declaring an owner or releasing a dollar.
	v4.0 threshold changes: CEO decides, PPC Lead executes and reviews	Assembles a quarterly amendment docket from three monthly records and routes it as a versioned package, with zero threshold values changed inside the slot.
	Matrix standing rule 1 (one D per row per scope)	Given a slot finding that two components could own, identifies the single owner from the Ledger rows rather than routing to both.

Live-defense questions

These test the reasoning behind the cadence, not recall of its dates. An operator who answers with a number has not answered.

1. The monthly structure read finds exact spend 19.6 points above band top with \$740.40 attached. Why does the slot route findings instead of moving the \$740.40, and what would moving it break?
2. A quarterly slot opens on a packet that reads 0.571 completeness on one weighting and 0.72 on another. Why does the slot not need to resolve which weighting governs before it acts?
3. A recorded floor is eleven months old and its term is under an open incrementality test. Both reads want the same entity this quarter. Which yields, and what would running both produce?
4. Why is a quarterly read taken at four weeks worse than a quarterly read taken at fifteen, given both miss the anchor?
5. The override fold shows one reason class recurring across four products. Explain why that is an amendment proposal and not a threshold change, and name the rule that makes the distinction.
6. A product entered Recovery Mode on day three of the month. The monthly slot arrives. What narrows, what continues, and which rule orders the two modes if a deal window is also armed?
7. An annual read has a complete evidence pack and no v4.0 basis. Three outputs are correct and one is forbidden. Name all four.
8. Why does this SOP cite adjacent components by Ledger row rather than by procedure number, and what failure does that choice prevent across a rebuild wave?

12. Interface Contracts

Sixteen handoffs, each with a sending owner, a receiving owner, the artifact, its timing, and what happens when it does not arrive. Artifact names and tab locations are cross-checked against the Master PPC Data Architecture v1.0 and the Command Workbook and Account Rollup templates. Adjacent components are named by number and Ledger row, never by procedure number, because Wave-scale rebuilds move procedure numbers.

ID	Sending owner	Receiving owner	Artifact and timing	Consequence of non-arrival
I-1	#4 weekly and daily cadence	This SOP	The weekly calendar as it stands, at annual skeleton build and at any change	Slots anchor to the Monday cascade close alone and the collision check is recorded as not run; any collision found later moves the cadence slot, never the weekly cycle.
I-2	Data Operations	This SOP	T7 Manifest statuses per product, at each weekly refresh, read at slot opening	The slot opens in flag-only mode by default. An unknown packet state is treated as degraded, never as clean.
I-3	#41 margin table and economics refresh	This SOP	Margin table version stamp and G9 state, monthly, before the monthly slot	Every ceiling-referencing read carries the provisional flag; the quarterly floor cohort holds, since a premium priced against a stale ceiling is not priced.
I-4	#6 V5 prediction scoring	This SOP	A3 by-rule accuracy, owner calibration, scoring-debt count; monthly, and confidence-band calibration quarterly	P3 steps 3 and 5 and P12 step 1 do not run; the record states the reads were unavailable and the debt count is carried as unknown rather than as zero.
I-5	This SOP	#26 mature and defend	Defense budget re-declaration pack and the annual defense-cost evidence pack, quarterly and annually	#26 re-declares on last quarter's basis and the slot records the syntaxes left undeclared; two consecutive quarters undeclared escalates to the PPC Lead.
I-6	This SOP	#28 placement and modifier operations	Floor re-test cohort with premium ranking and exclusions, quarterly	Floors age another quarter; the premium dollars per week for the unhandled cohort are stated in the quarterly record so the cost of the delay is a number.
I-7	This SOP	#12 exact campaign operations	Campaign-level execution set for the cohort, quarterly, staged through #38	The cohort holds at its recorded floors; #28 mechanics without #12 execution produce a design and no deployed step, which the record flags as F4.
I-8	This SOP	#33 sibling and family arbitration	Family-level M5 ranking with tiebreak basis, quarterly	Shared roots stay unarbitrated and the no-push guard on contested roots stays in force, which is the safe state and is recorded as standing rather than as resolved.
I-9	#35 incrementality testing	This SOP	Open test register and class calendar, at quarterly assembly	The exclusion list cannot be built, so no floor re-test cohort is staged this quarter; a rung read and a floor re-test on one entity answer neither question, so the safe default is to stage nothing.
I-10	#32 deal and event window operations	This SOP	Confirmed window calendar with arming dates and guard periods, at skeleton build and on each new confirmation	Slots keep their anchors and every trend read taken is marked unverified against event exclusion; findings from those reads do not route until the window state is confirmed.
I-11	#37 automation	This SOP	Rule register diff for the period,	The monthly docket carries no automation evidence and records the absence; the

	platform rules		monthly	slot does not infer rule state from observed bid movement.
I-12	This SOP	#38 bulk-file deployment mechanics	Any staged change set a cadence read produces, at the slot's close	Nothing deploys. A cadence finding that reaches the console outside a staged set is an F10-class event in #38's own terms and is voided at T+1 verification.
I-13	This SOP	The v4.0 threshold owner, decided by the CEO per the Authority Matrix	Quarterly amendment docket as a versioned package, at P12	Amendment items accumulate unheard across quarters; the docket carries its own age in quarters so the backlog is visible in the next package.
I-14	This SOP	#1 document governance and supersession	Cadence register publication and every version increment of this SOP	The component's status in the Register goes stale and the Supersession Map loses the entry; the slot records the unregistered state at close.
I-15	This SOP	#44 operator onboarding and certification	Element 11 ramp content, on publication and on any Authority Matrix re-issue	Ramp runs directly under the PPC Lead until #44 exists, due 2026-09-25 per its Ledger row; the interface retires when #44 publishes.
I-16	This SOP	#36 weekly audit execution and the campaign-type SOPs	Findings with owners and review dates, at each slot close	Findings that do not reach the weekly worklist are invisible by the next slot; the carry-forward counter in P4 step 5 detects the loss at three consecutive slots and escalates.

13. Closing Register

13.1 v4.1 amendment items opened by this build

- AM-1. Cadence slip tolerance.** v4.0 sets no tolerance for a late slot and no escalation line for a missed one. P13 escalates on a structural pattern of two consecutive misses; a numeric tolerance is owed to v4.0.
- AM-2. No annual layer in rule V4.** The cadence ladder defines daily, weekly, monthly and quarterly and stops, while at least two components declare annual reads in their own scope. An annual layer naming which reads it carries is owed.
- AM-3. Floor re-test readability under a missing placement feed.** Manifest group B7 reads MISSING in the current template, so quarterly floor re-tests cannot price their premium at value level. Either a fallback basis or an explicit suppression rule is owed.
- AM-4. Completeness bands at monthly and quarterly scale.** The FULL, WORKABLE and DEGRADED bands and the G8 line are defined for the weekly packet. Whether they hold for a four-week or thirteen-week aggregation is unstated.
- AM-5. Carry-forward escalation basis.** The three-consecutive-slot carry-forward in P4 step 5 and the two-consecutive-quarter rule in I-5 are structural choices this component owns. If they are to be tolerances, they belong in v4.0.
- AM-6. Authority Matrix row for cadence-review decisions.** The Matrix v2.0 carries no row naming who decides slot placement, deferral, or docket routing. Element 11 inherits adjacent rows in the interim.
- AM-7. Manifest completeness weighting.** Two weightings are in use on one product and disagree by roughly 15 points. Which governs is unresolved, and the workbook itself states the question is open until wiring standardizes.
- AM-8. Annual anchor placement.** Which quarterly slot carries the annual anchor is set by this SOP's register today. If annual reads gain a v4.0 basis under AM-2, the anchor rule moves with them.
- AM-9. Closed-vocabulary count.** Three counts are in circulation for one closed vocabulary: 18 strings in v4.0 Section 13.1, 25 in the KDR Template v3.0, and 26 named in the Data Architecture and in the Ledger's #38 row. Element 5 quotes the KDR strings per the standing rule and names the v4.0 equivalents; the reconciliation is owed.

13.2 Companions

Master PPC Decision Criteria System v4.0, Sections 3, 5, 6, 9, 10, 11, 12, 13.1 and 14 (all thresholds, bands and the V4 cadence ladder) · Keyword Decision Record Template v3.0, sheet "Bands & Verdicts Reference" (the closed verdict vocabulary) · PPC Authority Matrix v2.0 (Elements 9 and 11 checkpoints) · Master PPC Data Architecture v1.0 (T0 to T7 and the Account Rollup tabs named in Elements 3, 8 and 12) · PPC Command Workbook TEMPLATE v1.0 and Account Rollup Workbook v1.0 (the instruments every read runs on) · PPC Economics Worked-Example Set v1.0 (the arithmetic conventions of WE-2) · PPC Strategic Doctrine v1.0 Sections 12 and 13 (why the envelope and the verification loop govern) · PPC Cross-Reference Ledger (ownership boundaries for every component named in Elements 1.3 and 12) · SOP-12 Exact Campaign Operations v2.0 (the format exemplar).