



CRYPTOCURRENCY INVESTIGATION REPORT

PREPARED FOR: SHIHAB KHALIL

December 16, 2025

199 Bay Street, Suite 4000
Toronto, ON
Canada M5L 1A9

Inside This Report

<i>Inside This Report</i>	<i>2</i>
<i>Legal Notice</i>	<i>3</i>
<i>Executive Summary</i>	<i>5</i>
<i>How To Use This Report</i>	<i>6</i>
<i>Background</i>	<i>7</i>
<i>Methodology</i>	<i>8</i>
<i>Blockchain Analysis</i>	<i>8</i>
<i>Blockchain Analytics Software</i>	<i>10</i>
Address Attribution	10
Address Clustering	10
Flow of Assets	11
Behavioral Analysis	11
Risk Assessment	11
<i>Heuristics Applied to Draw Conclusions</i>	<i>11</i>
<i>Transaction Summary</i>	<i>12</i>
<i>Transaction Graph</i>	<i>14</i>
<i>Blockchain Summary</i>	<i>15</i>
<i>Current Holdings</i>	<i>16</i>
<i>Additional Investigative Information</i>	<i>17</i>
<i>Key Wallets and Next Steps</i>	<i>18</i>

Legal Notice

This report is intended solely for informational purposes and does not constitute legal, financial, or regulatory advice. The findings, conclusions, and recommendations presented are based on available information at the time of research and are subject to change.

This report is prepared for Shihab Khalil. and intended for use by relevant stakeholders, including law enforcement, financial institutions, and cryptocurrency exchanges, to facilitate the asset recovery process. It may contain confidential and/or privileged material. Any unauthorized review, retransmission, or dissemination outside the intended parties is prohibited without explicit permission from Collisionless and Shihab Khalil.

While this report may discuss legal and regulatory matters in general terms, it should not be considered a substitute for professional legal or compliance advice tailored to specific circumstances. Readers are encouraged to seek appropriate professional guidance for any actions based on this report.

Collisionless and the authors of this report disclaim any liability for the accuracy, completeness, or timeliness of the information provided. Any reliance on the information contained herein is at the reader's own risk. This document is intended for the use by Shihab Khalil and its designated stakeholders and may only be shared with relevant parties involved in the asset recovery process.

Executive Summary

This report summarizes the findings of a cryptocurrency investigation commissioned by Shihab Khalil (the “Client”) and conducted by Collisionless Global Technology Services Inc. (“Collisionless”).

On or about December 11, 2025, the Client was the victim of a coordinated malware attack that resulted in the theft of approximately \$72,546.39 USD in digital assets, consisting of Ether (native token) and BNB (native token).

The stolen assets were transferred into a single consolidation wallet address. The same wallet address is observed on both the Ethereum and Binance Smart Chain blockchains. As of the date of this report, the assets remain held within the consolidation wallet. Based on observable on-chain characteristics, the consolidation wallet appears consistent with a self-custodial wallet.

Collisionless was engaged to trace the misappropriated funds, identify recipient addresses and counterparties, and assess the prospects for recovery of further legal action.

Key Findings Include:

- Fourteen (14) transactions initiated at the Client controlled Ethereum blockchain wallet, all being deposited into the consolidation wallet. The approximate USD value of these transactions was \$67,514.07.
- One (1) transaction initiated at the Client control BNB blockchain wallet, also deposited into the consolidation wallet. The approximate USD value of this transaction was \$5,032.35.
- Six (6) additional transfers were initiated at the consolidation wallet and deposited into Ethereum wallets controlled by the Client. These transfers were each for 0.005 ETH, which is approximately \$15.00 USD per transfer. These small transactions appear consistent with gas & transaction fee funding for asset theft.
- Two (2) transfers were initiated from BNB chain wallets not controlled by the Client and deposited into the consolidation wallet. These small transactions,

valued at less than one cent USD each. These transactions are time proximate to the asset theft and thus were included in the analysis.

- Three (3) sub-one-cent USD Ether transactions, initiated from a Client wallet and deposited into the consolidation wallet. These transactions appear consistent with operational test transactions.
- Review of historic WHOIS data show signs consistent with non-hostile domain takeover, where by a formerly legitimate website domain is not renewed, and subsequently purchased by a bad actor.
- Targeted recommendations have been provided for relevant platforms and law enforcement agencies to enable timely action based on the intelligence gathered.

Based on the evidence reviewed, Collisionless has provided a detailed chronology of events, a visual transaction flow, and recommendations for next steps, including law enforcement referrals, potential recovery avenues, and risk mitigation strategies.

This report is intended to support the Client's decision-making process and to provide a basis for engagement with legal counsel, exchanges, and authorities as necessary.

How To Use This Report

This report summarizes the transaction activity from the Client's wallet and follows subsequent transactions through to identified centralized exchanges. The investigation was conducted exclusively on [transaction data](#) provided by the Client, with no external transactions beyond this scope analyzed.

To determine the destination of assets and identify potential asset holders, Collisionless applied industry-standard blockchain forensic heuristics, as outlined in the *Blockchain Analysis* section of this report. These heuristics help Collisionless trace the flow of assets, identify wallet ownership, and uncover potential exposure to regulated exchanges that may cooperate with law enforcement.

Below is a complete list of files that are included in the Client's submission, in addition to this report, *Collisionless - Cryptocurrency Investigation Report - Shihab Khalil - December 16 2025*.

- 1) [Khalil Trace Summary 12 15 25.xlsx](#)
- 2) [Khalil 12 15 25.grf](#)
- 3) [Khalil 12 15 25.png](#)
- 4) [Khalil 12 15 25.svg](#)
- 5) [Khalil BNB Dust lead.grf](#)
- 6) [Khalil Dust lead.png](#)
- 7) [Khalil Dust lead.svg](#)

Files containing the *.grf* suffix can be directly imported into Chainalysis, enabling counterparties to access the raw graph structure, inspect transactional relationships, and continue investigative work without the need to recreate the analysis.

Background

On or about December 11, 2025, the Client was the victim of a coordinated cyber intrusion that resulted in the unauthorized takeover of the Client's primary Google account and the theft of cryptocurrency assets valued at approximately \$72,546.39 USD. The incident originated when the Client accessed a website impersonating a legitimate AI-related software platform and downloaded a malicious software package from the domain: *alliai.us*. Following installation, the malicious payload executed credential- and session-harvesting behavior, enabling rapid compromise of the Client's Google account, including changes to account security controls and two-factor authentication mechanisms.

Immediately after the compromise, the attacker accessed the Client's Google Drive and other linked services, where wallet backups and/or credentials were stored. Using those compromised credentials, the attacker drained cryptocurrency assets from multiple wallets under the Client's control. Google audit data and security alerts reflected unauthorized access during the incident window, including foreign login indicators and the addition of attacker-controlled authentication methods designed to lock the Client out of the account. These actions are consistent with an account-takeover event rather than user-initiated activity.

Onchain analysis shows that the stolen assets were moved rapidly from multiple source wallets and consolidated into a single externally owned address, observed on both Ethereum and Binance Smart Chain. The transactional behavior included multiple inbound transfers over a short time horizon and small operational transfers consistent with gas or staging activity. This pattern is consistent with theft and post-compromise asset aggregation. As of the time of reporting, the consolidated assets remained in the identified consolidation wallet.

On December 14, 2025, the Client entered into an agreement with Collisionless to obtain a cryptocurrency investigation report. Collisionless is a Web3 professional firm specializing in the digital asset economy. Our firm has worked with governments, financial regulators, law enforcement agencies, and exchanges worldwide on cryptocurrency investigations to analyze and combat money laundering and other financial crimes, human trafficking, child exploitation, and terrorist financing.

Collisionless is a vetted investigative partner of Chainalysis, a globally recognized provider of blockchain attribution data. The Chainalysis toolset is used by governments, law enforcement agencies, regulators, and virtual asset service providers worldwide for anti-money laundering compliance and investigative purposes.

Methodology

Our cryptocurrency investigation was conducted using industry-leading blockchain analysis tools and best-practice tracing methodologies. The following approach was applied:

- **Initial transaction confirmation:** confirmed original transactions provided by the Client on the corresponding blockchain network and identified relevant token swaps;
- **Blockchain transaction tracing:** leveraged the Chainalysis Reactor blockchain analysis tool to generate a transaction graph to plot transactions from the Client's wallet to destination addresses; and
- **Destination wallet identification:** identified destination wallets through recipient wallets and on-chain heuristics using Chainalysis attribution data.

Blockchain Analysis

Blockchain, as the underlying technology for virtual assets and cryptocurrencies, stands as a revolutionary cryptographic distributed ledger system known for its transparency, security, and immutability. The key attributes that make blockchain records indisputable evidence of activity include:

Immutability

Once a transaction is recorded on the blockchain, it becomes a permanent part of the distributed ledger. The decentralized and distributed nature of a blockchain ensures that once a block is added to the chain, it becomes computationally infeasible to alter or delete. This immutability provides a strong foundation for the integrity of recorded transactions.

Decentralization

Blockchain operates on a decentralized network of nodes, each maintaining a copy of the entire ledger. This decentralization eliminates the need for a central authority and minimizes the risk of tampering or manipulation. Changes to the blockchain require consensus among network participants, making unauthorized alterations practically impossible.

Transparency

All transactions on the blockchain are visible to every participant in the network. This transparency ensures that anyone can independently verify the details of a transaction by examining the blockchain. The openness of the ledger promotes trust among users and stakeholders.

Timestamping

Each transaction on the blockchain is timestamped, providing a chronological order of events. This timestamping mechanism ensures that the sequence of transactions is clear and unambiguous—a critical factor in establishing the timeline of activities.

Blockchain analysis involves the meticulous examination, identification, clustering, modeling, and visual representation of data embedded in the blockchain. The overarching objective of this analytical process is to unveil valuable insights into the activities of various entities engaging in blockchain-based transactions. Our approach to blockchain analysis centers on extracting meaningful information to enhance our understanding of the dynamics within the virtual asset landscape.

For the analysis contained herein, we examine cryptocurrency transfers from the Client's wallet on the Ethereum and BNB Blockchains.

Blockchain Analytics Software

While blockchain records offer indisputable transactional evidence, the true richness of insights is unlocked through sophisticated blockchain analysis tools. These tools systemically gather and analyze transactional information and augment this data with additional, off-chain data sources to deliver context that enhances our understanding of these transactions.

Address Attribution

Blockchain analysis tools can attribute addresses to specific entities, including Virtual Asset Service Providers (“VASPs”). Vendors specializing in blockchain analytics achieve this by systematically profiling VASPs they intend to monitor.

To establish attribution, vendors first create accounts with targeted VASPs, allowing them to experience the onboarding process firsthand. This enables an assessment of the rigor and effectiveness of the VASP’s customer due diligence (CDD) and identity verification controls. Once an account is activated, the vendor funds the account and initiates transactions through the VASP, recording the resulting blockchain activity.

This structured engagement establishes a clear and verifiable link between the VASP and its associated deposit and withdrawal addresses. This forms the foundation for subsequent analysis.

Other data collection techniques used by blockchain analysis tools include establishing accounts on dark marketplaces and gambling websites, infecting virtual machines with ransomware, proactive engagement with law enforcement agencies, conducting transactions in person at Bitcoin ATMs and working directly with VASPs to attribute their addresses.

Address Clustering

Address clustering involves categorizing the observed set of addresses in virtual asset transactions into distinct subsets, each likely controlled by the same entity, resulting in what is known as an address cluster or wallet. This process becomes highly effective when complemented with external (off-chain) data, associating real-world identities with addresses, and graph analysis.

Together, these techniques form a powerful method for analyzing virtual asset activity, offering insights at both micro and macro levels of granularity. As this comprehensive mapping extends beyond individual addresses, the entirety of the VASP's wallet infrastructure can be captured.

Flow of Assets

By analyzing the flow of assets between addresses, we gain insights into the movement of assets between counterparties within the cryptocurrency ecosystem. This information helps us track asset transfers and identify potential connections between VASPs and other entities.

Behavioral Analysis

Sophisticated tools employ behavioral analysis to understand how entities interact with the blockchain. This includes identifying transaction patterns, anomalies, and withdrawal behaviors that indicate non-compliance with regulatory measures.

Risk Assessment

Blockchain analysis tools assess the risk associated with specific addresses or transactions. This risk assessment includes factors such as involvement in illicit activities, association with darknet markets, or connections to entities with questionable compliance histories.

Heuristics Applied to Draw Conclusions

Blockchain forensics employs several heuristic rules to analyze and trace cryptocurrency transactions to the ultimate destination, wherever possible. Key examples include:

1. **Co-spend heuristic:** this method identifies addresses that are likely controlled by the same entity by analyzing transaction inputs. When multiple addresses contribute inputs to a single transaction, it strongly suggests that a single party controls all those addresses, as signing the transaction typically requires access to all associated private keys.
2. **Deposit heuristic:** this technique identifies and clusters addresses of centralized services by tracing deposit addresses to consolidation addresses.

3. **Multi-input heuristic:** similar to co-spend, this heuristic assumes that addresses used as inputs in the same transaction are controlled by the same entity. Since most cryptocurrency transactions require the sender to sign for all inputs used, the presence of multiple input addresses strongly suggests that they share a common owner.
4. **Address reuse analysis:** this technique examines patterns of address reuse to link multiple transactions to a single entity.
5. **Behavioral clustering:** this heuristic detects patterns in transaction structure, timing, and behavior to infer common ownership or usage of specific wallet software or services. Investigators examine factors such as transaction frequency, output patterns, fee structures, and spending habits to cluster addresses that exhibit similar behavioral traits.
6. **Event-based heuristics:** these are used to cluster addresses associated with decentralized protocols on smart contract-enabled blockchains by monitoring specific events carried out by the protocol's factory contract.
7. **One-time change address detection:** this heuristic aims to identify change addresses by eliminating addresses that are later reused as non-change addresses.
8. **Peel Chain Detection:** a peel chain is a commonly-used technique where sums of digital assets are dispersed through a series of small, incremental transactions. Small amounts of cryptocurrency are "peeled off" from a primary wallet and sent to new addresses or cashed out at exchanges. An understanding of peel chains allows us to merge multiple incremental transactions conducted by the same party and cluster them together.

Transaction Summary

Transaction data provided by Client:

Date	Time (UTC)	Asset Amount	Asset	Historical USD Amt	Sending Wallet	Receiving Wallet	Tx ID
12/11/2025	1513	130.480997	USDT	\$130.48	0x984e23643a cABDd447E89 69ba08aaE612 0A9bC8b	0x905E6190409 A49A702B39aF 2CA4D8c0731b aE03E	0x35f6500b9f0a2811 07a4f68344f4ac4b70 c7a406c77e67a956d 78bdecc2da2f6
12/11/2025	1521	0.25093	ETH	\$782.47	0xee67a64fe8c 2d306af58567 92c637093ba6 23cbb	0x905E6190409 A49A702B39aF 2CA4D8c0731b aE03E	0x45280cd9485d992 62d6602bc88e9a3c1 d8ea5dda621110d42 da7914c54e8606a

12/11/2025	1520	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0xEe67a64Fe8c2D306aF5856792c637093bA623cBb	0xcd95df76c76634bcddaada2eff2dcdcf91ca83ec07a6853099b5637c36f34fe
12/11/2025	1516	0.3375	ETH	\$1,052.41	0x1ec7e3ff64f51a4c67f65fcad447ddd61c8bc8c8	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0xfe63bbe3539afd5050ea685c1bfa25f972964b6536d1202c1b683a59a082b7d7
12/11/2025	1514	0.005	ETH	\$15.59	0x4ec2f7cea6d162afd169306b5be66cd2703db03c	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0xc2bb83d0a572583a120b02be8983de963c19e25d4ad6aa08d8c2dc46375f08e6
12/11/2025	1513	0.2	ETH	\$623.65	0x4ec2f7cea6d162afd169306b5be66cd2703db03c	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x312212e23107ea04f2c48f4395988d7b225e2546d312dd8bc52ed81a1e8b25bd
12/11/2025	1510	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0x984e23643acABDd447E8969ba08aaE6120A9bC8b	0xf2ea4f334a4145cd7963ab02ea6dd300d159a340fd48479deb5b90ccdc62761b
12/11/2025	1505	0	ETH	\$0.00	0xa2c9cf5eeee514c17268aaf06ff773b2a596f895	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x2bb2863b50932d2ad5b005a939e2de98c72be32e8de1a3b6c54e5d67216abd62
12/11/2025	1505	1.93371952	ETH	\$6,029.85	0x2af088133987788776524fe30c7f3d3c9c43252b	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x3b5035de382c484b50f7aab9d55863e7d8e425d6a0173c41d4531683736b8a7b
12/11/2025	1505	0.412	ETH	\$1,284.72	0xa2c9dec81ce9823b9da867d796f9f837c406f895	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0xad4b95692b8ca3088ea40dac9ddbce54af6ab2d283d0a2aea8e0d78016d2dfff
12/11/2025	1504	0.00494976	ETH	\$15.43	0xcc8f232972d671dadda38a16cf9307afe3eb54f9	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x39068f17f8d180644c77224adfe850558b4a52b22fd1bbb8a1528b1e4b3eb29a
12/11/2025	1503	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0xCc8f232972d671dadDA38A16CF9307afe3Eb54f9	0xc597d29353fa42a659b7c1d6d301a4fd5283d3ddda4d39e506b63c51ae5300f
12/11/2025	1502	0	ETH	\$0.00	0x05a964e76bf8e5420dd575790e1b71dc35f3de7	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x61181f474d0a7ff23fde5f3c58b4b1ffaf9dca160805baa70ebb01dab01b34c
12/11/2025	1502	0	ETH	\$0.00	0xcc8f2c0d6ce0af8feef6e6d16005d8d385eb54f9	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x5a911f21150f2c4528d0c4340bbdf85dd7dca159b45bfec638c757d2fd99fce9
12/11/2025	1501	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0xa2c9DeC81Ce9823B9dA867d796F9F837c406F895	0x67eb9dd8d18bc6fb825b1878eba56cc416a3596c95517683d32a7daed16b44ee
12/11/2025	1500	3.45285814	ETH	\$10,766.92	0x05a9e488a97b167e8f179699472d70aec2743de7	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x08c0ebaa5f8409b7ce3027a63e6eb941353efbf33e41d2277df8d3237fd9d0e1

12/11/2025	1459	9.81604075	ETH	\$30,608.99	0xcc8f232972d671dadda38a16cf9307afe3eb54f9	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x2b41cf4bbdef5c92cd43adde7a8b18f9425ed04512060ffcaafadc31aca04156
12/11/2025	1457	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0xCc8f232972d671dadDA38A16CF9307afe3Eb54f9	0xbbd765d5d9f2579aeb4d32f5064d3eff29c407f0e18c27a9f48f5c9dbc33461e
12/11/2025	1457	0.005	ETH	\$15.59	0x905e6190409a49a702b39af2ca4d8c0731bae03e	0x05a9e488A97B167E8f179699472D70Aec2743de7	0x1074378beaf37a0382ee78f7354bb718da06565afb8019d85ed7eb8fe74096cc
12/11/2025	1456	5.19634201	ETH	\$16,203.56	0x984e23643acabdd447e8969ba08aae6120a9bc8b	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x853d33741195bc257a63ba691916961b1727777f6fce589f4afe0cc72f04fda2
12/11/2025	1541	0.00000056	BNB	\$0.00	0x485E8fD7461155236377D66F0F2AE64A880a2BAB	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x82e081ffa4c627252e87a70d17570c2646074f8d26c0c370aaf44980eeb201c3
12/11/2025	1456	0.00000056	BNB	\$0.00	0x485E8fD7461155236377D66F0F2AE64A880a2BAB	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x55882546648b7643e1859f12b3f5ca74a2cdded58cfd374d360bab36fa3e03e0
12/11/2025	1456	5.6305905	BNB	\$5,032.35	0x485e2305E953558a2ef959ce9C4FFa317e502BAB	0x905E6190409A49A702B39aF2CA4D8c0731baE03E	0x9b67fa70989d73d4402c20f99ac78edaf09d039d1f475ca8fd79ca829336835c

Source Document: [Transactional Data Template Incident Form Shihab.xlsx](#)

Transaction Graph




Figure 1: Ethereum & BNB Graph

Blockchain Summary

Of the 20 Ethereum transactions, 14 showed asset movement leaving the Client's wallets and entering consolidation address 0x905E6190409A49A702B39aF2CA4D8c0731baE03E ("Ethereum 0x905E....E03E"). The remaining six transactions were initiated from Ethereum 0x905E....E03E, in which small amounts of Ether were deposited back into the Client's wallets. These transactions are consistent with those designed to facilitate gas and transaction fee payment for the continuing the wallet drain. Prior to the Client's assets being stolen, Ethereum 0x905E....E03E was unfunded. As of this reporting, no Client assets have transacted any further than Ethereum 0x905E....E03E, and all assets contained in that address are attributable to the Client.

Of the three BNB transactions, 1 showed asset movement leaving the Client's wallets and entering the BNB consolidation address, which shares the same address as the Ethereum Consolidation Wallet. For the purposes of this report, the BNB consolidation

wallet will be known as BNB 0x905E....E03E. As of this reporting, no Client assets have transacted any further than BNB 0x905E....E03E, and all assets contained in that address are attributable to the Client.

Transaction Alerts were activated for both BNB and Ethereum consolidation addresses, allowing for immediate notification if assets contained within those wallets are moved. Should those assets be transacted, further analysis will be performed.

In addition to the single BNB blockchain wallet draining transaction detailed above, the BNB 0x905E....E03E address received two very small deposits which were both proximate in time to the theft of the Client's assets. Both deposits were made from BNB wallet address: 0x485E8fD7461155236377D66F0F2AE64A880a2BAB, in the amount of 0.00000186 BNB¹ (<1 cent USD). These deposits may be unrelated dust-phishing scheme type transactions. However, due to the time proximity to the Client's asset theft, they are included as investigative leads for law enforcement, as there is equal confidence the transactions were intended to fund gas and transaction fees.

The wallet which funded these small transfers is labeled in the BNB Smart Chain block explorer, [BSCscan](#), as scam "Fake Phishing1419458"². In turn, these transactions were ultimately funded by BNB Wallet address: 0xa10DaEE56eB92bEA16d4011D2A2e21727BC8a616 ("0xa10D... a616"), which has interacted with centralized exchanges Binance and Gate.io on multiple occasions. 0xa10D... a616 is highly active and may be an unlabeled service or scripted wallet, and is only included as a contextual lead.

Current Holdings

Below is a summary of the Client's outgoing transfers and the destination to which the assets are ultimately sent. Using attribution data from Chainalysis, funds are traced as far as possible until the asset movement stops, is sent to a service, or is heavily co-mingled with funds that cannot be traced back to the Client.

¹ Per on chain data. TXID:

0xe59b47af3a9f974389b22d400db07a6cbc1fa5d21ddedd5b93602a5e9425e860 &
0xc06d835e70aa1f964c067dde2721e4a29aba6a9780cae94488c1cf072e2c8b5c

² <https://bscscan.com/address/0xf633b9ccf3560c23ae1dc275f7dfde6d3c696386>

Cluster Category	Chainalysis Label	Destination Address	Amount/Token
Unhosted	None	Consolidation Wallet (BNB): 0x905E6190409A49A702B39aF2CA4D8c073 1baE03E	5.6305 BNB
Unhosted	None	Consolidation Wallet (ETH): 0x905E6190409A49A702B39aF2CA4D8c073 1baE03E	21.5791 ETH
Unhosted	None	Consolidation Wallet (ETH): 0x905E6190409A49A702B39aF2CA4D8c073 1baE03E	130.4809

Source Document: [Khalil Trace Summary 12 15 25.xlsx](#)

Additional Investigative Information

Based on combined review of certificate transparency records, historic DNS data, and WHOIS information, the domain alliai.us reflects a clear change in ownership and operational control over time. From its initial registration in December 2022 through mid-2024, the domain was hosted on Google-managed infrastructure, used Google Domains name servers, and received routine TLS³ certificates issued by Google Trust Services. DNS resolution during this period pointed to Google IP address space, and certificate issuance followed a stable pattern consistent with a legitimate deployment. There are no indicators of deceptive or abusive use associated with the domain during this earlier period⁴. Following the domain's expiration in 2024, alliai.us was re-registered on August 12, 2025 by a new registrant listed as:

Name: Ken Drive
E-mail: fredred220@proton.me
Phone: +1-307-577-1985

After this re-registration, the domain moved to Cloudflare-managed name servers and Cloudflare IP space. Wildcard TLS certificates were issued for the domain and its subdomains, and dedicated mail infrastructure was configured at mail.alliai.us, supported by active MX records.

Proton Mail is a Switzerland-based privacy-focused email provider that advertises minimal retention of user logs and metadata. Email contents are end-to-end encrypted

³ TLS certificates accessed on <https://crt.sh/> on 12/15/2025

⁴ Historic DNS and WHOIS data accessed on <https://whoisfreaks.com/> on 12/15/2025

and not accessible to the service provider, which may limit the availability of recoverable subscriber information through standard legal process.

The current WHOIS record lists a U.S. telephone number which is associated with a Hobby Lobby retail store in Wyoming, and is likely unrelated to the actual domain operator. The certificates, DNS, and registration data are consistent with the conclusion that any malicious or deceptive activity associated with alliai.us is limited to the period following its August 2025 re-registration, and that the domain's earlier legitimate history likely contributed residual trust that could be leveraged by the subsequent operator.

As of this reporting, the website and associated subdomains appear inactive and inaccessible.

Key Wallets and Next Steps

The assets originating from the Client's various transactions were traced to a single non-custodial wallet. Based on blockchain analysis the following recommendations are provided to support legal recovery and ongoing investigative efforts:

1. Custodial Exchanges: Provide law enforcement with the information regarding the BNB dust funding wallet, which has interacted with Binance and Gate.io.

To determine the individual associated with the exchange addresses, law enforcement should submit a formal request for Know-Your-Customer (KYC) information and related account information.

While blockchain analysis enables tracking of on-chain movements, it does not provide insights into activity *within* custodial exchanges.⁵ These entities typically use hot wallets where Client assets are comingled, and offline order books to maintain internal transaction records. Access to this information requires a subpoena or other appropriate legal mechanism.

At the Client's instruction, Collisionless can submit this report to the relevant exchanges to initiate their internal investigations and preserve evidence. Exchanges may request supporting materials such as photo ID or confirmation of a law enforcement inquiry. Our team remains available to assist with any follow-up requests or correspondence.

⁵ Why You Can't Trace Funds Through Services Using Blockchain Analysis (And Why You Don't Need to Anyway) <https://www.chainalysis.com/blog/blockchain-analysis-trace-through-service-exchange/>

2. Noncustodial Wallet: The consolidation wallets continue to hold assets, meaning the funds remain mobile and can be transferred at any time. At the Client's instruction, Collisionless will monitor these wallets for activity. If engaged, law enforcement should also consider establishing watch alerts for any outgoing transactions.

Prepared by:

Jared F. Gabbay, Head of Investigations, Collisionless Global Technology Services Inc.
jared@collisionless.com

For any inquiries or coordination, please contact:

Dina Mainville, President, Collisionless Global Technology Services Inc.
dina@collisionless.com