

Courtify

Sports Arena Booking Platform

Sprint 2 – Test Cases

Project	Courtify – Sports Arena Booking Platform
Sprint	2
Prepared By	Shaheer, Yousuf, Zarrar, Wasiq
Date	April 26, 2026
Version	1.0

Test Environment

Parameter	Value
Frontend	http://localhost:5173
Backend	http://localhost:5000
Database	MySQL – courtify_db
Browser	Google Chrome (latest)
API Tool	Postman
Sprint Duration	April 8, 2026 – April 26, 2026

Module 1 – OTP-Based Email Verification

TC-OTP-001 – OTP code is sent to email on successful signup	
Test Case ID	TC-OTP-001
Module	OTP Verification
Title	OTP code is sent to email on successful signup
Priority	High
Pre-conditions	Backend running; Nodemailer configured; new email not in DB
Test Steps	1. Register a new player account. 2. Check the inbox of the registered email.
Test Data	Email: otptest@test.com, Password: Pass@1234
Expected Result	A 6-digit OTP code is received in the inbox within a few seconds of signup
Actual Result	OTP email received with 6-digit code
Status	Pass
Comments	Code generated fresh each time; stored against user record in DB

TC-OTP-002 – Correct OTP activates the account	
Test Case ID	TC-OTP-002
Module	OTP Verification
Title	Correct OTP activates the account
Priority	High
Pre-conditions	User registered; OTP sent; account not yet active
Test Steps	1. Enter the correct OTP on the verification screen. 2. Submit.
Test Data	OTP: correct 6-digit code from email
Expected Result	Account is activated; success message shown; redirected to login
Actual Result	Account activated; success message shown; redirect works
Status	Pass
Comments	is_active set to 1 in DB after correct OTP

TC-OTP-003 – Wrong OTP shows error and does not activate account	
Test Case ID	TC-OTP-003
Module	OTP Verification
Title	Wrong OTP shows error and does not activate account
Priority	High
Pre-conditions	User registered; OTP sent; account not yet active
Test Steps	1. Enter an incorrect OTP. 2. Submit.
Test Data	OTP: 000000 (wrong code)
Expected Result	Error message shown; account remains inactive; is_active stays 0
Actual Result	Error shown; DB not updated
Status	Pass
Comments	No activation on wrong code; user can retry

TC-OTP-004 – Expired OTP is rejected	
Test Case ID	TC-OTP-004
Module	OTP Verification
Title	Expired OTP is rejected
Priority	High
Pre-conditions	OTP generated more than 10 minutes ago
Test Steps	1. Wait for OTP to expire. 2. Enter old code. 3. Submit.
Test Data	OTP: correct digits but expired
Expected Result	Error: “OTP has expired. Please request a new one.”; account not activated
Actual Result	Expired OTP rejected correctly
Status	Pass
Comments	Expiry check based on creation timestamp in DB

TC-OTP-005 – Unverified user cannot log in	
Test Case ID	TC-OTP-005
Module	OTP Verification
Title	Unverified user cannot log in
Priority	High
Pre-conditions	User registered; OTP not entered; is_active = 0
Test Steps	1. Try to log in with registered credentials without verifying first.
Test Data	Email: otptest@test.com, Password: Pass@1234
Expected Result	HTTP 403; “Please verify your email first”; no session created
Actual Result	HTTP 403 returned; login blocked
Status	Pass
Comments	Same block as Sprint 1 but now applies to OTP flow

TC-OTP-006 – OTP screen shows error if field is submitted empty	
Test Case ID	TC-OTP-006
Module	OTP Verification
Title	OTP screen shows error if field is submitted empty
Priority	Medium
Pre-conditions	User on the OTP entry screen
Test Steps	1. Leave the OTP field blank. 2. Click verify.
Test Data	OTP: (empty)
Expected Result	Error: “Please enter the OTP”; form not submitted
Actual Result	Validation error shown on empty submit
Status	Pass
Comments	Frontend validation before API call

TC-OTP-007 – Resend OTP generates a new code and invalidates old one	
Test Case ID	TC-OTP-007
Module	OTP Verification
Title	Resend OTP generates a new code and invalidates old one
Priority	Medium
Pre-conditions	User on OTP screen; first OTP sent
Test Steps	1. Click “Resend OTP”. 2. Check inbox for new code. 3. Try old code.
Test Data	Email: otptest@test.com
Expected Result	New OTP received; old code rejected when entered
Actual Result	New OTP received; old one rejected
Status	Pass
Comments	Old code overwritten in DB on resend

TC-OTP-008 – OTP field only accepts 6-digit numeric input	
Test Case ID	TC-OTP-008
Module	OTP Verification
Title	OTP field only accepts 6-digit numeric input
Priority	Low
Pre-conditions	User on OTP entry screen
Test Steps	1. Try entering letters. 2. Try 5 digits. 3. Try 7 digits.
Test Data	Inputs: “abcdef”, “12345”, “1234567”
Expected Result	Non-numeric and wrong-length inputs not accepted
Actual Result	Only valid 6-digit numeric input accepted
Status	Pass
Comments	Frontend input constraints enforce format

Module 2 – Forgot Password

TC-FPW-001 – Forgot password link visible on login page	
Test Case ID	TC-FPW-001
Module	Forgot Password
Title	Forgot password link visible on login page
Priority	Medium
Pre-conditions	Login page loaded
Test Steps	1. Open login page. 2. Look for “Forgot Password?” link.
Test Data	None
Expected Result	“Forgot Password?” link is visible and clickable
Actual Result	Link present on login page; navigates to email entry page
Status	Pass
Comments	Link placed below password field

TC-FPW-002 – Reset code sent to registered email	
Test Case ID	TC-FPW-002
Module	Forgot Password
Title	Reset code sent to registered email
Priority	High
Pre-conditions	User account exists in DB; backend running
Test Steps	1. Click “Forgot Password?”. 2. Enter registered email. 3. Submit.
Test Data	Email: player@example.com
Expected Result	Reset code email received; success message shown
Actual Result	Reset email received; message displayed
Status	Pass
Comments	Code stored in DB linked to user record

TC-FPW-003 – No error shown for unregistered email (security)	
Test Case ID	TC-FPW-003
Module	Forgot Password
Title	No error shown for unregistered email (security)
Priority	High
Pre-conditions	Backend running; email not in DB
Test Steps	1. Enter unregistered email on forgot password page. 2. Submit.
Test Data	Email: ghost@nowhere.com
Expected Result	Same success message shown as for a valid email; no hint given
Actual Result	Generic success message shown regardless
Status	Pass
Comments	Prevents email enumeration attacks

TC-FPW-004 – Correct reset code allows password change	
Test Case ID	TC-FPW-004
Module	Forgot Password
Title	Correct reset code allows password change
Priority	High
Pre-conditions	Reset code sent to email; user has the code
Test Steps	1. Enter correct reset code. 2. Enter new password. 3. Confirm. 4. Submit.
Test Data	Code: correct, New Password: NewPass@123
Expected Result	Password updated; success message shown; old password no longer works
Actual Result	Password updated in DB; login with new password works
Status	Pass
Comments	Old password invalidated after reset

TC-FPW-005 – Wrong reset code is rejected	
Test Case ID	TC-FPW-005
Module	Forgot Password
Title	Wrong reset code is rejected
Priority	High
Pre-conditions	Reset code sent; user enters wrong code
Test Steps	1. Enter incorrect reset code. 2. Submit.
Test Data	Code: 000000 (wrong)
Expected Result	Error: “Invalid or expired code”; password not changed
Actual Result	Error shown; password unchanged in DB
Status	Pass
Comments	DB not updated on wrong code

TC-FPW-006 – Mismatched passwords rejected on reset page	
Test Case ID	TC-FPW-006
Module	Forgot Password
Title	Mismatched passwords rejected on reset page
Priority	High
Pre-conditions	User on reset page with valid code
Test Steps	1. Enter valid code. 2. Enter mismatched passwords. 3. Submit.
Test Data	New Password: NewPass@123, Confirm: Different@456
Expected Result	Error: “Passwords do not match”; form not submitted
Actual Result	Frontend validation catches mismatch
Status	Pass
Comments	Check done before API call

TC-FPW-007 – Success message and redirect after password reset	
Test Case ID	TC-FPW-007
Module	Forgot Password
Title	Success message and redirect after password reset
Priority	Medium
Pre-conditions	User completes reset with correct code and matching passwords
Test Steps	1. Complete full reset flow. 2. Observe UI.
Test Data	Valid code and matching new passwords
Expected Result	Success message shown; user redirected to login page
Actual Result	Success message displayed; redirect to login works
Status	Pass
Comments	User must log in again with new password

Module 3 – Court Booking for Players

TC-BKG-001 – Book button visible on court detail page for players	
Test Case ID	TC-BKG-001
Module	Court Booking
Title	Book button visible on court detail page for players
Priority	High
Pre-conditions	Player logged in; arena detail page open
Test Steps	1. Log in as player. 2. Open any arena. 3. Select a court. 4. Look for Book button.
Test Data	Verified player account
Expected Result	“Book” button is visible next to the selected court
Actual Result	Book button present on court detail page
Status	Pass
Comments	Button only shown for logged-in players

TC-BKG-002 – Booking form shows date and time fields	
Test Case ID	TC-BKG-002
Module	Court Booking
Title	Booking form shows date and time fields
Priority	High
Pre-conditions	Player clicks Book button
Test Steps	1. Click Book button. 2. Inspect the booking form that appears.
Test Data	None
Expected Result	Form shows fields for date, start time, end time, and pre-filled court name
Actual Result	All required fields present
Status	Pass
Comments	Court name auto-filled from selection

TC-BKG-003 – Player successfully books a court	
Test Case ID	TC-BKG-003
Module	Court Booking
Title	Player successfully books a court
Priority	High
Pre-conditions	Player logged in; court available on selected slot
Test Steps	1. Open booking form. 2. Pick date and time. 3. Submit.
Test Data	Date: 2026-05-01, Start: 10:00, End: 12:00, Court ID: 1
Expected Result	HTTP 201; booking saved; success message displayed to player
Actual Result	Booking saved to DB; success message shown
Status	Pass
Comments	Record stores player ID, court ID, date, and time

TC-BKG-004 – Double-booking same court at same time is rejected	
Test Case ID	TC-BKG-004
Module	Court Booking
Title	Double-booking same court at same time is rejected
Priority	High
Pre-conditions	Court already booked for the chosen slot
Test Steps	1. Try to book the same court for an already booked slot.
Test Data	Date: 2026-05-01, Start: 10:00, End: 12:00, Court ID: 1
Expected Result	HTTP 409; “This court is already booked for the selected time”
Actual Result	Double booking rejected; error shown
Status	Pass
Comments	Overlap check done in backend before insert

TC-BKG-005 – Player dashboard shows upcoming bookings	
Test Case ID	TC-BKG-005
Module	Court Booking
Title	Player dashboard shows upcoming bookings
Priority	High
Pre-conditions	Player has at least one confirmed booking in DB
Test Steps	1. Log in as player. 2. Open player dashboard. 3. Check bookings section.
Test Data	Player with one booking in DB
Expected Result	Bookings listed with arena name, court, date, and time
Actual Result	Booking list shown correctly on dashboard
Status	Pass
Comments	Bookings fetched using player ID

TC-BKG-006 – Booking fails for a past date	
Test Case ID	TC-BKG-006
Module	Court Booking
Title	Booking fails for a past date
Priority	Medium
Pre-conditions	Player on booking form
Test Steps	1. Select a date in the past. 2. Submit.
Test Data	Date: 2026-01-01 (past)
Expected Result	Error: “Cannot book a court for a past date”
Actual Result	Past date rejected; error shown
Status	Pass
Comments	Date validated against current date before DB insert

TC-BKG-007 – Booking fails if end time is before start time	
Test Case ID	TC-BKG-007
Module	Court Booking
Title	Booking fails if end time is before start time
Priority	Medium
Pre-conditions	Player on booking form
Test Steps	1. Set start time to 14:00 and end time to 12:00. 2. Submit.
Test Data	Start: 14:00, End: 12:00
Expected Result	Error: “End time must be after start time”
Actual Result	Invalid time range rejected
Status	Pass
Comments	Both frontend and backend validate time order

TC-BKG-008 – Unauthenticated user cannot access booking form	
Test Case ID	TC-BKG-008
Module	Court Booking
Title	Unauthenticated user cannot access booking form
Priority	High
Pre-conditions	User not logged in
Test Steps	1. Try to open booking form without a session.
Test Data	No login session in browser
Expected Result	Redirected to login or home; booking form not shown
Actual Result	User redirected; booking form not accessible
Status	Pass
Comments	Route protected; requires active player session

Module 4 – Search and Filter

TC-SCH-001 – Search by arena name filters results in real-time	
Test Case ID	TC-SCH-001
Module	Search and Filter
Title	Search by arena name filters results in real-time
Priority	High
Pre-conditions	At least 3 arenas visible on dashboard
Test Steps	1. Type “Legend” in the search bar. 2. Observe cards.
Test Data	Search input: “Legend”
Expected Result	Only “Legends Arena” card visible; others hidden
Actual Result	Filter works; only matching card shown
Status	Pass
Comments	No page reload; purely state-based filtering

TC-SCH-002 – Search by city filters results correctly	
Test Case ID	TC-SCH-002
Module	Search and Filter
Title	Search by city filters results correctly
Priority	High
Pre-conditions	Arenas in multiple cities on dashboard
Test Steps	1. Type “Lahore” in search bar. 2. Observe cards.
Test Data	Search input: “Lahore”
Expected Result	Only arenas in Lahore are shown
Actual Result	City filter works correctly
Status	Pass
Comments	Filter applied to city field of arena objects

TC-SCH-003 – Sport type filter shows only matching arenas	
Test Case ID	TC-SCH-003
Module	Search and Filter
Title	Sport type filter shows only matching arenas
Priority	High
Pre-conditions	Multiple arenas with different sport types
Test Steps	1. Click “Padel” filter button. 2. Observe cards.
Test Data	Filter: Padel
Expected Result	Only arenas offering Padel courts are shown
Actual Result	Only Padel arenas displayed
Status	Pass
Comments	Filter checks sports array in arena data

TC-SCH-004 – Price range filter shows arenas within range	
Test Case ID	TC-SCH-004
Module	Search and Filter
Title	Price range filter shows arenas within range
Priority	High
Pre-conditions	Arenas with varying prices on dashboard
Test Steps	1. Set price range to 1000–3000. 2. Observe cards.
Test Data	Min: 1000, Max: 3000
Expected Result	Only arenas with pricePerHour between 1000 and 3000 are shown
Actual Result	Price filter works; out-of-range arenas hidden
Status	Pass
Comments	Filter applied to pricePerHour field

TC-SCH-005 – Search and sport filter work together	
Test Case ID	TC-SCH-005
Module	Search and Filter
Title	Search and sport filter work together
Priority	High
Pre-conditions	Multiple arenas on dashboard
Test Steps	1. Type “Arena” in search bar. 2. Also select “Futsal” filter. 3. Observe.
Test Data	Search: “Arena”, Filter: Futsal
Expected Result	Only arenas matching both criteria shown
Actual Result	Combined filter produces correct results
Status	Pass
Comments	Both conditions applied simultaneously

TC-SCH-006 – No results message shown when nothing matches	
Test Case ID	TC-SCH-006
Module	Search and Filter
Title	No results message shown when nothing matches
Priority	Medium
Pre-conditions	Arenas visible on dashboard
Test Steps	1. Type “zzznomatch” in search bar. 2. Observe.
Test Data	Search input: “zzznomatch”
Expected Result	No arena cards shown; “No results found” or similar message displayed
Actual Result	Empty state message shown correctly
Status	Pass
Comments	UI handles zero-result state gracefully

TC-SCH-007 – Clearing filters restores all arenas	
Test Case ID	TC-SCH-007
Module	Search and Filter
Title	Clearing filters restores all arenas
Priority	Medium
Pre-conditions	User has active filters applied
Test Steps	1. Apply sport filter and search. 2. Clear all filters. 3. Observe.
Test Data	Cleared state
Expected Result	All arena cards visible again
Actual Result	Full list restored on clear
Status	Pass
Comments	Reset button or clearing inputs restores default state

Module 5 – Admin Panel

TC-ADM-001 – Admin can log in with admin credentials	
Test Case ID	TC-ADM-001
Module	Admin Panel
Title	Admin can log in with admin credentials
Priority	High
Pre-conditions	Admin account exists in DB
Test Steps	1. Go to admin login page. 2. Enter admin credentials. 3. Submit.
Test Data	Email: admin@courtify.com, Password: Admin@1234
Expected Result	HTTP 200; admin session created; redirected to admin dashboard
Actual Result	Admin logged in; dashboard loaded
Status	Pass
Comments	Admin login handled separately from player/owner flow

TC-ADM-002 – Admin dashboard shows list of all players and owners	
Test Case ID	TC-ADM-002
Module	Admin Panel
Title	Admin dashboard shows list of all players and owners
Priority	High
Pre-conditions	Admin logged in; users exist in DB
Test Steps	1. Log in as admin. 2. Open user management section on dashboard.
Test Data	Admin session active
Expected Result	List of all players and owners shown with name, email, and current status
Actual Result	Full user list displayed
Status	Pass
Comments	Both players and arena_owners tables queried

TC-ADM-003 – Admin can ban a player	
Test Case ID	TC-ADM-003
Module	Admin Panel
Title	Admin can ban a player
Priority	High
Pre-conditions	Admin logged in; target player exists and is active
Test Steps	1. Find player in the list. 2. Click “Ban” button. 3. Confirm action.
Test Data	Player ID: 2 (active player)
Expected Result	Player status updated to banned; ban reflected in the list
Actual Result	Player banned; status updated in DB and shown in list
Status	Pass
Comments	is.banned field set to 1 in players table

TC-ADM-004 – Admin can ban an owner	
Test Case ID	TC-ADM-004
Module	Admin Panel
Title	Admin can ban an owner
Priority	High
Pre-conditions	Admin logged in; target owner exists and is active
Test Steps	1. Find owner in the list. 2. Click “Ban” button. 3. Confirm.
Test Data	Owner ID: 3 (active owner)
Expected Result	Owner status updated to banned; reflected in admin list
Actual Result	Owner banned; DB and UI updated correctly
Status	Pass
Comments	is.banned field set in arena_owners table

TC-ADM-005 – Banned player cannot log in	
Test Case ID	TC-ADM-005
Module	Admin Panel
Title	Banned player cannot log in
Priority	High
Pre-conditions	Player account is banned (is_banned = 1)
Test Steps	1. Try to log in as the banned player.
Test Data	Email: bannedplayer@test.com, Password: Pass@1234
Expected Result	HTTP 403; “Your account has been banned”; no session created
Actual Result	Banned player blocked from login
Status	Pass
Comments	ban check happens before password verification

TC-ADM-006 – Admin can unban a banned player	
Test Case ID	TC-ADM-006
Module	Admin Panel
Title	Admin can unban a banned player
Priority	High
Pre-conditions	Admin logged in; target player is currently banned
Test Steps	1. Find banned player in list. 2. Click “Unban” button. 3. Confirm.
Test Data	Player ID: 2 (banned)
Expected Result	Player status updated to active; can log in again
Actual Result	Player unbanned; is_banned set to 0; login works again
Status	Pass
Comments	Unban restores normal access

TC-ADM-007 – Admin can unban a banned owner	
Test Case ID	TC-ADM-007
Module	Admin Panel
Title	Admin can unban a banned owner
Priority	High
Pre-conditions	Admin logged in; target owner is currently banned
Test Steps	1. Find banned owner in list. 2. Click “Unban”. 3. Confirm.
Test Data	Owner ID: 3 (banned)
Expected Result	Owner can log in again after unban
Actual Result	Owner unbanned; login restored
Status	Pass
Comments	is.banned set to 0 in arena_owners table

TC-ADM-008 – Non-admin user cannot access admin panel	
Test Case ID	TC-ADM-008
Module	Admin Panel
Title	Non-admin user cannot access admin panel
Priority	High
Pre-conditions	Regular player logged in
Test Steps	1. Log in as player. 2. Try to navigate to /admin/dashboard.
Test Data	userType: player
Expected Result	Access denied; redirected to player dashboard or home
Actual Result	Player redirected; admin panel not shown
Status	Pass
Comments	Route guarded by admin role check

Module 6 – Courts Listing Cleanup

TC-CLN-001 – Featured courts section is removed from player listing	
Test Case ID	TC-CLN-001
Module	Courts Listing Cleanup
Title	Featured courts section is removed from player listing
Priority	High
Pre-conditions	Player logged in; on arena listing dashboard
Test Steps	1. Log in as player. 2. Open the main arena listing page. 3. Look for featured courts section.
Test Data	Player session active
Expected Result	No featured courts section visible; only regular arena cards shown
Actual Result	Featured section absent from listing page
Status	Pass
Comments	Featured courts block removed from frontend component

TC-CLN-002 – Only real courts show in arena detail page	
Test Case ID	TC-CLN-002
Module	Courts Listing Cleanup
Title	Only real courts show in arena detail page
Priority	High
Pre-conditions	Arena with correct court data in DB
Test Steps	1. Open any arena detail page. 2. Check the courts listed.
Test Data	Arena ID: 1
Expected Result	Only actual courts belonging to that arena are shown; no promoted or extra entries
Actual Result	Only valid courts shown in detail view
Status	Pass
Comments	Court data sourced purely from DB join; no hardcoded extras

TC-CLN-003 – Listing page looks clean and uncluttered after removal	
Test Case ID	TC-CLN-003
Module	Courts Listing Cleanup
Title	Listing page looks clean and uncluttered after removal
Priority	Medium
Pre-conditions	Frontend running; player on listing page
Test Steps	1. Open listing page. 2. Visually inspect the layout.
Test Data	None
Expected Result	Page layout is clean; no broken sections or empty placeholder areas where featured courts used to be
Actual Result	No visual artifacts; layout looks clean
Status	Pass
Comments	CSS spacing updated after section removal

TC-CLN-004 – Owner-added arenas still appear correctly after cleanup	
Test Case ID	TC-CLN-004
Module	Courts Listing Cleanup
Title	Owner-added arenas still appear correctly after cleanup
Priority	Medium
Pre-conditions	Owner has created at least one arena; frontend running
Test Steps	1. Log in as player. 2. Check listing for owner-added arena.
Test Data	Owner-created arena in DB
Expected Result	Owner's arena card appears normally in listing; no impact from cleanup changes
Actual Result	Owner arenas display correctly; no regression
Status	Pass
Comments	Cleanup only removed featured section; regular listing logic unchanged

Module 7 – Owner Court Management

TC-CRT-001 – Owner successfully registers a facility with all fields filled	
Test Case ID	TC-CRT-001
Module	Owner Facility Registration
Title	Owner successfully registers a facility with all fields filled
Priority	High
Pre-conditions	Owner logged in with valid JWT; backend running
Test Steps	1. Open Register New Facility page. 2. Fill in Arena Name, City, Price Per Hour, Address, Timing, Description. 3. Add at least one amenity and one rule using the Add button. 4. Click Register Facility.
Test Data	Name: Sports Hub, City: Islamabad, Price: 3000, Address: F-7 Markaz, Timing: 9 AM – 10 PM, Amenity: Parking, Rule: No smoking
Expected Result	HTTP 201; “Facility registered successfully!” alert shown; owner redirected to /owner/dashboard; new arena in DB with availability=available and rating=0
Actual Result	Arena created; DB record confirmed; redirected to owner dashboard
Status	Pass
Comments	owner_id taken from JWT token, not from form

TC-CRT-002 – Registration fails when Arena Name is missing	
Test Case ID	TC-CRT-002
Module	Owner Facility Registration
Title	Registration fails when Arena Name is missing
Priority	High
Pre-conditions	Owner logged in; on Register Facility page
Test Steps	1. Leave Arena Name field empty. 2. Fill all other fields. 3. Click Register Facility.
Test Data	Name: (empty), City: Karachi, Price: 2000
Expected Result	Form blocked by browser required field validation; or HTTP 400 “Missing required fields: name is required” from backend
Actual Result	Submission blocked; error shown for missing name
Status	Pass
Comments	Name field has required attribute in frontend; backend also guards separately

TC-CRT-003 – Registration fails when City is missing	
Test Case ID	TC-CRT-003
Module	Owner Facility Registration
Title	Registration fails when City is missing
Priority	High
Pre-conditions	Owner logged in; on Register Facility page
Test Steps	1. Fill Arena Name, Price, Address, Timing. 2. Leave City field empty. 3. Click Register Facility.
Test Data	Name: Test Arena, City: (empty), Price: 2000
Expected Result	Form blocked by browser required validation; or HTTP 400 “Missing required fields” from backend
Actual Result	Submission blocked; city field flagged as required
Status	Pass
Comments	City field has required attribute; backend checks city/location before insert

TC-CRT-004 – Registration fails when Price Per Hour is missing	
Test Case ID	TC-CRT-004
Module	Owner Facility Registration
Title	Registration fails when Price Per Hour is missing
Priority	High
Pre-conditions	Owner logged in; on Register Facility page
Test Steps	1. Fill all fields except Price Per Hour. 2. Click Register Facility.
Test Data	Name: Test Arena, City: Lahore, Price: (empty)
Expected Result	Form blocked by browser required validation; or HTTP 400 “Missing required fields” from backend
Actual Result	Submission blocked; price field flagged as required
Status	Pass
Comments	pricePerHour is required at both frontend and backend level

TC-CRT-005 – Registration fails when Price Per Hour is zero or negative	
Test Case ID	TC-CRT-005
Module	Owner Facility Registration
Title	Registration fails when Price Per Hour is zero or negative
Priority	High
Pre-conditions	Owner logged in; on Register Facility page
Test Steps	1. Fill all fields. 2. Enter 0 or -500 in Price Per Hour. 3. Click Register Facility.
Test Data	Price: 0 or -500
Expected Result	HTTP 400; “Invalid price value”; arena not saved in DB
Actual Result	Backend rejects invalid price; error shown
Status	Pass
Comments	Backend explicitly checks: typeof pricePerHour !== number OR pricePerHour != 0

TC-CRT-006 – Amenity is added to the list when Add button is clicked	
Test Case ID	TC-CRT-006
Module	Owner Facility Registration
Title	Amenity is added to the list when Add button is clicked
Priority	Medium
Pre-conditions	Owner on Register Facility page
Test Steps	1. Type “Parking” in the Amenities input. 2. Click Add button. 3. Observe the tags area.
Test Data	Amenity input: “Parking”
Expected Result	“Parking” tag appears below the input with an X button; input field is cleared
Actual Result	Tag appears; input cleared after add
Status	Pass
Comments	addAmenity() trims whitespace; ignores empty input

TC-CRT-007 – Amenity tag can be removed using the X button	
Test Case ID	TC-CRT-007
Module	Owner Facility Registration
Title	Amenity tag can be removed using the X button
Priority	Medium
Pre-conditions	Owner has added at least one amenity tag on the form
Test Steps	1. Add an amenity (e.g., “Showers”). 2. Click the X button on the tag.
Test Data	Amenity: “Showers”
Expected Result	Tag is removed from the list; it will not be included in the submitted form data
Actual Result	Tag removed from list immediately
Status	Pass
Comments	removeAmenity() filters by index; rules work the same way

TC-CRT-008 – Player token is rejected when attempting to register a facility	
Test Case ID	TC-CRT-008
Module	Owner Facility Registration
Title	Player token is rejected when attempting to register a facility
Priority	High
Pre-conditions	Player logged in (has player JWT); tries to call POST /arenas directly
Test Steps	1. Send POST /arenas with a valid player JWT in Authorization header. 2. Fill required fields.
Test Data	Authorization: Bearer <player_token>, Name: Test, City: Test, Price: 1000
Expected Result	HTTP 403; “Forbidden: Access denied. Not an owner.”
Actual Result	Request rejected; player cannot register arenas
Status	Pass
Comments	requireOwner middleware checks userType from JWT

Module 8 – Admin: Arena Moderation

TC-MOD-001 – Newly registered arena is hidden from players until admin approves it	
Test Case ID	TC-MOD-001
Module	Admin Moderation
Title	Newly registered arena is hidden from players until admin approves it
Priority	High
Pre-conditions	Owner has registered a new arena; admin not yet approved it
Test Steps	1. Owner registers a new arena. 2. Log in as player. 3. Search and browse the arena listing.
Test Data	New arena in DB with status = pending
Expected Result	Arena does not appear in the player listing or search results until approval
Actual Result	Pending arena not visible to players
Status	Pass
Comments	Listing query filters on approval status; pending arenas excluded

TC-MOD-002 – Admin can approve a pending arena from the admin dashboard	
Test Case ID	TC-MOD-002
Module	Admin Moderation
Title	Admin can approve a pending arena from the admin dashboard
Priority	High
Pre-conditions	Admin logged in; at least one arena in pending approval state
Test Steps	1. Log in as admin. 2. Open pending arenas section. 3. Click Approve on the target arena.
Test Data	Arena status: pending
Expected Result	Arena status updated to approved; arena now appears in player listing
Actual Result	Arena approved; visible in player listing after approval
Status	Pass
Comments	Status column updated in arenas table; player listing query picks it up immediately

TC-MOD-003 – Admin search bar finds users and arenas by name or email	
Test Case ID	TC-MOD-003
Module	Admin Moderation
Title	Admin search bar finds users and arenas by name or email
Priority	High
Pre-conditions	Admin logged in; users and arenas exist in DB
Test Steps	1. Open admin dashboard. 2. Type a player name in the search bar. 3. Type an email. 4. Type an arena name.
Test Data	Search: “Ali Khan”, then “ali@test.com”, then “Legends Arena”
Expected Result	Matching users or arenas appear in the results for each query; unrelated entries hidden
Actual Result	Search results filtered correctly for all query types
Status	Pass
Comments	Search applied to name and email fields across both players and arena_owners tables

TC-MOD-004 – Admin can send a warning to a user instead of banning	
Test Case ID	TC-MOD-004
Module	Admin Moderation
Title	Admin can send a warning to a user instead of banning
Priority	Medium
Pre-conditions	Admin logged in; target user exists and is active
Test Steps	1. Find user in admin panel. 2. Click “Send Warning” button. 3. Confirm action.
Test Data	User ID: 2 (active player)
Expected Result	Warning recorded in the system; user status updated to “Warned” in admin list; user is NOT banned
Actual Result	Warning saved; user still active; admin list reflects Warned status
Status	Pass
Comments	Separate is_warned flag used; ban flag remains 0

TC-MOD-005 – Warning triggers an automated email to the user	
Test Case ID	TC-MOD-005
Module	Admin Moderation
Title	Warning triggers an automated email to the user
Priority	Medium
Pre-conditions	Admin sends a warning to a user (TC-MOD-004 precondition met)
Test Steps	1. Admin clicks Send Warning. 2. Check the warned user's email inbox.
Test Data	Target user email: warneduser@test.com
Expected Result	User receives an automated warning email from Courtify; email explains the reason
Actual Result	Warning email received in inbox
Status	Pass
Comments	Nodemailer sends warning email on warn action; same email system as verification

TC-MOD-006 – Admin can remove or hide a suspicious arena from the platform	
Test Case ID	TC-MOD-006
Module	Admin Moderation
Title	Admin can remove or hide a suspicious arena from the platform
Priority	High
Pre-conditions	Admin logged in; target arena exists and is currently visible
Test Steps	1. Find the arena in the admin panel. 2. Click "Remove" or "Hide" button. 3. Confirm.
Test Data	Arena ID: 2
Expected Result	Arena hidden from public listing; players can no longer see or book it; arena record stays in DB
Actual Result	Arena hidden; not returned in player listing; DB record intact
Status	Pass
Comments	Soft-delete approach: availability set to hidden/removed, not a hard DB delete

Module 9 – Owner: Slot Availability and Analytics

TC-OWN-001 – Owner can toggle a time slot from Available to Unavailable	
Test Case ID	TC-OWN-001
Module	Owner Availability
Title	Owner can toggle a time slot from Available to Unavailable
Priority	High
Pre-conditions	Owner logged in; owns at least one arena with courts
Test Steps	1. Open owner dashboard. 2. Select an arena and a court. 3. Pick a date and time slot. 4. Toggle it to Unavailable.
Test Data	Court ID: 1, Date: 2026-05-05, Slot: 10:00 – 12:00
Expected Result	Slot status updated to Unavailable in DB; slot no longer shown as bookable
Actual Result	Slot marked unavailable; DB updated correctly
Status	Pass
Comments	Slot availability stored per court per time range in bookings or availability table

TC-OWN-002 – Unavailable slot is removed from player booking search	
Test Case ID	TC-OWN-002
Module	Owner Availability
Title	Unavailable slot is removed from player booking search
Priority	High
Pre-conditions	Owner has marked a specific slot as Unavailable
Test Steps	1. Log in as player. 2. Open the same arena and court. 3. Check available slots for the affected date.
Test Data	Court ID: 1, Date: 2026-05-05, Slot: 10:00 – 12:00 (marked unavailable)
Expected Result	The unavailable slot does not appear in the player's available booking options
Actual Result	Unavailable slot hidden from player booking view
Status	Pass
Comments	Player booking query filters out unavailable slots

TC-OWN-003 – Owner cannot mark a slot as Unavailable if an active booking exists for it	
Test Case ID	TC-OWN-003
Module	Owner Availability
Title	Owner cannot mark a slot as Unavailable if an active booking exists for it
Priority	High
Pre-conditions	A player has an active booking for the slot the owner wants to close
Test Steps	1. Owner tries to toggle to Unavailable a slot that has a confirmed player booking.
Test Data	Court ID: 1, Date: 2026-05-05, Slot: 10:00 – 12:00 (player booked)
Expected Result	Error: “Cannot close this slot – a player booking exists”; slot remains available
Actual Result	Toggle blocked; error shown; slot unchanged
Status	Pass
Comments	Backend checks for active bookings on slot before allowing status change

TC-OWN-004 – Owner dashboard displays both upcoming and past bookings	
Test Case ID	TC-OWN-004
Module	Owner Analytics
Title	Owner dashboard displays both upcoming and past bookings
Priority	High
Pre-conditions	Owner has arenas with at least one past and one future booking
Test Steps	1. Log in as owner. 2. Open the bookings section of the owner dashboard.
Test Data	Owner with one past booking (2026-04-20) and one upcoming (2026-05-05)
Expected Result	Both bookings listed; past bookings shown under Past section; upcoming under Upcoming section
Actual Result	Both past and upcoming bookings displayed correctly
Status	Pass
Comments	Bookings split by comparing booking date to current date

TC-OWN-005 – Owner dashboard shows correct total booking count for current month	
Test Case ID	TC-OWN-005
Module	Owner Analytics
Title	Owner dashboard shows correct total booking count for current month
Priority	Medium
Pre-conditions	Owner has 3 confirmed bookings in the current month
Test Steps	1. Log in as owner. 2. Check the monthly bookings count on the dashboard.
Test Data	3 bookings in April 2026 for owner ID: 1
Expected Result	Dashboard shows “3 bookings this month” or equivalent metric
Actual Result	Correct monthly count displayed
Status	Pass
Comments	Count query uses MONTH() and YEAR() filters on booking date

TC-OWN-006 – Owner can upload images when adding a new arena	
Test Case ID	TC-OWN-006
Module	Owner Facility Registration
Title	Owner can upload images when adding a new arena
Priority	High
Pre-conditions	Owner logged in; on Register New Facility page
Test Steps	1. Fill all arena fields. 2. Use the image upload field to attach a valid image (JPEG or PNG). 3. Submit.
Test Data	Image file: arena.jpg (valid JPEG, under size limit)
Expected Result	Arena created; image saved to server; image_path stored in arena_images table; image visible on arena detail page
Actual Result	Image uploaded and visible on arena detail page
Status	Pass
Comments	File saved to /assets folder; path stored in arena_images via backend route

TC-OWN-007 – Image upload rejects invalid file types and oversized files	
Test Case ID	TC-OWN-007
Module	Owner Facility Registration
Title	Image upload rejects invalid file types and oversized files
Priority	Medium
Pre-conditions	Owner on Register Facility page; image upload field visible
Test Steps	1. Try uploading a PDF file. 2. Try uploading an image file larger than the size limit.
Test Data	File 1: document.pdf; File 2: large_image.jpg (over 5 MB)
Expected Result	Both files rejected; error messages shown; arena not submitted with invalid image
Actual Result	Invalid file types and oversized files rejected with error
Status	Pass
Comments	Multer middleware enforces file type whitelist and size limit on upload route

Module 10 – Player Booking: Extended

TC-PBK-001 – Player can view their past booking history	
Test Case ID	TC-PBK-001
Module	Player Booking Extended
Title	Player can view their past booking history
Priority	Medium
Pre-conditions	Player has at least one booking whose date has already passed
Test Steps	1. Log in as player. 2. Open the bookings section on the player dashboard. 3. Check for past bookings.
Test Data	Player with one booking on 2026-04-10 (past)
Expected Result	Past booking listed separately or alongside upcoming bookings with date and arena details
Actual Result	Past booking visible on player dashboard
Status	Pass
Comments	All bookings fetched; past ones identifiable by comparing date to to-day

TC-PBK-002 – Player can cancel an active booking and the slot becomes available again	
Test Case ID	TC-PBK-002
Module	Player Booking Extended
Title	Player can cancel an active booking and the slot becomes available again
Priority	High
Pre-conditions	Player has a confirmed upcoming booking
Test Steps	1. Log in as player. 2. Find an upcoming booking. 3. Click Cancel. 4. Confirm cancellation. 5. Check slot availability.
Test Data	Booking ID: 1, Court ID: 1, Date: 2026-05-05, Slot: 10:00 – 12:00
Expected Result	Booking removed or marked cancelled in DB; slot becomes available for other players to book
Actual Result	Booking cancelled; slot re-available for others
Status	Pass
Comments	Cancel sets booking status to cancelled; slot no longer blocked in availability check

TC-PBK-003 – Database records the exact timestamp of when a booking was made	
Test Case ID	TC-PBK-003
Module	Player Booking Extended
Title	Database records the exact timestamp of when a booking was made
Priority	Medium
Pre-conditions	Player successfully creates a booking
Test Steps	1. Complete a booking as player. 2. Query the bookings table in DB. 3. Check the created_at field.
Test Data	Booking completed at: 2026-05-01 14:32:00
Expected Result	bookings table contains a created_at timestamp matching the time the booking was submitted
Actual Result	Timestamp correctly recorded in DB
Status	Pass
Comments	created_at column uses DEFAULT CURRENT_TIMESTAMP in MySQL schema

Module 11 – Non-Functional Requirements

TC-NFR-001 – Arena search results render in under 4 seconds on a 4G connection	
Test Case ID	TC-NFR-001
Module	Performance
Title	Arena search results render in under 4 seconds on a 4G connection
Priority	Medium
Pre-conditions	Backend running; at least 3 arenas in DB; Chrome DevTools available
Test Steps	1. Open Chrome DevTools. 2. Set network throttle to “Fast 4G”. 3. Clear cache. 4. Type a search query in the search bar. 5. Measure time until results appear.
Test Data	Search input: “Arena”; Network: Fast 4G simulation
Expected Result	Search results are fully rendered in under 4 seconds from input submission
Actual Result	Results rendered in under 4 seconds on simulated 4G
Status	Pass
Comments	Measured via DevTools Performance tab; NFR-002 from SRS

Test Execution Summary

Module	Total	Pass	Fail	Blocked
OTP-Based Email Verification	8	8	0	0
Forgot Password	7	7	0	0
Court Booking for Players	8	8	0	0
Search and Filter	7	7	0	0
Admin Panel	8	8	0	0
Courts Listing Cleanup	4	4	0	0
Owner Facility Registration	8	8	0	0
Admin Arena Moderation	6	6	0	0
Owner Slot Availability	7	7	0	0
Player Booking Extended	3	3	0	0
Non-Functional Requirements	1	1	0	0
Total	67	67	0	0

Prepared by the Courtify Sprint 2 team – Shaheer, Yousuf, Zarrar, Wasiq