## WriteToFileLatex.java

```
1 package CV;
 3 import java.io.File;
 4 import java.io.IOException;
 5 import java.io.PrintWriter;
 7 public class WriteToFileLatex extends GeneralWriteToFile {
 9
      public WriteToFileLatex(Section[] array_of_sections, String template) {
10
          super(array of sections, template);
11
12
13
      public void writeToLatex(File file) {
14
          try{
15
16
              PrintWriter writer = new PrintWriter(file.getPath(), "UTF-8");
17
18
19
               writer.println("\\documentclass{article}");
20
               writer.println("\\usepackage{blindtext}");
21
               writer.println("\\usepackage[utf8]{inputenc}");
               writer.println("\\begin{document}");
22
23
2.4
25
              writer.print(Template);
26
              writer.println("\\\");
27
              writer.print("GENERAL INFORMATION"+array of sections[0].getSectionName());
28
              writer.println("\\\");
29
             for(int i=0;i<general info labels.size();i++){</pre>
30
                  writer.print(general_info_labels.get(i));
31
                  writer.print(general_info_data.get(i));
32
                 writer.println("\\\");
33
34
             for(int i=1;i<array of sections.length;i++) {</pre>
35
                  writer.print(array of sections[i].getSectionName());
36
                  writer.println("\\\");
37
  if(array of sections[i].sectionHasBulletList()&&array of sections[i].sectionHasParagra
  ph()){
38
39
                       for(int
  k=0; k<array of sections[i].getBullet().getContents().size(); k++) {
40
41
                           for (int
  q=0;q<array of sections[i].getBullet().getLabels().size();q++){
                              writer.print("
  "+array of sections[i].getBullet().getLabels().get(q));
43
  writer.print(array of sections[i].getBullet().getContents().get(k).get(q));
  if(q<array of sections[i].getBullet().getLabels().size()-1){</pre>
45
                                  writer.print(",");
46
47
                           }
48
                            writer.println("\\\");
49
50
                           if(!array of sections[i].getParagraph().getlistContents().get(k
  ).equals("")){
51
                                  writer.println("Responsibilities\\\\");
```

## WriteToFileLatex.java

```
52
   writer.print(array of sections[i].getParagraph().getlistContents().get(k));
 53
                                   writer.println("\\\");
 54
                            }
 55
 56
 57
                              if(array of sections[i].getBullet().ListHasItem()){
 58
                                    for(int
   j=0;j<array of sections[i].getBullet().getItem().getContents().get(k).size();j++){
 60
                                           writer.print("** :");
 61
   writer.print(array of sections[i].getBullet().getItem().getContents().get(k).get(j));
 62
                                           writer.println("\\\");
 63
 64
                                    }
                               }
 65
                           }
 66
 67
 68
 69
                    }else if(array of sections[i].sectionHasParagraph()){
 70
                        writer.print(array of sections[i].getParagraph().getContents());
 71
 72
                        writer.println("\\\");
 73
 74
                    }else if(array of sections[i].sectionHasBulletList()) {
 75
                        for(int
   k=0; k<array of sections[i].getBullet().getContents().size(); k++) {
 77
 78
                            for(int
   q=0;q<array of sections[i].getBullet().getLabels().size();q++){
 79
                               writer.print("
   "+array of sections[i].getBullet().getLabels().get(q));
 80
   writer.print(array_of_sections[i].getBullet().getContents().get(k).get(q));
 81
   if(q<array of sections[i].getBullet().getLabels().size()-1){</pre>
 82
                                   writer.print(",");
 83
 84
                            }
 85
                             writer.println("\\\");
 86
 87
                               if(array of sections[i].getBullet().ListHasItem()){
                                    for(int
   j=0;j<array of sections[i].getBullet().getItem().getContents().get(k).size();j++){</pre>
 89
 90
                                            writer.print("** :");
 91
   writer.print(array of sections[i].getBullet().getItem().getContents().get(k).get(j));
 92
                                            writer.println("\\\");
 93
 94
                                    }
 95
                               }
 96
                           }
 97
 98
                    }
 99
100
                }
```

## WriteToFileLatex.java