


This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.


CUSTOMER DRAWING


REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
1		FIRST RELEASE	2020.01.17	Michael.ip
2		Add dimensional tolerance	2020.10.29	Michael.ip
3		Add Pakcing Drawing	2020.11.02	Michael.ip
4		Add dimensional tolerance	2021.01.28	Michael.ip
5		Modify PCB Layout	2021.03.01	Michael.ip
6		Modify dimensional tolerance	2021.03.17	Michael.ip
7		Modify dimensional tolerance	2021.03.17	Michael.ip
8		Modify PCB Layout	2021.04.07	Michael.ip
9		Add dimensional tolerance	2021.05.20	Michael.ip
10		Add shell laser solder point	2021.09.03	Michael.ip
11		Update EMC	2022.01.14	Michael.Qin
12		Add Au 30u"	2024.01.22	Michael.Qin














Pin:

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
GND	TX1+	TX1−	Vbus	CC1	D+	D−	SBU1	Vbus	RX2−	RX2+	GND
GND	RX1+	RX1−	Vbus	SBU2	D−	D+	CC1	Vbus	TX2−	TX2+	GND
B12	B11	B10	B9	B8	B7	B6	B5	B4	B3	B2	B1

HF(无卤)	√
Non-HF(有卤)	

UNLESS OTHERWISE SPECIFIED
TOLERANCES

	U.S.	METRIC
.X	+/−	0.50
.XX	+/−	0.25
.XXX	+/−	0.10
FRACTIONS	+/−	
ANGLES	+/−	3°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS
U.S. (METRIC) / INCHES (MM)

	APPROVAL	DATE
DRAWN	Allan.Lai	01/22/24
CHECKED	Michael.Qin	01/22/24
CHECKED	Michael.Qin	

DRAWING FILE :

ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited

TITLE Customer Drawing For
USB 3.1 GEN1, Type C connector, vertical
Double SMT type, L=6.50mm


SIZE	DRAWING NO.	REV.
A3	C 12402032	12

SCALE	NONE	SHEET 1 OF 3

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
		SEE PAGE 1		



RECOMMENDED P.C.B. LAYOUT (T:1.00mm)

TOLERANCE UNSPECIFIED ±0.127mm ⑧

SCALE: 2:1

NOTES/注释:

1. MATERIAL/材料: SEE TABLE/见下表
2. GENERAL SPECIFICATION/通用特性:
   - 2.1 COPLANARITY /共面度: 0.10 Max.
   - 2.2 CURRENT RATING: 5A / 额定电流: 5安培
   - 2.3 CONTACT RESISTANCE: 40mΩ MAX (INITIAL).
     INSULATION RESISTANCE:100MΩ Min
     接触电阻: 40毫欧最大(初始值) / 绝缘电阻: 100MΩ Min
   - 2.4 DIELECTRIC WITHSTANDING VOLTAGE: 100 VAC
     耐电压: 100伏交流
   - 2.5 MECHANICAL CHARACTERISTICS:
     INSERTION FORCE: 5~20N EXTRACTION FORCE: 8~20N
     AFTER DURABILITY EXTRACTION FORCE: 6~20N
     力学特性: 初始插入力: 5~20N 拔出力: 8~20N
     耐久后拔出力: 6~20N
   - 2.6 DURABILITY: 10000 CYCLES / 耐久性: 10000次
   - 2.7 PACKAGING TYPE: CARRIER TAPE./ 包装类型: 载带包装
3. DIMENSIONING SHALL BE INTERPRETED PER ASME Y14.5M 1994.
   尺寸标注基于ASME Y14.5M 1994标准规范
4. MATERIAL SHOULD BE FULFILLED AMPHENOL SPEC.# S-SN-002, FOR HALOGEN FREE PRODUCTS, ALSO NEED TO MEET S-SN-004.
   产品材料环保标准为Amphenol SSN#002,如果是无卤产品需满足标准SSN#004
5. ORDER P/N SYSTEM/产品料号编码系统 : 12402032XXX2A
   - Plating Spec:
     - E2: Mating Area: Gold flash
       Solder Area: 100u" Min Matte Tin
       50u"Min Nickel Under Plating Over All
     - ⑫ E5: Mating Area: 30u" Au Min
       Solder Area: 100u" Min Matte Tin
       50u"Min Nickel Under Plating Over All
   - A:HF
   - Package Spec. 2:Reel
   - Date Code Description 0:Without D/C

Amphenol Shenzhen RoHS Compliant 2011/65/EU

ITEM	DESCRIPTION	Q'TY	MATERIAL	FINISH
5	TERMINAL	24	Copper alloy	CONTACT:GOLD FLASH ; SOLDER TAIL:100u" MATTE TIN MIN;
4	SHELL	1	Stainless steel	SOLDER NICKEL: 50U" MIN
3	MID PLATE	1	Stainless steel	SOLDER NICKEL: 50U" MIN
2	EMC	2	Stainless steel	SOLDER NICKEL: 50U" MIN
1	MAIN HOUSING	1	Nylon	BLACK

BILL OF MATERIAL

UNLESS OTHERWISE SPECIFIED TOLERANCES

	U.S.	METRIC
.X	+/-	0.50
.XX	+/-	0.25
.XXX	+/-	0.10
FRACTIONS	+/-	
ANGLES	+/-	3°

FOR MATERIALS AND FINISHES SEE NOTES

REMOVE SHARP EDGES

DIMENSIONS U.S. (METRIC) / INCHES (MM)

APPROVAL		DATE
DRAWN	Allan.Lai	01/22/24
CHECKED	Michael.Qin	01/22/24
CHECKED	Michael.Qin	

DRAWING FILE :

ANGLE OF PROJECTION

Amphenol

Amphenol East Asia Limited

TITLE Customer Drawing For
USB 3.1 GEN1, Type C connector, vertical
Double SMT type, L=6.50mm

SIZE	DRAWING NO.	REV.
A3	C 12402032	12


SCALE	NONE	SHEET 2 OF 3


This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concert, & that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
		SEE PAGE 1		

Use Direction





Amphenol Shenzhen RoHS Compliant 2011/65/EU

PACKING CAPACITY		
PCS/REEL	REELS/CARTON	PCS/CARTON
800	8	6400

UNLESS OTHERWISE SPECIFIED
TOLERANCES

		U.S.	METRIC
.X	+/-		0.50
.XX	+/-		0.25
.XXX	+/-		0.10
FRACTIONS	+/-		
ANGLES	+/-		3°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS U.S. (METRIC) / INCHES (MM)

APPROVAL		DATE
DRAWN	Allan.Lai	01/22/24
CHECKED	Michael.Qin	01/22/24
CHECKED	Michael.Qin	

DRAWING FILE :

ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited

TITLE Customer Drawing For
USB 3.1 GEN1, Type C connector, vertical
Double SMT type, L=6.50mm

SIZE	DRAWING NO.	REV.
A3	C 12402032	12

SCALE	NONE	SHEET 3 OF 3