

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concent, & that no right is granted to disclose or to use any information in this document.


CUSTOMER DRAWING

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
1	***	FIRST RELEASE	2023/08/02	Michael.Qin








SECTION A-A
SCALE 1:1





SECTION B-B
SCALE 1:1

















Pin Definition:

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
GND	TX1+	TX1−	Vbus	CC1	D+	D−	SBU1	Vbus	RX2−	RX2+	GND
GND	RX1+	RX1−	Vbus	SBU2	D−	D+	CC2	Vbus	TX2−	TX2+	GND
B12	B11	B10	B9	B8	B7	B6	B5	B4	B3	B2	B1

ITEM	DESCRIPTION	QTY	MATERIAL	FINISH	REMARK
7	DOWN HOUSING	1	HIGH TEMPERATURE		COLOR:BLACK
6	OUT SHELL	1	STAINLESS STEEL	NICKEL PLATING	
5	INT SHELL	1	STAINLESS STEEL	NICKEL PLATING	
4	MAIN HOUSING	1	HIGH TEMPERATURE		COLOR:BLACK
3	MID PLATE	1	STAINLESS STEEL	CLEANING	
2	BOTTOM TERMINAL	1	COPPER ALLOY	Mating Area: Au 30u" Min Solder Area: Gold flash 80u"Min Nickel Under Plating Over All	
1	TOP TERMINAL	1	COPPER ALLOY		

BILL OF MATERIAL

HF(无卤) √
Non-HF(有卤)

UNLESS OTHERWISE SPECIFIED
TOLERANCES

	U.S.	METRIC
.X	+/-	0.30
.XX	+/-	0.25
.XXX	+/-	0.10
FRACTIONS	+/-	
ANGLES	+/-	3°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS U.S. / (METRIC) INCHES / (MM)

APPROVAL		DATE
DRAWN	Zhuqi.Lu	08/02/23'
CHECKED	Michael.Qin	08/02/23'
CHECKED	Michael.Qin	

DRAWING FILE : S:\PE Master\PLM
ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited


TITLE Customer Drawing For
USB4 24P SCK DR-SMT CH=3.40 AU30

SIZE	DRAWING NO.	REV.
A3	C 12402362	1
SCALE	NONE	SHEET 1 OF 3

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concent, & that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
		SEE PAGE 1		



Recommended PCB Layout(Top View)/推荐的PCB布局(前视图)

General Tolerances:±0.05/一般公差:±0.05

NOTES/注释：

1. MATERIAL：SEE BILL OF MATERIAL 材料/见材料清单
2. GENERAL SPECIFICATION/通用特性：
   2.1 CURRENT RATING：5A / 额定电流：5安培
   2.2 CONTACT RESISTANCE：40mΩ MAX. (INITIAL).
   INSULATION RESISTANCE：100MΩ Min.
   接触电阻：40毫欧最大(初始值）绝缘电阻：100MΩ Min.
   2.3 DIELECTRIC WITHSTANDING VOLTAGE：100 VAC
   耐电压：100伏交流
   2.4 MECHANICAL CHARACTERISTICS：
   INSERTION FORCE：5~20N EXTRACTION FORCE：8~20N
   AFTER DURABILITY EXTRACTION FORCE：6~20N
   力学特性：初始插入力：5~20N 拔出力：8~20N
   耐久后拔出力：6~20N
   2.5 DURABILITY：10,000 CYCLES
   耐久性：10,000次
3. COPLANARITY /共面度：0.10 Max.
4. DIMENSIONING SHALL BE INTERPRETED PER ASME Y14.5M 1994.
   尺寸标注基于ASME Y14.5M 1994标准规范
5. MATERIAL SHOULD BE FULFILLED AMPHENOL SPEC.# S-SN-002,
   FOR HALOGEN FREE PRODUCTS, ALSO NEED TO MEET S-SN-004.
   产品材料环保标准为Amphenol SSN#002,如果是无卤产品需满足标准SSN#004
6. AS FOR WELDING, THERE ARE POSSIBILITIES THAT THE NUMBER OF WELDING AND POSITION CHANGE.
   关于焊接，焊接数量和位置有变化的可能性。
7. Laser welds may be discolor.also the weld may swell.
   激光焊接可能会变色。焊缝也可能膨胀。
8. PACKAGING TYPE: CARRIER TAPE. 包装类型：载带包装
9. ORDER P/N SYSTEM 产品料号编码系统：12402362E512A

Plating Spec:
E5: Mating Area: Au 30u" Min
Solder Area: Gold flash
80u"Min Nickel Under Plating Over All

A:HF
Package Spec.
2:Reel
Date Code Description
1:With D/C

HF(无卤)	√
Non-HF(有卤)	

UNLESS OTHERWISE SPECIFIED TOLERANCES	U.S.	METRIC
.X	+/-	0.30
.XX	+/-	0.25
.XXX	+/-	0.10
FRACTIONS	+/-	
ANGLES	+/-	3°

FOR MATERIALS AND FINISHES SEE NOTES
REMOVE SHARP EDGES
DIMENSIONS: U.S. (METRIC) / INCHES (MM)

APPROVAL		DATE
DRAWN	Zhuqi.Lu	08/02/23'
CHECKED	Michael.Qin	08/02/23'
CHECKED	Michael.Qin	

DRAWING FILE : S:\PE Master\PLM
ANGLE OF PROJECTION

Amphenol
Amphenol East Asia Limited


TITLE Customer Drawing For
USB4 24P SCK DR-SMT CH=3.40 AU30

SIZE	DRAWING NO.	REV.
A3	C 12402362	1
SCALE	NONE	SHEET 2 OF 3


This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior concent, & that no right is granted to disclose or to use any information in this document.

CUSTOMER DRAWING

REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
		SEE PAGE 1		




SECTION B-B




SECTION A-A


载带卷料方向




No.1: 1 Reel/Bag




No.2: 1 Bag / Inside Carton






No.3: 10 Inside Carton/Out Carton



No.4: 4000 Pcs/Out Carton



PACKING: 1. 400 PCS/REEL.
2. 10 REEL/Carton.

PACK DIRECTION

HF(无卤)	√
Non-HF(有卤)	

UNLESS OTHERWISE SPECIFIED TOLERANCES	APPROVAL	DATE
U.S. METRIC	DRAWN Sunny.Zhou	02/08/23'
.X +/- 0.30	CHECKED Michael.Qin	02/08/23'
.XX +/- 0.25	CHECKED Michael.Qin	
.XXX +/- 0.10	DRAWING FILE : S:\PE Master\PLM	
FRACTIONS +/-	ANGLE OF PROJECTION	
ANGLES +/- 3°		
FOR MATERIALS AND FINISHES SEE NOTES		
REMOVE SHARP EDGES		
DIMENSIONS U.S. / (METRIC) INCHES / (MM)		

Amphenol

Amphenol East Asia Limited

TITLE Customer Drawing For USB4 24P SCK DR-SMT CH=3.40 AU30

SIZE	DRAWING NO.	REV.
A3	C 12402362	1
SCALE NONE	SHEET 3 OF 3	