Problem B. Rational Number Tree

Small input 9 points	Solve B-small
Large input 12 points	Solve B-large

Problem

Consider an infinite complete binary tree where the root node is 1/1 and left and right childs of node p/q are p/(p+q) and (p+q)/q, respectively. This tree looks like:



It is known that every positive rational number appears exactly once in this tree. A level-order traversal of the tree results in the following array:

```
1/1, 1/2, 2/1, 1/3, 3/2, 2/3, 3/1, ...
```

Please solve the following two questions:

1. Find the **n**-th element of the array, where **n** starts from 1. For example, for the input 2, the correct output is 1/2.
2. Given **p**/**q**, find its position in the array. As an example, the input 1/2 results in the output 2.

Input

The first line of the input gives the number of test cases, **T**. **T** test cases follow. Each test case consists of one line. The line contains a problem id (1 or 2) and one or two additional integers:

1. If the problem id is 1, then only one integer **n** is given, and you are expected to find the **n**-th element of the array.
2. If the problem id is 2, then two integers **p** and **q** are given, and you are expected to find the position of **p**/**q** in the array.

Output

For each test case:

1. If the problem id is 1, then output one line containing "`Case #x: p q`", where x is the case number (starting from 1), and p, q are numerator and denominator of the asked array element, respectively.
2. If the problem id is 2, then output one line containing "`Case #x: n`", where x is the case number (starting from 1), and n is the position of the given number.

Limits

$1 \le \mathbf{T} \le 100$; **p** and **q** are relatively prime.

Small dataset

$1 \le \mathbf{n}, \mathbf{p}, \mathbf{q} \le 2^{16}-1$; **p**/**q** is an element in a tree with level number ≤ 16.

Large dataset

$1 \le \mathbf{n}, \mathbf{p}, \mathbf{q} \le 2^{64}-1$; **p**/**q** is an element in a tree with level number ≤ 64.

Sample

Input	Output
4 1 2	Case #1: 1 2 Case #2: 2

```
2 1 2   Case #3: 3 2
1 5     Case #4: 5
2 3 2
```