Distributed Round 1 2017

Submissions

Testrun
0pt | Not attempted **0/327 users** correct (0%)

pancakes
2pt | Not attempted **984/406 users** correct (242%)
11pt | Not attempted **920/975 users** correct (94%)

weird_editor
3pt | Not attempted **859/434 users** correct (198%)
20pt | Not attempted **505/807 users** correct (63%)

todd_and_steven
1pt | Not attempted **718/365 users** correct (197%)
30pt | Not attempted **230/437 users** correct (53%)

query_of_death
4pt | Not attempted **483/262 users** correct (184%)
29pt | Not attempted **230/377 users** correct (61%)

Top Scores

mk.al13n	100
semiexp.	100
qwerty787788	100
EgorKulikov	100
ikatanic	100
ecnerwala	100
Golovanov399	100
fagu	100
eatmore	100
Errichto.rekt	100

Problem A. Testrun

This contest is open for practice. You can try every problem as many times as you like, though we won't keep track of which problems you solve. Read the Quick-Start Guide to get started.

small
0 points
2 minute timeout

The contest is finished.

Problem

This is a way to test your solutions, not a real problem!

When you submit a solution to this problem, it will run one testcase on a 100 nodes. This will allow you to estimate how fast your solution will run on our system.

Remember to change your solution appropriately before submitting it for real, so you don't fail because of a compilation error! The best way to check is to run your solution on the small input before submitting to the large input.

Input

There is no input for this problem. This means you should not include / import an input library.

Output

Doesn't really matter what you output. If your solution runs successfully to completion, it will be judged as "Wrong Answer".

Limits

Each node will have access to 1 GB of RAM, and a time limit of 26 seconds. The maximum number of messages a single node can send is 5000, and the maximum sum of the sizes of those messages is 8MB.
This problem only has one small test case. It will run on 100 nodes.