Distributed Round 1 2016

Submissions

Testrun
0pt | Not attempted **0/422 users** correct (0%)

oops
2pt | Not attempted **893/925 users** correct (97%)
12pt | Not attempted **756/882 users** correct (86%)

rps
1pt | Not attempted **789/857 users** correct (92%)
15pt | Not attempted **585/783 users** correct (75%)

crates
8pt | Not attempted **557/673 users** correct (83%)
25pt | Not attempted **258/433 users** correct (60%)

winning_move
3pt | Not attempted **635/700 users** correct (91%)
34pt | Not attempted **49/309 users** correct (16%)

Top Scores

simonlindholm	100
tomconerly	100
eatmore	100
cgy4ever	100
bmerry	100
Simon.M	100
Klockan	100
tczajka	100
tkociumaka	100
Zlobober	100

Problem A. Testrun

This contest is open for practice. You can try every problem as many times as you like, though we won't keep track of which problems you solve. Read the Quick-Start Guide to get started.

small
0 points
2 minute timeout

The contest is finished.

Problem

This is a way to test your solutions, not a real problem!

When you submit a solution to this problem, it will run one testcase on a 100 nodes. This will allow you to estimate how fast your solution will run on our system.

Remember to change your solution appropriately before submitting it for real, so you don't fail because of a compilation error! The best way to check is to run your solution on the small input before submitting to the large input.

Input

There is no input for this problem. This means you should not include / import an input library.

Output

Doesn't really matter what you output. If your solution runs successfully to completion, it will be judged as "Wrong Answer".

Limits

Each node will have access to 1 GB of RAM, and a time limit of 26 seconds. The maximum number of messages a single node can send is 5000, and the maximum sum of the sizes of those messages is 8MB.
This problem only has one small test case. It will run on 100 nodes.