

# My Everyday Cheat Sheet

## VIM Startups

|                                 |   |
|---------------------------------|---|
| <code>vim -p[N]</code>          | Open N tab pages.                               |
| <code>vim file1 file2</code>    | Opens up files sequentially                     |
| <code>vim + file</code>         | Open file at last line                          |
| <code>vim +n file</code>        | Open file at line number n                      |
| <code>vim +/pattern file</code> | Open file at pattern                            |
| <code>vim -t tag</code>         | look up tag and start editing at its definition |
| <code>view file</code>          | Open up file in read-only mode                  |

## quick and dirty git

|   |  |
|---|--|
| <code>git clone repo</code>                           | clones repo in cur dir                   |
| <code>git status</code>                               | status of current repo, what has changed |
| <code>git init</code>                                 | initializes a repo in current dir        |
| <code>git config user.name username</code>            | set username                             |
| <code>git config user.email username@email.com</code> | set email                                |

## i3 display hacks

|   |  |
|---|--|
| <code>xrandr --output VGA1 --auto --right-of LVDS1</code> | extend 2nd display to right of 1st display |
| <code>xrandr --output VGA1 --auto --left-of LVDS1</code>  | extend 2nd display to left of 1st display  |

## i3 quick and dirty

|                    |                         |
|--------------------|-------------------------|
| <code>MOD-f</code> | enter fullscreen mode   |
| <code>MOD-d</code> | access dmenu            |
| <code>MOD-s</code> | stacked layout          |
| <code>MOD-a</code> | focus parent            |
| <code>MOD-e</code> | split/splitv it toggles |

## Ctags

|                             |  |
|-----------------------------|--|
| <code>ctags -R</code>       | create tags file in current directory            |
| <code>:set tags=tags</code> | Set tags of tag file in current directory in VIM |

## Python Command line hacks

|   |   |
|---|---|
| <code>python -m SimpleHTTPServer</code> | creates a webserver on port 8000 ./ as root dir |
|---|---|