Cucumber Report

| Start : Mar 03, 8:10:57.180 PM	End : Mar 03, 8:11:16.570 PM	Duration : 19.390 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 7

Features: 1

Scenarios: 4

Steps: 12

Pass %: 0 %

Pass %: 0 %

Pass %: 8 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Assessment	19.390 s	4	0	4	0	12	1	4	7

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Assessment.feature	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Assessment	4	0	4	0	19.390 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Assessment	Login to the url	3	1	1	1	7.778 s
2	Assessment	Admin page	2	0	1	1	11.441 s
3	Assessment	Add user	4	0	1	3	0.119 s
4	Assessment	Delete user	3	0	1	2	0.004 s

Assessment

FAILED	DURATION - 19.390 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	Steps Total - 12 Pass - 1 Fail - 4 Skip - 7
/ 8:10:57.180 PM // 8:11:16.570 PM /			

Login to the url

FAILED	DURATION - 7.778 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1
/ 8:10:57.183 PM // 8:11:04.961 PM /			
Assessment			
@Assessment.feature			

#	Step / Hook Details	Status	Duration
1	Given user opens url	PASSED	7.768 s
2	When user enter credentials	FAILED	0.001 s
	Step undefined		
3	Then login is successful	SKIPPED	0.000 s

Admin page

FAILED	DURATION - 11.441 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1
/ 8:11:04.994 PM // 8:11:16.435 PM /			
Assessment			
@Assessment.feature			

| #	Step / Hook Details	Status	Duration
1	Given user open the admin page	FAILED	11.439 s
	org.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [82490cb5-2818-4133-9865-e20cace89264, findElement {using=xpath, value=//li[1]//a[1]//span[1]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 115.8.0, moz:accessibilityChecks: false, moz:buildID: 20240212204114, moz:debuggerAddress: 127.0.0.1:36986, moz:geckodriverVersion: 0.31.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14936, moz:profile: C:\Users\cfgl9050\AppData\L..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36986/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 82490cb5-2818-4133-9865-e20cace89264 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at StepDefinitions.Admin_page.open_admin(Admin_page.java:59) at ?.user open the admin page(file:///C:/Users/cfgl9050/eclipse-workspace/Assessment_Test/src/test/resources/Features/login.feature:12) * Not displayable characters are replaced by '?'.		
2	Then User can check the number of records	SKIPPED	0.001 s

Add user

FAILED	*DURATION - 0.119 s*

/ 8:11:16.442 PM // 8:11:16.561 PM /

Assessment

@Assessment.feature

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user opens the admin page	FAILED	0.117 s

	org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [82490cb5-2818-4133-9865-e20cace89264, findElement {using=xpath, value=//button[normalize-space()='Add']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 115.8.0, moz:accessibilityChecks: false, moz:buildID: 20240212204114, moz:debuggerAddress: 127.0.0.1:36986, moz:geckodriverVersion: 0.31.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14936, moz:profile: C:\Users\cfgl9050\AppData\L..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36986/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 82490cb5-2818-4133-9865-e20cace89264
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	   at StepDefinitions.Add_user.Add_User_page(Add_user.java:24)
	   at ?.user opens the admin page(file:///C:/Users/cfgl9050/eclipse-workspace/Assessment_Test/src/test/resources/Features/login.feature:16)
	* Not displayable characters are replaced by '?'.		

2	When user enters data	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
3	Then user is added	SKIPPED	0.000 s
4	Then number of records is increased by 1	SKIPPED	0.000 s

Delete user

FAILED	DURATION - 0.004 s
/ 8:11:16.566 PM // 8:11:16.570 PM /	
Assessment	
@Assessment.feature	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given search for username	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [82490cb5-2818-4133-9865-e20cace89264, findElement {using=xpath, value=//*[@id="app"]/div[1]/div[2]/div[2]/div/div[2]/div[2]/div/span}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 115.8.0, moz:accessibilityChecks: false, moz:buildID: 20240212204114, moz:debuggerAddress: 127.0.0.1:36986, moz:geckodriverVersion: 0.31.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14936, moz:profile: C:\Users\cfgl9050\AppData\L..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36986/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 82490cb5-2818-4133-9865-e20cace89264		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at StepDefinitions.Add_user.number_of_records(Add_user.java:118) at StepDefinitions.Delete_user.search(Delete_user.java:20) at ?.search for username(file:///C:/Users/cfgl9050/eclipse-workspace/Assessment_Test/src/test/resources/Features/login.feature:22) * Not displayable characters are replaced by '?'.		
2	When delete username	SKIPPED	0.000 s
3	Then number of records decrease by 1	SKIPPED	0.000 s