

Cucumber Report

Mar 4, 2024, 9:34:14 AM

Start : Mar 04, 9:32:43.281 AM

End : Mar 04, 9:34:13.882 AM

Duration : 1 m 30.601 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 2
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assessment</u>	1 m 30.601 s	4	2	2	0	12	6	2	4

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Assessment.feature	4	2	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Assessment</u>	4	2	2	0	1 m 30.601 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assessment</u>	<u>Login to the url</u>	3	3	0	0	7.338 s
2	<u>Assessment</u>	<u>Admin page</u>	2	2	0	0	1.790 s
3	<u>Assessment</u>	<u>Add user</u>	4	1	1	2	1 m 21.282 s
4	<u>Assessment</u>	<u>Delete user</u>	3	0	1	2	0.157 s

Assessment



FAILED	DURATION - 1 m 30.601 s	Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0		Steps Total - 12 Pass - 6 Fail - 2 Skip - 4	
/ 9:32:43.281 AM // 9:34:13.882 AM /					

Login to the url

<div>PASSED</div> <div>DURATION - 7.338 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:32:43.283 AM // 9:32:50.621 AM /</div>			
<div>Assessment</div>			
<div>@Assessment.feature</div>			



#	Step / Hook Details	Status	Duration
1	Given user opens url	PASSED	5.415 s
2	When user enter credentials	PASSED	0.271 s
3	Then login is successful	PASSED	1.644 s

Admin page

<div>PASSED</div> <div>DURATION - 1.790 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:32:50.628 AM // 9:32:52.418 AM /</div>			
<div>Assessment</div>			
<div>@Assessment.feature</div>			

#	Step / Hook Details	Status	Duration
1	Given user open the admin page	PASSED	1.264 s
2	Then User can check the number of records	PASSED	0.525 s



Add user

<div>FAILED</div> <div>DURATION - 1 m 21.282 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:32:52.423 AM // 9:34:13.705 AM /				
Assessment				
@Assessment.feature				

#	Step / Hook Details	Status	Duration
1	Given user opens the admin page	PASSED	0.416 s
2	When user enters data org.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7d65ca9c-44fc-4f0e-b543-e18eca47dfec, findElements {value=.oxd-select-text--focus, using=css selector}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 115.8.0, moz:accessibilityChecks: false, moz:buildID: 20240212204114, moz:debuggerAddress: 127.0.0.1:45440, moz:geckodriverVersion: 0.31.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 28508, moz:profile: C:\Users\cflg19050\AppData\L..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45440/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7d65ca9c-44fc-4f0e-b543-e18eca47dfec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182)	FAILED	1 m 20.862 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:369) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:363) at StepDefinitions.Add_user.enter_data(Add_user.java:31) at ?.user enters data(file:///C:/Users/cfgl9050/eclipse-workspace/Assessment_Test/src/test/resources/Features/login.feature:17) * Not displayable characters are replaced by '?'.		
3	Then user is added	SKIPPED	0.001 s
4	Then number of records is increased by 1	SKIPPED	0.000 s

Delete user

<div>FAILED</div> <div>DURATION - 0.157 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 9:34:13.725 AM // 9:34:13.882 AM /</div>				
<div>Assessment</div>				
<div>@Assessment.feature</div>				

#	Step / Hook Details	Status	Duration
1	Given search for username org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [7d65ca9c-44fc-4f0e-b543-e18eca47dfec, findElement {value=//*[@id="app"]/div[1]/div[2]/div[2]/div/div[2]/div[2]/div/span, using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 115.8.0, moz:accessibilityChecks: false, moz:buildID: 20240212204114, moz:debuggerAddress: 127.0.0.1:45440, moz:geckodriverVersion: 0.31.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 28508, moz:profile: C:\Users\cfgl9050\AppData\L..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45440/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7d65ca9c-44fc-4f0e-b543-e18eca47dfec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	0.155 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at StepDefinitions.Add_user.number_of_records(Add_user.java:118) at StepDefinitions.Delete_user.search(Delete_user.java:20) at ?.search for username(file:///C:/Users/cfgl9050/eclipse-workspace/Assessment_Test/src/test/resources/Features/login.feature:22) * Not displayable characters are replaced by '?'. </pre>		
2	When delete username	SKIPPED	0.000 s
3	Then number of records decrease by 1	SKIPPED	0.000 s