



*para Ninjas*



# *Porque?*

- Puede ser usado para editar archivos usando protocolos como SSH and HTTP.
- Puede editar dentro de archivos comprimidos (gzip, zip, tar, etc).
- Incluye soporte para plugins y un gran control sobre la configuración.
- Tamaño: Terminal con VIM: 16.8 MB
- openSource
- soporte lenguajes: 2072 (sublime: 48)

# *Instalar Vim*

- Ubuntu/Debian: `sudo apt-get install vim`
- vim lua: <http://www.jacobcmurphy.com/installing-vim-with-lua/>

# *Configuración .vimrc*

- set nocompatible " be iMproved, required
- filetype off " required
- set laststatus=2 "statusBar
- set number "line numbers

# *Como desplazarse*

- h, l, j, k
- w una palabra hacia adelante      3w tres palabras hacia adelante
- b una palabra hacia atras      3b tres palabras hacia atras
- gg primera linea    G ultima linea    7G va a la linea 7
- 8k 8 lineas hacia arriba
- 5j 5 lineas hacia abajo
- 4l derecha
- 6h izquierda
- u undo
- ctrl+R redo

# Borrando

- s borra en el lugar y entra en modo insercion
- S borra toda la linea y comienza a insertar en el lugar
- CW borra esa palabra y comienza a editar en el lugar
- cc = S
- C borra desde donde esta el cursor todo a la derecha
- d starts the delete operation.
- dw borra letra
- d0 will delete to the beginning of a line.
- d\$ will delete to the end of a line.
- dgg will delete to the beginning of the file.

# Búsquedas

- `/text` search for text in the document, going forward.
- `n` move the cursor to the next instance of the text from the last search. This will wrap to the beginning of the document.
- `N` move the cursor to the previous instance of the text from the last search.
- `?text` search for text in the document, going backwards.
- `:%s/text/replacement text/g` search through the entire document for text and replace it with replacement text.
- `:%s/text/replacement text/gc` search through the entire document and confirm before replacing text.



# copy.paste

- v highlight one character at a time.
- V highlight one line at a time.
- Ctrl-v highlight by columns.
- p paste text after the current line.
- P paste text on the current line.
- y yank text into the copy buffer.

*Demo*

# Plugins: Vundle

<https://github.com/VundleVim/Vundle.vim>

git clone <https://github.com/VundleVim/Vundle.vim.git> ~/.vim/bundle/Vundle.vim

```
" set the runtime path to include Vundle and initialize
set rtp+=~/.vim/bundle/Vundle.vim
call vundle#begin()
```

```
" Keep Plugin commands between vundle#begin/end.
Plugin 'VundleVim/Vundle.vim'
```

```
" All of your Plugins must be added before the following line
call vundle#end()
```

filetype plugin indent on

```
"instalar plugins--> :PluginInstall
```

# Preguntas

