



Authentication

Login

Authentication

This endpoint allows you to authenticate with the Leaping AI API and obtain an access token.

Request Format

The endpoint accepts form data with the following parameters:

- `username` (string, required): Your Leaping AI username
- `password` (string, required): Your Leaping AI password
- `grant_type` (string, optional): The OAuth grant type, defaults to "password"
- `scope` (string, optional): The requested scope, defaults to an empty string
- `client_id` (string, optional): The client ID, if required
- `client_secret` (string, optional): The client secret, if required

Response

On successful authentication, the endpoint returns a JSON object containing:

- `access_token` : The token to use for API authentication
- `token_type` : The type of token (usually "bearer")
- `expires_in` : Token validity period in seconds
- `refresh_token` : Token that can be used to obtain a new access token when the current one expires

Usage

Include the access token in the Authorization header of subsequent requests:

Authorization: Bearer YOUR_ACCESS_TOKEN



Common Errors

- `400 Bad Request` : If the request format is invalid
- `401 Unauthorized` : If the credentials are incorrect
- `422 Unprocessable Entity` : If the request body contains invalid data

Example

```
curl -X POST "https://api.leaping.ai/v1/login" \  
-H "Content-Type: application/x-www-form-urlencoded" \  
-d "username=your_username&password=your_password"
```



 Always keep your credentials and tokens secure. Do not expose them in client-side code or public repositories.

< Validate snapshot

Get calls >

Ask a question...

