



Spatial Defect Severity Report

Overall Summary

Metric	Value
total rows	6242
total defects	3291
frequency	0.527
coverage	52.7%
mean persistence	9.4 data points
max persistence	290.0 data points
instability_rate	0.098





Defects occur in 52.7% of data points overall, with 52.7% of the full dataset affected. Defects are frequent overall and include several long-lasting segments, with mean persistence of 9.4 data points and instability_rate of 0.098.

Severity Pattern Legend

Severity Pattern	Definition	Rule
Short isolated defects	Low persistence, low coverage, and not classified as unstable.	Assigned when neither the long-lasting rule nor the unstable rule is triggered.
Unstable defects	Frequent switching between correct and defective states.	Assigned when instability_rate ≥ 0.15 and the long-lasting rule is not triggered.
Long-lasting defects	Defects persist for long continuous stretches or affect a large portion of the execution.	Assigned when coverage ≥ 0.30 OR max_persistence ≥ 0.20 * avg_execution_length.

These severity patterns are based on configurable operational thresholds for this dataset.

Threshold	Value
MINOR_MAX_LENGTH	2
MODERATE_MAX_LENGTH	5
SEVERE_MIN_LENGTH	6
COVERAGE_SEVERE_THRESHOLD	0.30
INSTABILITY_THRESHOLD	0.15
PERSISTENCE_RATIO_THRESHOLD	0.20

All Games Quick Summary

Game	Frequency	Coverage	Mean Persistence	Instability	Severity Type	Trigger Rule
Archery	0.195	19.5%	9.2 data points	0.036	long-lasting defects	long-lasting: persistence
PhantomLimb	0.578	57.8%	9.5 data points	0.106	long-lasting defects	long-lasting: coverage
PhantomLimb Holdout	0.453	45.3%	7.4 data points	0.101	long-lasting defects	long-lasting: coverage
PianoTiles	0.518	51.8%	5.1 data points	0.203	long-lasting defects	long-lasting: coverage
Puzzle	0.287	28.7%	17.2 data points	0.027	short isolated defects	short isolated: fallback
Sea	0.560	56.0%	28.0 data points	0.033	long-lasting	long-lasting:


					defects	coverage
War	0.630	63.0%	19.7 data points	0.057	long-lasting defects	long-lasting: coverage

How To Read Metrics

- Frequency: how often defects occur
- Coverage: how much of the session is affected
- Persistence: how long defects last
- Instability: how often defects switch

Archery

Metric	Value
Frequency	0.195
Coverage	19.5%
Mean Persistence	9.2 data points
Max Persistence	30.0 data points
Instability Rate	0.036






This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because max persistence =

30.0, which is above the threshold of 28.3 data points.

PhantomLimb

Metric	Value
Frequency	0.578
Coverage	57.8%
Mean Persistence	9.5 data points
Max Persistence	290.0 data points
Instability Rate	0.106






Red = defect | Gray = no defect | Black vertical line = execution end

This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because coverage = 0.578, which is above the threshold of 0.30.

PhantomLimb Holdout


Metric	Value
Frequency	0.453
Coverage	45.3%
Mean Persistence	7.4 data points
Max Persistence	68.0 data points
Instability Rate	0.101



This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because coverage = 0.453, which is above the threshold of 0.30.

PianoTiles

Metric	Value
Frequency	0.518
Coverage	51.8%
Mean Persistence	5.1 data points
Max Persistence	64.0 data points
Instability Rate	0.203




This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because coverage = 0.518, which is above the threshold of 0.30. It also shows high instability (instability_rate = 0.203).

Puzzle

Metric	Value
Frequency	0.287
Coverage	28.7%
Mean Persistence	17.2 data points
Max Persistence	30.0 data points

Instability Rate


0.027



This game does not cross the configured long-lasting or unstable thresholds, although some defect segments are still moderately persistent. This classification is assigned because neither the long-lasting nor unstable thresholds were reached.

Sea


Metric	Value
Frequency	0.560
Coverage	56.0%
Mean Persistence	28.0 data points
Max Persistence	151.0 data points
Instability Rate	0.033



This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because coverage = 0.560, which is above the threshold of 0.30.

War

Metric	Value
Frequency	0.630
Coverage	63.0%
Mean Persistence	19.7 data points
Max Persistence	87.0 data points
Instability Rate	0.057



This game is classified as long-lasting defects, meaning defects persist for long stretches or affect a large part of the execution. This classification is triggered because coverage = 0.630, which is above the threshold of 0.30.