



Recovering beyond the workflow

PREDEFINED WORKFLOW



Missing tool. Run stops.

CODING-AGENT HARNESS




inspect → acquire tools → retry

[Acquire tools. Resume research.](#)

History shapes search

CODEX


Local refinement



Tunes details within the same approach.

GEMINI

Mechanism pivots



Switches approaches before sustained tuning.

New ideas can still inherit earlier assumptions.

Two observed runs. Descriptive, not causal.

Scientific errors can persist

ONE AGENT

DESIGN



IMPLEMENT



MEASURE



INTERPRET

GEMINI · BPR OBJECTIVE

CLAIM

within-user BPR

ACTUAL

cross-user pairing

Objective mismatch

GEMINI · TARGET STATISTICS

CLAIM

dense target statistics

ACTUAL

self / future-label leakage


Invalid evidence

META-SCIENTIST

Audit claims before they enter memory.

Audited branches. These findings do not invalidate every final Gemini result.

Each cycle leaves a world to build on.



PERSISTS metrics · code · failures · original reports


RESTARTS an independent reasoning trajectory

Repeated reads consume the budget

MEASURED ONE-EDIT A/B

8.0×

read / edit cost




10 files read / 1 line edited

ABLATION PROJECTION • N=8

4.5×

projected total cost



Reread every child / reuse the first read

$$N \times (R + W)$$
 reread every child

vs

$$R + N \times W$$
 read once, repeat edits