



C++ - Module 05

Repetition and Exceptions

Summary: This document contains the subject for Module 05 of the C++ modules.

Contents

| | | |
|------------|---|----------|
| I | General rules | 2 |
| II | Exercise 00: Mommy, when I grow up, I want to be a bureaucrat! | 4 |
| III | Exercise 01: Form up, maggots! | 6 |
| IV | Exercise 02: No, you need form 28B, not 28C... | 7 |
| V | Exercise 03: At least this beats coffee-making | 9 |

Chapter I

General rules


- Any function implemented in a header (except in the case of templates), and any unprotected header, means 0 to the exercise.
- Every output goes to the standard output, and will be ended by a newline, unless specified otherwise.
- The imposed filenames must be followed to the letter, as well as class names, function names and method names.
- Remember: You are coding in **C++** now, not in **C** anymore. Therefore:
 - The following functions are FORBIDDEN, and their use will be punished by a 0, no questions asked: `*alloc`, `*printf` and `free`.
 - You are allowed to use basically everything in the standard library. HOWEVER, it would be smart to try and use the C++-ish versions of the functions you are used to in C, instead of just keeping to what you know, this is a new language after all. And NO, you are not allowed to use the STL until you actually are supposed to (that is, until module 08). That means no vectors/lists/maps/etc... or anything that requires an include `<algorithm>` until then.
- Actually, the use of any explicitly forbidden function or mechanic will be punished by a 0, no questions asked.
- Also note that unless otherwise stated, the C++ keywords `"using namespace"` and `"friend"` are forbidden. Their use will be punished by a -42, no questions asked.
- Files associated with a class will always be `ClassName.hpp` and `ClassName.cpp`, unless specified otherwise.
- Turn-in directories are `ex00/`, `ex01/`, ..., `exn/`.
- You must read the examples thoroughly. They can contain requirements that are not obvious in the exercise's description. If something seems ambiguous, you don't understand C++ enough.
- Since you are allowed to use the C++ tools you learned about since the beginning, you are not allowed to use any external library. And before you ask, that also means

no C++11 and derivatives, nor Boost or anything your awesomely skilled friend told you C++ can't exist without.

- You may be required to turn in an important number of classes. This can seem tedious, unless you're able to script your favorite text editor.
- Read each exercise FULLY before starting it! Really, do it.
- The compiler to use is `clang++`.
- Your code has to be compiled with the following flags : `-Wall -Wextra -Werror`.
- Each of your includes must be able to be included independently from others. Includes must contain every other includes they are depending on, obviously.
- In case you're wondering, no coding style is enforced during in C++. You can use any style you like, no restrictions. But remember that a code your peer-evaluator can't read is a code she or he can't grade.
- Important stuff now : You will NOT be graded by a program, unless explicitly stated in the subject. Therefore, you are afforded a certain amount of freedom in how you choose to do the exercises. However, be mindful of the constraints of each exercise, and DO NOT be lazy, you would miss a LOT of what they have to offer !
- It's not a problem to have some extraneous files in what you turn in, you may choose to separate your code in more files than what's asked of you. Feel free, as long as the result is not graded by a program.
- Even if the subject of an exercise is short, it's worth spending some time on it to be absolutely sure you understand what's expected of you, and that you did it in the best possible way.
- By Odin, by Thor! Use your brain!!!

Chapter II

Exercise 00: Mommy, when I grow up, I want to be a bureaucrat!

| | |
|--|---------------|
|  | Exercise : 00 |
| Mommy, when I grow up, I want to be a bureaucrat! | |
| Turn-in directory : <i>ex00/</i> | |
| Files to turn in : Makefile Bureaucrat.hpp Bureaucrat.cpp main.cpp | |
| Forbidden functions : None | |

Please note that exception classes do not need to be in orthodox canonical form. Every other class needs to be written in that way.

Today, we're going to create an artificial nightmare of offices, corridors, forms, and waiting in line. Sounds fun? No? Too bad.

First, we start by the smallest cog in the vast bureaucratic machine: the **Bureaucrat**.

It must have a constant name, and a grade, that ranges from 1 (highest possible) to 150 (lowest possible). Any **attempt** to create a **Bureaucrat** with an invalid grade must throw an exception, which will be either a **Bureaucrat::GradeTooHighException** or a **Bureaucrat::GradeTooLowException**.

You will provide getters for both these attributes (**getName** and **getGrade**), and two functions to increment or decrement the grade. Both these functions will throw the same exceptions as before if the grade gets too high or too low. Remember, grade 1 is highest, 150 is lowest, so incrementing a grade 3 gives you a grade 2...

The exceptions you throw must be catchable by a block like:


```
try
{
    /* do some stuff with bureaucrats */
}
catch (std::exception & e)
{
    /* handle exception */
}
```

You will provide an overload of the << operator to ostream that outputs something like <name>, bureaucrat grade <grade>.

Of course, you will provide a main function to prove you did all this well.

Chapter III

Exercise 01: Form up, maggots!

| | |
|---|---------------|
|  | Exercise : 01 |
| Form up, maggots! | |
| Turn-in directory : <i>ex01/</i> | |
| Files to turn in : Same as before + <code>Form.cpp</code> <code>Form.hpp</code> | |
| Forbidden functions : None | |

Now that we have bureaucrats, better give them something to do with their time. What better occupation than a stack of forms to fill out?

Make a `Form` class. It has a name, a boolean indicating whether it is signed (at the beginning, it's not), a grade required to sign it, and a grade required to execute it. The name and grades are constant, and all these attributes are private (not protected). The grades are subject to the same constraints as in the `Bureaucrat`, and exceptions will be thrown if any of them are out of bounds, `Form::GradeTooHighException` and `Form::GradeTooLowException`.

Same as before, make getters for all attributes, and an overload of the `<<` operator to `ostream` that completely describes the state of the form.


You will also add a `beSigned` function that takes a `Bureaucrat`, and makes the form signed if the bureaucrat's grade is high enough. Always remember, grade 1 is better than grade 2. If the grade is too low, throw a `Form::GradeTooLowException`.

Also add a `signForm` function to the `Bureaucrat`. If the signing is successful, it will print something like "`<bureaucrat> signs <form>`", otherwise it will print something like "`<bureaucrat> cannot sign <form> because <reason>`".

Add whatever's needed to test this to your `main`.

Chapter IV

Exercise 02: No, you need form 28B, not 28C...

| | |
|---|---------------|
|  | Exercise : 02 |
| No, you need form 28B, not 28C... | |
| Turn-in directory : <i>ex02/</i> | |
| Files to turn in : Same as before + <code>ShrubberyCreationForm.hpp</code> , <code>RobotomyRequestForm.hpp</code> , <code>PresidentialPardonForm.hpp</code> | |
| Forbidden functions : None | |

Now that you have basic forms, you will make a few forms that actually do something.

Create a few concrete forms:

- **ShrubberyCreationForm** (Required grades: sign 145, exec 137). Action: Create a file called `<target>_shrubbery`, and write ASCII trees inside it, in the current directory.
- **RobotomyRequestForm** (Required grades: sign 72, exec 45). Action: Makes some drilling noises, and tell us that `<target>` has been robotomized successfully 50% of the time. Otherwise, tell us it's a failure.
- **PresidentialPardonForm** (Required grades: sign 25, exec 5). Action: Tells us `<target>` has been pardoned by Zafod Beeblebrox.

All of these will have to take only one parameter in their constructor, which will represent the target of the form. For example, "home" if you want to plant shrubbery at home. Remember the form's attributes need to remain private, and in the base class.

Now you need to add a method `execute(Bureaucrat const & executor) const` to the base form, and implement a method executing the form's action in all the concrete forms. You have to check that the form is signed, and that the bureaucrat attempting to execute the form has a high enough grade, else you will throw an appropriate exception. Whether you want to make these checks in every concrete class or make the check-in the


base class then calling another method to execute the action is up to you, but one way is prettier than the other one. In any event, the base form must be an abstract class.

Finish this by adding an `executeForm(Form const & form)` function to the `bureaucrat`. It must `attempt` to execute the form, and if it's a success, print something like `<bureaucrat> executes <form>`. If not, print an explicit error message.

Add whatever you need to your `main` to test that everything works.

Chapter V

Exercise 03: At least this beats coffee-making

| | |
|---|---------------|
|  | Exercise : 03 |
| At least this beats coffee-making | |
| Turn-in directory : <i>ex03/</i> | |
| Files to turn in : Same as before + Intern.hpp Intern.cpp | |
| Forbidden functions : None | |

Because filling out forms is annoying enough, it would just be cruel to ask our bureaucrats to write them entirely by themselves. No, we'll just have an intern do that.

You're going to create the **Intern** class. The intern has no name, no grade, no defining characteristics whatsoever, we only care that it does its job.

The intern has one important thing, the **makeForm** function. It takes two strings, the first representing the name of a form, and the second one being the target for the form. It will return, as a pointer to **Form**, a pointer to whichever concrete form class is represented by the first parameter, initialized with the second parameter. It will print something like "Intern creates <form>" to the standard output. If it's using a worse method, like if/elseif/elseif/else branchings, or some other ugly stuff like this, it will not be accepted during the evaluation. If the requested form is not known, print an explicit error message.

For example, this would create a **RobotomyRequestForm** targeted on "Bender":

```
{
    Intern  someRandomIntern;
    Form*   rrf;

    rrf = someRandomIntern.makeForm("robotomy request", "Bender");
}
```

Your main must, of course, test all of this.