

[Dashboard](#)[Customer Ve...](#)[Organization...](#)[System Appli...](#)[Developers](#)

Developers

Environment	Base URL
Sandbox	https://ws.everify.gov.ph/api/dev
Production	https://ws.everify.gov.ph/api

Sandbox Variables

Tier I

client_id	tier-1-client-id
client_secret	tier-1-client-secret

Tier II

client_id	tier-2-client-id
client_secret	tier-2-client-secret

▼ **Sandbox QR Test Data (Show)**

Production Variables

▼ **Sandbox QR Test Data (Show)**

Kindly refer to your approved [System Application](#).

For Verification


For Liveness JS

For Fingerprint

POST Authorization

/auth

Use the access_token as Authroization for other endpoints. Header should have Authorization: Bearer your_access_token. access_token have an expiration of 30 minutes.



BODY

Name	Type	Description	Example
client_id	Text	The client ID for authentication	9cd12048-6d1c-4e33-abd5-c93ac73809cf
client_secret	Text	The client secret for authentication	SomeRandomCharactersHere123

Example Request (JSON)

```
{
  "client_id": "9cd12048-6d1c-4e33-abd5-c93ac73809cf",
  "client_secret": "SomeRandomCharactersHere123"
}
```


Example Response:

200 Success

POST **Verify**

/query

This endpoint will verify the personal information provided. The response is based from the Tier Level of the System applied.



REQUEST HEADERS

Accept application/json

Content-Type	application/json
Authorization	Bearer {{access_token}}

RESPONSE HEADERS

Query-Log-Id	0lasdfasdf	Transaction ID
Query-Log-Timestamp	2025-09-09 00:12:13	Transaction Timestamp

BODY

Name	Type	Description	Example
first_name	Text (max: 100)	Individual's first name	Juan
middle_name	Text (max: 100)	Individual's middle name	Santos
last_name	Text (max: 100)	Individual's last name	Dela Cruz
suffix	Text (max: 20)	Individual's suffix	JR
birth_date	Date (format: YYYY-MM-DD)	Individual's birth date	1989-09-12

Name	Type	Description	Example
face_liveness_session_id	Text (uuid)	Face liveness session is part of the response of face liveness JS sdk upon success face liveness verification.	1234567890
fingerprint	Object	Fingerprint data for the individual. This is another option for biometric verification. If you are using fingerprint, you must provide the fingerprint data in the biometrics array. Please refer to Fingerprint Docs for more information.	{ "biometrics": [{ "specVersion": "0.9.5", ... }] }

Example Request (JSON)

```
{
  "first_name": "Juan",
  "middle_name": "Santos",
  "last_name": "Dela Cruz",
  "suffix": "JR",
  "birth_date": "1989-09-12",
  "face_liveness_session_id": "1234567890"
  // "fingerprint": {
  //   "biometrics": [
  //     {
  //       ...
  //     }
  //   ]
}
```

```
// }  
}
```

Example Response:

200 Tier I Successful Verification ▾

```
{  
  "data": {  
    "verified": true  
  },  
  "meta": {  
    "tier_level": "Tier I"  
    "result_grade": 1  
  }  
}
```


Result Grade Legend

Value	Description
0	No result
1	Success
2	Failed on face matching
3	Failed on fingerprint matching
4	Failed on iris matching
7	Success on fingerprint matching

POST QR Query Check

/query/qr/check

This endpoint will validate the QR Code value, and respond the parsed value of the QR Code.



REQUEST HEADERS

Accept	application/json
---------------	------------------

Content-Type	application/json
---------------------	------------------

Authorization Bearer {{access_token}}

RESPONSE HEADERS

Query-Log-Id	0lasdfasdf	Transaction ID
Query-Log-Timestamp	2025-09-09 00:12:13	Transaction Timestamp

BODY

Name	Type	Description	Example
value	Text	Raw QR Code value. This may be from the QR Code of <i>PhilID</i> , <i>ePhilID</i> , <i>Digital National ID</i> , <i>PCN</i> or <i>Digital ID</i>	{"some": "raw qr code value"}

[See Example](#)

Example Request (JSON)

```
{
  "value": "AAA000"
}
```

Example Response:

200 Digital ID ▾


```
{
  "data": {
    "digital_id": "AAA000"
  },
}
```

```
"meta": {  
  "qr_type": "Digital ID"  
}
```

POST QR Query Verify

/query/qr

This endpoint will validate the QR Code value.



REQUEST HEADERS

Accept	application/json
Content-Type	application/json
Authorization	Bearer {{access_token}}

RESPONSE HEADERS

Query-Log-Id	0lasdfasdf	Transaction ID
Query-Log-Timestamp	2025-09-09 00:12:13	Transaction Timestamp

BODY

Name	Type	Description	Example
value	Text	Raw QR Code value. This may be from the QR Code of <i>PhilID</i> , <i>ePhilID</i> , <i>Digital National ID</i> , <i>PCN</i> or <i>Digital ID</i>	{"some": "raw qr code value"}
face_liveness_session_id	Text (uuid)	Face liveness session is part of the response of face liveness JS sdk upon success face liveness verification.	1234567890
fingerprint	Object	Fingerprint data for the individual. This is another option for biometric verification. If you are using fingerprint, you must provide the fingerprint data in the biometrics array. Please refer to Fingerprint Docs for more information.	{ "biometrics": [{ "specVersion": "0.9.5", ... }] }

[See Example](#)

Example Request (JSON)

```
{
  "value": "AAA000",
  "face_liveness_session_id": "1234567890"
```

```
// "face_url": "https://url.to/faces/image.jpg?with=expiration"
// "fingerprint": {
//   "biometrics": [
//     {
//       ...
//     }
//   ]
// }
}
```

Example Response:

200 Tier I Successful Verification ▼

```
{
  "data": {
    "verified": true
  },
  "meta": {
    "tier_level": "Tier I"
    "result_grade": 1
  }
}
```

Result Grade Legend

Value	Description
0	No result
1	Success
2	Failed on face matching
3	Failed on fingerprint matching

Value	Description
4	Failed on iris matching
7	Success on fingerprint matching