| | | | doris::vectorized:: | doris:::vectorized:: | |
|--|---|---|---|--|------------------------------------|
| | doris::vectorized:: FunctionArrayDistinct ::execute_impl | | doris::vectorized:: FunctionDateTimeStringToString ::execute_impl doris::vectorized:: FunctionReverseCommon ::execute_impl | doris::vectorized:: TransformerToStringTwoArgument ::vector_constant doris::vectorized:: ReverseImpl::vector | |
| | doris::vectorized:: ColumnArray::filter _string doris::vectorized:: ColumnArray::filter | doris::vectorized:: FunctionSplitByString ::execute_impl doris::vectorized:: FunctionArrayDistinct :: execute by type | doris::vectorized:: FunctionSplitByString ::_execute doris::vectorized:: FunctionArrayDistinct ::_execute_string | doris::vectorized:: ArrayReverseImpl::_execute | |
| | doris::vectorized:: ColumnArray::filter _generic doris::vectorized:: | ::_execute_by_type doris::vectorized:: ColumnArray::filter | ::_execute_string doris::vectorized:: ColumnArray::filter _string | | |
| | ColumnArray::filter _nullable doris::vectorized:: ColumnArray::filter _number | | doris::vectorized:: ColumnString::replicate doris::vectorized:: ColumnArray::replicate _number | | |
| | doris::vectorized:: ColumnArray::replicate _nullable doris::vectorized:: ColumnArray::replicate | doris::vectorized:: ColumnArray::replicate doris::vectorized:: ScalarColumnReader:: | doris::vectorized:: ColumnArray::replicate _string doris::vectorized:: ColumnSelectVector:: | | |
| | doris::vectorized:: ScalarColumnReader:: read_column_data | _read_nested_column doris::vectorized:: ScalarColumnReader:: _read_values | doris::vectorized:: ColumnDictionary::Dictionary::sort | | |
| | doris::vectorized:: ColumnDictionary::convert _to_predicate_column_if _dictionary | doris::vectorized:: ColumnDictionary::convert _dict_codes_if_necessary doris::vectorized:: stable_sort_block | doris::vectorized:: stable_get_permutation doris::vectorized:: HexStringImpl::vector | | |
| | | doris::vectorized:: FunctionMaskPartial ::execute_impl | doris::vectorized:: HexHLLImpl::vector doris::vectorized:: FunctionMaskPartial ::vector | | |
| | | doris::vectorized:: FunctionMask::execute_impl | doris::vectorized:: FunctionMask::vector_mask doris::vectorized:: TransferImpl::vector | | |
| | | | doris::vectorized:: InitcapImpl::vector doris::vectorized:: BitLengthImpl::vector | | |
| | | | doris::vectorized:: StringASCII::vector doris::vectorized:: StringLengthImpl::vector | | |
| | | | doris::vectorized:: StringUtf8LengthImpl ::vector | | |
| | | | doris::vectorized:: Transformer< FromType, ToType, ToYearImpl< FromType >>::vector | | |
| | | doris::vectorized:: FunctionDateOrDateTimeToString ::execute_impl | doris::vectorized:: TransformerToStringOneArgument ::vector doris::vectorized:: FunctionMultiSearchAllPositions Impl::vector_constant | | |
| | | | doris::vectorized:: FunctionMultiMatchAnyImpl ::vector_constant doris::vectorized:: DateTimeOp::vector_constant | | |
| doris::segment_v2:: | | | doris::vectorized:: FunctionMultiMatchAnyImpl ::vector_vector | | |
| doris::segment_v2:: SegmentIterator::_outputindex_result_column doris::segment_v2:: SegmentIterator::_readcolumns_by_rowids doris::segment_v2:: Constitution of the column of t | devieus a supervatus (Ou | devieus a gran out a 100 | DateTimeOp::vector_vector doris::segment_v2:: SegmentIterator::_build _index_result_column | | |
| doris::segment_v2:: SegmentIterator::next_batch SegmentIterator::next_batch doris::segment_v2:: SegmentIterator::next_batch doris::segment_v2:: SegmentIterator::next_batch doris::segment_v2:: SegmentIterator::lookup SegmentIterator::lookup Ordinal_from_sk_index doris::segment_v2:: SegmentIterator::lookup Ordinal_from_sk_index doris::segment_v2:: SegmentIterator::lookup Ordinal_from_sk_index doris::segment_v2:: SegmentIterator::lookup Ordinal_from_sk_index doris::segment_v2:: SegmentIterator::lookup Ordinal_from_sk_index | doris::segment_v2:: SegmentIterator::_read _columns | doris::segment_v2:: SegmentIterator::_prunecolumn doris::vectorized:: Block::copy_column_datato_block | doris::vectorized:: ColumnVector::insert _many_defaults doris::vectorized:: AggregationNode::_execute _with_serialized_key_helper | | |
| doris::segment_v2:: SegmentIterator::_output _column_by_sel_idx | doris::vectorized:: JniConnector::get_nex_block | doris::vectorized:: JniConnector::_fill_block | doris::vectorized:: JniConnector::_fillcolumn doris::vectorized:: | | |
| | doris::vectorized:: AggregationNode::prepare | doris::vectorized:: OrcReader::get_next_block doris::vectorized:: AggregationNode::prepare _profile | doris::vectorized:: AggregationNode::_merge _with_serialized_key_helper doris::vectorized:: OrcReader::_orc_column _to_doris_column | | |
| | doris::vectorized:: ColumnNullable::sort _column doris::vectorized:: ColumnString::sort_column | doris::vectorized:: ColumnSorter::sort_column | _to_doris_column doris::vectorized:: AggregationNode::_pre _agg_with_serialized_key doris::vectorized:: | | |
| doris::vectorized:: ColumnSorter::sort_column | doris::vectorized:: IColumn::sort_column doris::vectorized:: ColumnSorter::sort_column | doris::vectorized:: ColumnSorter::_sort _by_default doris::vectorized:: ColumnSorter::_sort _by_inlined_permutation | ColumnSorter::_shrink _to_fit doris::vectorized:: DecimalComparison::apply | | |
| | | _by_inlined_permutation doris::vectorized:: FunctionRounding::execute_impl | doris::vectorized:: Dispatcher::apply doris::vectorized:: DateTimeOp::constant _vector | | |
| | | doris::vectorized:: ColumnString::deserialize_vec doris::vectorized:: ColumnString::deserialize _vec_with_null_map | doris::vectorized:: DataTypeNullable::deserialize doris::vectorized:: ColumnString::deserialize _and_insert_from_arena | | |
| | doris::vectorized:: FunctionComparison:: execute_impl | _vec_with_null_map doris::vectorized:: FunctionComparison:: execute_string | doris::vectorized:: FunctionComparison:: | | |
| | oxoouto_mpi | doris::vectorized:: FunctionComparison:: execute_generic | execute_generic_identical_types doris::vectorized:: FunctionArrayConcat ::execute_impl | | |
| | | doris::vectorized:: DateTrunc::execute doris::vectorized:: ColumnNullable::insert _many_binary_data | doris::vectorized:: FunctionArrayConstructor ::execute_impl doris::vectorized:: FunctionArrayEnumerate ::execute_impl | | |
| | | doris::vectorized:: ColumnNullable::insert _many_continuous_binary_data doris::vectorized:: ColumnNullable::insert | doris::vectorized:: FunctionArrayEnumerateUniq ::execute_impl | | |
| doris::VSchemaChangeWith | | _many_dict_data doris::vectorized:: ColumnNullable::insert _many_fix_len_data | doris::vectorized:: FunctionComparison:: execute_num_const_right_type | resize | |
| Sorting::_inner_process doris::VSchemaChangeDirectly ::_inner_process doris::BlockChanger ::change_block doris::segment_v2:: DefaultValueColumnIterator DefaultValueColumnIterator | doris::segment_v2:: DefaultValueColumnIterator ::insert_default_data | doris::vectorized:: ColumnNullable::insert _many_raw_data doris::vectorized:: ColumnNullable::insert _not_null_elements | doris::vectorized:: FunctionComparison:: execute_num_right_type doris::vectorized:: DateTrunc::executeImpl | | |
| DefaultValueColumniterator ::read_by_rowids doris::segment_v2:: DefaultValueColumniterator ::_insert_many_default doris::segment_v2:: DefaultValueColumniterator ::next_batch | doris::vectorized:: DataTypeStruct::from _string | doris::vectorized:: ColumnNullable::insert _null_elements doris::vectorized:: ArrayColumnReader::read | doris::vectorized:: MakeDateImpl::executeImpl doris::vectorized:: StrToDate::executeImpl | | |
| | | _column_data doris::vectorized:: MapColumnReader::read _column_data | doris::vectorized:: ColumnVector::fill doris::vectorized:: fill_array_offset | | |
| | doris::vectorized:: VRepeatNode::get_next | doris::vectorized:: StructColumnReader:: read_column_data doris::vectorized:: VRepeatNode::pull | doris::vectorized:: fill_struct_null_map doris::vectorized:: functionUnaryExecuteType | | |
| doris::vectorized:: NewJsonReader::_simdjson doris::vectorized:: NewJsonReader::_simdjson doris::vectorized:: | doris::vectorized:: NewJsonReader::_simdjson | doris::vectorized:: ColumnDictionary::initialize _hash_values_for_runtime_filter doris::vectorized:: NewJsonReader::_simdjson | doris::vectorized:: ColumnDecimal::get_permutation doris::vectorized:: ColumnVector::get_permutation | | |
| readerinit_readerhandle_simple_json | _set_column_value doris::MemTable::serialize _block_to_row_column | _write_data_to_column doris::vectorized:: JsonbSerializeUtil:: block_to_jsonb | doris::vectorized:: IColumnDummy::get_permutation doris::vectorized:: VRepeatNode::get_repeated_block | | |
| | | doris::vectorized:: ConvInt64Impl::calculate_cell doris::vectorized:: ConvStringImpl::calculate_cell | doris::vectorized:: ColumnString::index_impl doris::vectorized:: ColumnDictionary::Dictionary ::initialize_hash_values _for_runtime_filter | | |
| | | doris::vectorized:: FunctionJsonQuoteImpl ::execute doris::vectorized:: FunctionJsonExtractImpl ::execute | doris::vectorized:: ColumnString::insert doris::vectorized:: ColumnString::insert_data | | |
| | doris::vectorized:: FunctionJsonAlwaysNotNullable ::execute_impl | doris::vectorized:: FunctionJsonAlwaysNotNullable ::execute doris::vectorized:: MoneyFormatDecimalImpl | doris::vectorized:: ColumnString::insert _data_without_reserve | | |
| | | doris::vectorized:: MoneyFormatDoubleImpl ::execute | doris::vectorized:: ColumnDecimal::insert _indices_from | | |
| | | doris::vectorized:: MoneyFormatInt64Impl ::execute doris::vectorized:: MoneyFormatInt128Impl ::execute | doris::vectorized:: ColumnString::insert _many_binary_data doris::vectorized:: PredicateColumnType ::insert_many_binary_data | | |
| | | doris::vectorized:: DataTypeJsonb::from _string doris::vectorized:: | doris::vectorized:: ColumnString::insert _many_continuous_binary_data | | |
| | | DataTypeString::from _string doris::vectorized:: ColumnString::get_shinked _column | PredicateColumnType ::insert_many_continuous _binary_data doris::vectorized:: PredicateColumnType ::insert_many_default_type | | |
| doris::vectorized:: SubReplaceFourImpl:: execute_impl | doris::vectorized:: SubReplaceImpl::replace _execute | doris::vectorized:: ColumnString::get_shrinked _column doris::vectorized:: SubReplaceImpl::vector | doris::vectorized:: PredicateColumnType ::insert_many_in_copy_way doris::vectorized:: ColumnString::insert | | |
| doris::vectorized:: SubReplaceThreeImpl ::execute_impl doris::vectorized:: | doris::vectorized:: | doris::vectorized:: ArrayJoinImpl::_execute _number doris::vectorized:: | doris::vectorized:: ColumnVector::insert _many_default_type | | |
| ArrayJoinImpl::execute | ArrayJoinImpl::_execute _by_type | ArrayJoinImpl::_executestring doris::vectorized:: ColumnString::insertindicesfrom | doris::vectorized:: ColumnDecimal::insert _many_defaults doris::vectorized:: ColumnString::insert _many_dict_data | | |
| | | doris::vectorized:: PredicateColumnType ::insert_many_fix_len_data doris::vectorized:: ColumnString::insert _many_strings_overflow | doris::vectorized:: ColumnDecimal::insert _many_raw_data | | |
| | | doris::vectorized:: AggregateFunctionsSingleValue ::serialize_to_column doris::vectorized:: | ColumnString::insert _many_strings_fixed_length doris::vectorized:: ColumnFixedLengthObject ::resize | | |
| | | doris::vectorized:: _many_raw_data doris::vectorized:: AggregateFunctionsSingleValue ::streaming_agg_serialize _to_column | doris::vectorized:: ColumnString::insert _range_from doris::vectorized:: ColumnVector::insert | | |
| | | doris::vectorized:: ColumnFixedLengthObject ::insert_indices_from doris::vectorized:: ColumnFixedLengthObject | zeroed_elements doris::vectorized:: ColumnDecimal::permutation doris::vectorized:: | | |
| | | ColumnFixedLengthObject ::insert_range_from | doris::vectorized:: ColumnString::pop_back doris::vectorized:: | | |
| | | | doris::vectorized:: ColumnVector::insert _many_in_copy_way | | |
| | main | doris::JniUtil::Init | doris::vectorized:: ColumnVector::resize doris::JavaNativeMethods ::resizeStringColumn | | |
| | | | doris::vectorized:: ColumnString::insert _many_strings_without _reserve doris::vectorized:: ExtractSubstringImpl ::vector | | |
| | | doris::vectorized·· | doris::vectorized:: CutSubstringImpl::vector doris::vectorized:: FunctionMultiSearchAllPositions | | |
| | doris::vectorized:: PredicateColumnType ::filter_by_selector | doris::vectorized:: PredicateColumnType ::insert_string_to_res _column doris::vectorized:: ColumnVector::insert _many_fix_len_data | FunctionMultiSearchAllPositions Impl::vector_vector | doris::vectorized:: ColumnVector::insert _date_column | |
| | | doris::vectorized:: PredicateColumnType ::insert_date32_to_res _column | | doris::vectorized:: ColumnVector::insert _datetime_column doris::vectorized:: ColumnVector::reserve | |
| | | doris::vectorized:: RangeTwoImpl::execute_impl doris::vectorized:: RangeThreeImpl::execute_impl doris::vectorized:: | doris::vectorized:: RangeImplUtil::range _execute doris::vectorized:: ColumnVector::replicate | doris::vectorized:: FunctionArrayRemove ::_execute_number doris::vectorized:: FunctionArrayRemove :: execute string | |
| | | doris::vectorized:: RangeOneImpl::execute_impl doris::vectorized:: FunctionArrayRemove ::execute_impl | doris::vectorized:: FunctionArrayRemove ::_execute_non_nullable | doris::vectorized:: ArrayFilterFunction ::execute | alloc_for_num_elements |
| | | | | doris::vectorized:: FunctionArrayPopback ::execute_impl doris::vectorized:: FunctionArrayPopfront ::execute_impl | reserve minimum_memory_forelements |
| | | | | ::execute_impl doris::vectorized:: FunctionArraySlice:: execute_impl | |
| | | | | doris::vectorized:: FunctionArraySortBy ::execute_impl doris::vectorized:: FunctionArrayWithConstant ::execute_impl | |
| | | doris::vectorized:: ColumnNullable::filter | doris::vectorized:: ColumnNullable::filter | doris::vectorized:: ColumnDecimal::filter doris::vectorized:: ColumnVector::filter | |
| | | | | doris::vectorized:: IColumn::get_indices _of_non_default_rows_impl doris::vectorized:: ColumnArray::index_impl | |
| | | | doris::vectorized:: ColumnNullable::replicate | ColumnArray::index_impl doris::vectorized:: ColumnDecimal::replicate doris::vectorized:: | reserve_for_next_size |
| | | | ColumnNullable::replicate doris::vectorized:: | doris::vectorized:: ColumnArray::reserve | |
| | | | ColumnDecimal::replicate | doris::vectorized:: ColumnDictionary::reserve | |
| | | | | doris::vectorized:: ColumnNullable::reserve doris::vectorized:: ColumnString::reserve | |
| | | doris::vectorized:: FunctionRight::execute_impl doris::vectorized:: Substr3Impl::execute_impl | doris::vectorized:: SubstringUtil::substring | doris::vectorized:: PredicateColumnType ::reserve doris::vectorized:: | |
| | | doris::vectorized:: Substr2Impl::execute_impl doris::vectorized:: FunctionLeft::execute_impl | dons::vectorized:: SubstringUtil::substring _execute | SubstringUtil::vector doris::vectorized:: BitmapToString::vector | |
| | | | | push_back_raw | |