

# Bypassing

Version 1.0  
Contact information

## Paths

/

GET /

Summary

Untitled Endpoint\_GET

Responses

Code	Description	Headers	Schema	Examples				
200	<table><thead><tr><th>Name</th><th>Description</th><th>Type</th><th>Details</th></tr></thead><tbody></tbody></table>	Name	Description	Type	Details		<div>↔</div> <div>▼ Response { name: string }</div>	<div>application/json</div> <div>► Object</div>
Name	Description	Type	Details					

Try this operation

Summary

post

Parameters

Name	Located in	Description	Required	Schema
body	body		No	<div><div>↔</div><div><div>▼Request {</div><div>name: string *</div><div>type: string *</div></div></div>

Responses

Code	Description	Headers		Schema	Examples
200	OK			<div><div>↔</div><div><div>▼Response1 {</div><div>name: string *</div><div>type: string *</div></div></div>	<div><div>application/json</div><div>► Object</div></div>
400	Bad Request			<div><div>↔</div><div><div>▼ {</div></div></div>	

Try this operation

Summary

delete

Parameters

Name	Located in	Description	Required	Schema
body	body		No	<div><div>↔</div><div><div>▼Request1 {</div><div>name: string *</div></div></div>

Responses

Code	Description	Headers				Schema	Examples
200	OK	Name	Description	Type	Details	▼Response2 {	application/json ▶ Object
						↔ name: string *	
400	Bad Request	Name	Description	Type	Details	↔ ▼ {	
						}	

Try this operation

/clearall

DELETE /clearall

## Summary

delete-clearall

## Responses

Code	Description	Headers		
<b>200</b>	OK	<b>Name</b>	<b>Description</b>	<b>Type</b> <b>Details</b>

Try this operation

/{{instance}}/channel

GET /{{instance}}/channel

## Summary

get-instance

## Parameters

Name	Located in	Description	Required	Schema
instance	path		Yes	↔ string

## Responses

Code	Description	Headers		
<b>200</b>		<b>Name</b>	<b>Description</b>	<b>Type</b> <b>Details</b>

Try this operation

## POST /{instance}/channel

### Summary

post-instance-channel

### Parameters

Name	Located in	Description	Required	Schema
instance	path		Yes	⇔ string
body	body		No	⇔ <div>▼ { }</div>

### Responses

Code	Description	Headers				
200	OK	<table><tr><th>Name</th><th>Description</th><th>Type</th><th>Details</th></tr></table>	Name	Description	Type	Details
Name	Description	Type	Details			

Try this operation

/ {instance}/rules

GET /{instance}/rules

Summary

get-instance-rules

Parameters

Name	Located in	Description	Required	Schema
instance	path		Yes	↔ string

Responses

Code	Description	Headers			
200		Name	Description	Type	Details

Try this operation

## POST /{instance}/rules

### Summary

post-instance-rules

### Parameters

Name	Located in	Description	Required	Schema
instance	path		Yes	↔ string

### Responses

Code	Description	Headers			
200	OK	Name	Description	Type	Details

Try this operation

## Models

### Response

```
▼ Response {  
  ↔ name: string  
}
```

### Request

```
▼ Request {  
  ↔ name: string *  
  ↔ type: string *  
}
```

## Response1

```
▼Response1 {  
  name: string *  
  ⇌  
  type: string *  
}
```

## Request1

```
▼Request1 {  
  ⇌ name: string *  
}
```

## Response2

```
▼Response2 {  
  ⇌ name: string *  
}
```