Scaled all-settings screening · screen
T=400 · 4 paired repetitions/cell · 45 source layouts / 540 cells · 40 methods executed

SRC-R versus each comparator

	F17 K 2–20	Adaptive K 2–28	Dense K 100 → 20–30	Dense K 500 → 40	Dense K 2000 → 80	Scale K 4000 → 100	All cells equal cells (primary)	Balanced sections equal sections (secondary)
IMED	-25.9%	-24.5%	-27.8%	-24.7%	-19.8%	-15.0%	-23.1%	-20.5%
UCB1	-74.6%	-65.0%	-67.3%	-57.5%	-42.2%	-29.4%	-60.5%	-50.1%
AUER	-80.1%	-70.0%	-73.1%	-63.0%	-46.7%	-33.5%	-66.4%	-56.0%
Growing-MOSS	-58.9%	-50.4%	-44.8%	-36.8%	-27.2%	-15.2%	-42.5%	-31.5%
ACI	-47.7%	-38.3%	-25.4%	-7.8%	+4.1%	+20.8%	-22.9%	-4.3%
Clipped-ACI	-47.6%	-38.3%	-25.3%	-7.8%	+4.1%	+21.0%	-22.9%	-4.2%
TS	-49.5%	-49.2%	-36.8%	-30.2%	-17.8%	-18.0%	-36.3%	-26.5%
KL-UCB-c0	-52.5%	-48.6%	-44.1%	-35.5%	-20.4%	-14.4%	-38.7%	-28.5%
KL-UCB-c3	-61.6%	-55.5%	-53.8%	-42.7%	-24.5%	-16.9%	-46.4%	-34.9%
KL-UCB+	-51.8%	-48.2%	-44.6%	-38.2%	-24.0%	-16.3%	-39.6%	-30.4%
UCB1-Tuned	-49.9%	-44.3%	-38.6%	-33.3%	-23.5%	-14.1%	-36.4%	-27.2%
UCB-V	-79.9%	-70.4%	-74.4%	-65.0%	-49.4%	-35.6%	-67.3%	-57.7%
Bayes-UCB	-37.5%	-38.2%	-27.4%	-20.4%	-4.8%	-5.4%	-24.5%	-14.7%
Empirical-KL-UCB	-35.9%	-37.1%	-35.9%	-34.5%	-28.1%	-19.0%	-32.7%	-28.1%
SB-EXP3-ATGT	-82.3%	-76.2%	-74.5%	-62.6%	-46.9%	-38.9%	-69.5%	-58.5%
BL-MOSS-b0.5	-62.3%	-54.8%	-50.2%	-29.7%	+1.6%	-3.7%	-40.8%	-23.9%
BL-MOSS-b1	-61.3%	-62.6%	-40.4%	-13.0%	+27.5%	+17.7%	-38.3%	-11.6%
BL-MOSS-b2	-71.9%	-71.6%	-38.5%	-9.0%	+41.5%	+46.7%	-47.5%	-10.6%
UCB-log2t-c3	-77.2%	-67.3%	-70.1%	-60.2%	-44.5%	-31.0%	-63.3%	-52.9%
MOSS-T-currentK	-62.3%	-54.2%	-51.7%	-44.0%	-33.2%	-19.8%	-47.6%	-37.4%
TS-Jeffreys	-49.6%	-49.1%	-38.6%	-31.6%	-18.8%	-16.8%	-36.7%	-26.9%
TS-SMAB-bounded	-54.4%	-51.4%	-39.4%	-31.8%	-18.3%	-17.9%	-38.9%	-28.0%

SRC-KL-R versus each comparator

	F17 K 2–20	Adaptive K 2–28	Dense K 100 → 20–30	Dense K 500 → 40	Dense K 2000 → 80	Scale K 4000 → 100	All cells equal cells (primary)	Balanced sections equal sections (secondary)
IMED	+37.4%	+20.5%	-5.4%	-19.0%	-31.8%	-35.9%	-4.5%	-22.1%
UCB1	-53.0%	-44.1%	-57.2%	-54.3%	-50.9%	-46.8%	-50.9%	-51.2%
AUER	-63.2%	-52.0%	-64.7%	-60.2%	-54.7%	-49.9%	-58.3%	-56.9%
Growing-MOSS	-23.8%	-20.8%	-27.7%	-32.0%	-38.1%	-36.1%	-28.6%	-32.9%
ACI	-3.0%	-1.5%	-2.3%	-0.8%	-11.5%	-9.0%	-4.3%	-6.3%
Clipped-ACI	-2.8%	-1.5%	-2.2%	-0.7%	-11.5%	-8.8%	-4.2%	-6.2%
TS	-6.4%	-18.9%	-17.3%	-24.9%	-30.1%	-38.2%	-20.8%	-28.1%
KL-UCB-c0	-12.0%	-18.0%	-26.8%	-30.7%	-32.3%	-35.5%	-23.9%	-30.0%
KL-UCB-c3	-28.7%	-28.9%	-39.5%	-38.4%	-35.8%	-37.4%	-33.4%	-36.3%
KL-UCB+	-10.6%	-17.3%	-27.5%	-33.5%	-35.4%	-37.0%	-25.0%	-31.8%
UCB1-Tuned	-7.0%	-11.1%	-19.6%	-28.2%	-35.0%	-35.3%	-21.0%	-28.7%
UCB-V	-62.7%	-52.7%	-66.4%	-62.4%	-57.0%	-51.5%	-59.3%	-58.5%
Bayes-UCB	+15.9%	-1.3%	-4.9%	-14.4%	-19.1%	-28.7%	-6.2%	-16.5%
Empirical-KL-UCB	+18.8%	+0.5%	-16.1%	-29.5%	-38.9%	-38.9%	-16.4%	-29.6%
SB-EXP3-ATGT	-67.1%	-62.0%	-66.6%	-59.7%	-54.9%	-54.0%	-62.2%	-59.3%
BL-MOSS-b0.5	-30.1%	-27.8%	-34.8%	-24.4%	-13.7%	-27.5%	-26.5%	-25.5%
BL-MOSS-b1	-28.3%	-40.3%	-21.9%	-6.4%	+8.3%	-11.3%	-23.4%	-13.5%
BL-MOSS-b2	-47.9%	-54.7%	-19.5%	-2.1%	+20.3%	+10.5%	-34.7%	-12.5%
UCB-log2t-c3	-57.8%	-47.7%	-60.9%	-57.2%	-52.9%	-48.0%	-54.4%	-53.9%
MOSS-T-currentK	-30.1%	-26.8%	-36.7%	-39.8%	-43.3%	-39.6%	-35.0%	-38.7%
TS-Jeffreys	-6.6%	-18.8%	-19.5%	-26.4%	-31.0%	-37.3%	-21.4%	-28.4%
TS-SMAB-bounded	-15.5%	-22.4%	-20.6%	-26.6%	-30.6%	-38.2%	-24.1%	-29.5%



Each value = 100 × (candidate macro mean / comparator macro mean − 1). Negative means less regret. All-cells primary pools cells equally; balanced secondary weights six source sections equally.
Reduced horizons/arm sets are transformed environments, not the original full-size experiment. Small-n descriptive estimates: no significance stars or superiority claims.
Colors saturate outside ±100%; printed values and CSV retain full magnitudes. Zero comparator means are undefined (—). Nominal paired delta-method intervals are in CSV.