EUDAMED user guide

Public API

Playground v 3.22.0
2025

ground

Table of Contents

1. Introduction 1
2. Actor data 5
3. Device data 10

Playground

1 Introduction

The Public EUDAMED API allows to downloads public data from EUDAMED.

Click the following link to access the EUDAMED Public API

NOTE
You can also click the following link to get to the full catalogue of APIs SANTE has to offer.

How does it work?

Data is synced between EUDAMED and the SANTE Data Platform.

This process happens automatically on two different occasions: Once daily for non-production systems, and every two hours for production systems.

Who can use the Public API

By nature, the API is public and therefore not restricted to anyone.

Any individual or organisation is able to download public data of EUDAMED through the API.

As the API is a "Standards Rest API", the data can be integrated directly into 3rd party software, without the need of making a "copy" of the data, which results in better data quality.

Reference data is available on the API and could be incorporated by organisations in their own systems.

The data is available only in JSON format.

Output reading methods and exceptions

The only HTTP method available for any of the REST endpoints is **GET**. Using any other method or Verb will result in a "404 resource not found" response.

Playground

Standard query parameters

Parameter	Description	Allowable values
api-version	The version of the API to use. Currently, there is only 1 version of the API so this will always be the same	v1.0

Response object format and pagination of long results sets


```
{
    "value": [
        {
            "ID": -200.0,
            "CODE": "RISK_CLASS_ID",
            "LANGUAGE": "lt",
            "VALUE": "B klasė"
        },
        {
            "ID": -203.0,
            "CODE": "RISK_CLASS_ID",
            "LANGUAGE": "pl",
            "VALUE": "Klasa I"
        },
        ...
        {
            "ID": -219.0,
            "CODE": "RISK_CLASS_ID",
            "LANGUAGE": "bg",
            "VALUE": "    (IVD)  "
        }
    ],  "nextLink": URL To get Next results if there are more
}
```


When conducting a search, the API returns 100 results at a time. If the requested dataset has more than 100 records, the payload will create a custom link (nextLink) to retrieve the next 100. If there are no more records, the nextLink key will not be present in the response object:

Playground



How to read the files

Once you have launched a search and you have your data, you can copy the GET link into your database to fetch the necessary information:



The nextLink file can be used to continue and fetch the information until there are no more nextLinks left.

The response also appears under the request section:

Playground

HTTP response

```
HTTP/1.1 200 OK

content-length: 146141
content-type: application/json; charset=utf-8
date: Fri, 14 Feb 2025 16:22:04 GMT
vary: Origin
x-ms-correlation-id: 7cab6f7c-6b1b-42bb-babd-60aca87b98c8

{
    "value": [{
            "ID": 1921.0,
            "UDI_DI_DATA_ULID": "01HWQ75J67D8W1N9SMWRKHTC3S",
            "UUID": "5079bc21-87e3-4cb4-8b61-67cca6a3515f",
            "TRADE_NAME": null,
            "REFERENCE": "sdfvg",
            "PLACED_ON_THE_MARKET_ID": null,
            "LATEST_VERSION": 1.0,
            "CMR_SUBSTANCE": 0.0,
            "ENDOCRINE_DISRUPTOR": 0.0,
            "LATEX": 0.0,
            "REPROCESSED": 0.0,
            "STERILE": 0.0,
            "STERILIZATION": 0.0,
            "NEW_DEVICE": null,
            "VERSION_NUMBER": 1.0,
            "PRIMARY_DI": "66666drfgdfSH",
            "BASIC_UDI": "66666drfgdfSH",
            "BASIC_UDI_DATA_UUID": "76c6f29a-30d3-4fe4-bb96-f
4868ffb9fec",
            "BASIC_UDI_DATA_ULID": "01HWQ73TY43GXGMQ5588TV5FQ
Z",
            "ACTIVE": 0.0,
            "ADMINISTERING_MEDICINE": 0.0,
            "ANIMAL_TISSUES": 0.0,
            "COMPANION_DIAGNOSTICS": null,
            "HUMAN_TISSUES": 0.0,
            "IMPLANTABLE": 0.0,
            "KIT": null,
            "MEASURING_FUNCTION": 0.0,
            "MICROBIAL_SUBSTANCES": null,
```

Playground

2 Actor data

NOTE
If you have the information you wish to search for beforehand, you can continue. If not, please refer to the Getting Started [1] section and grab the information you need before continuing.

NOTE
By default, you will arrive to the Actors section of the API.

Find all Actors in a country

1. With the information at hand (in this case, the ISO code for the country), navigate to the SANTE Datalake and click on **Try it** on the right side of the screen:



2. When the sidebar opens, search for the field called ACT_COUNTRY_ISO2_CODE and enter the two-letter code for the country related to your query:

Playground



3. Scroll to the bottom of the sidebar and click on **Send**:



4. The result will display all of the Actors based on the country you have specified:



NOTE
In order to view the results or import them somewhere else, follow the steps found here

Find all Actors of a type in a country

1. On the sidebar, enter the type of Actor and country code in the following fields:



2. Scroll to the bottom of the sidebar and click on **Send**.

3. The result will display all of the Actors of a certain type in a specific country.

Find Actor Data from the Actor ID/SRN

1. On the sidebar, enter the Actor ID/SRN code in the ACTOR_ID field:



2. Scroll to the bottom of the sidebar and click on **Send**.

3. The result will display all of the available information related to the Actor ID/SRN you provided.

Find all Actors linked to a specific Competent Authority

1. On the sidebar, enter the Competent Authority's name in the CA_NAME field:



2. Scroll to the bottom of the sidebar and click on **Send**.

3. The result will display all of the Actors linked to the Competent Authority you provided.

> **NOTE**
> There are a few more fields in the pre-defined section that are not explained here, but follow the same idea.

Query parameters and Response objects

Here is a table of the fields when using the API for the Actor module:

Query Parameters (Path: /actors)

Parameter	Description	Data type / Source	Available options
actor_id	The Actor ID/SRN of the Actor	String	Actor ID/SRN of an actor
name	The Actor's name	String	Any string value
abbreviated_name	The abbreviated name of the Actor	String	Any string value
actor_type	The Actor type (see available options) column	String	• Competent Authority • Designating Authority • Importer • Authorised Representative • System/Procedure Pack Producer • Manufacturer • Notified Body

Parameter	Description	Data type / Source	Available options
act_country_iso2_code	The country code where the Actor is	String	Any valid two-letter ISO2 country code (e.g. be, ie, fr..)
ca_name	The name of the CA linked to the Actor	String	Any string value
ca_actor_id	The Actor ID of the CA linked to the Actor	String	Any string value

Playground

3 Device data

NOTE
By default, you will arrive to the Actors section of the API.

You will need to change to the devices section by clicking on **UDI** on the left side of the screen:



Find all Devices from a Manufacturer

Playground

1. On the sidebar, search for the pre-defined field MF-SRN, add the Actor ID/SRN number of the Manufacturer to the field (scroll for a bit):



2. Scroll to the bottom of the sidebar and click on **Send**:



3. The result will display all the devices related to that Manufacturer.

Find a device by UDI-DI

1. On the sidebar, search for the pre-defined PRIMARY_UDI field, add the UDI-DI of the device to the field:

2. Click on **Send**.

3. The result will display all the information related to the device based on the UDI-DI provided.

Playground

Find all devices for a Basic UDI-DI

1. On the sidebar, search for the pre-defined BASIC_UDI field, add the Basic UDI-DI of the device to the field:

2. Click on **Send**.

3. The result will display all of the information related to the device based on the Basic UDI-DI provided.

Find devices for a trade name

1. On the sidebar, search for the pre-defined TRADE_NAME field, add the trade name of the device to the field:

2. Click on **Send**.

3. The result will display all of the information related to the device based on the trade name provided.

Find devices for a device model

1. On the sidebar, search for the pre-defined DEVICE_MODEL field, add the device model of the device to the field:

2. Click on **Send**.

3. The result will display all of the information related to the device based on the device model provided.

Find all Class III devices (reference lookup)

A risk-class search requires some extra steps in order to display a specific result, you first need to know the value that your risk class has in the system, follow the steps below to do so:

1. Head over to the Reference section of the API and click on **Try** to open the sidebar:



2. Add the value "RISK_CLASS_ID" to the "CODE" field and then click on **Send**:

> **NOTE**
> Risk classes contain all language variants in EUDAMED. In order to conduct a more precise search, you can set the "LANGUAGE" field to the language of your choice (we will use English for this example), use the two-letter code for your country (e.g, EN, BE, IT etc.)

3. The list will display all risk classes available in EUDAMED, search for the risk class you need in the result. (in this example, risk class III)

4. Once you've located the risk-class, you will notice four parameters for it, in this case we need the "ID" parameter:

Playground

```
{
    "ID": -155.0,
    "CODE": "RISK_CLASS_ID",
    "LANGUAGE": "en",
    "VALUE": "IVD Annex II List A"
},
{
    "ID": -10.0,
    "CODE": "RISK_CLASS_ID",
    "LANGUAGE": "en",
    "VALUE": "Class III"
},
{
    "ID": -157.0,
    "CODE": "RISK_CLASS_ID",
    "LANGUAGE": "en",
    "VALUE": "IVD General"
},
{
    "ID": -200.0,
    "CODE": "RISK_CLASS_ID",
    "LANGUAGE": "en",
    "VALUE": "Class B"
},
```


5. Copy any number that appears after the "ID" value. This number is what the risk class is identified as in EUDAMED.

6. Now, go back to the UDI section of the API and click on **Try** again to open the sidebar.

7. In the field "RISK_CLASS_ID", add the value you found before (in this case, risk class III is identified as "-10"):



8. Click on **Send**.

9. The browser will display ALL the devices linked to the risk class provided.

Query parameters and Response objects

Query parameters

Parameter	Description	Data type / Source	Available options
primary_di	The Device Identifier for the device (UDI-DI)	String	Any string value
basic_udi	The Basic UDI of the device "family"	String	Any string value
mf_srn	The Actor ID/SRN of the device Manufacturer	String	Any string value
trade_name	The Trade name of the device	String	Any string value
device_name	The Name of the device	String	Any string value
device_model	The model of the device	String	Any string value
reference	The reference of the device	String	Any string value
nomenclature_code	The EMDN reference code assigned to the device	String	Any valid EMDN code
risk_class_id	The reference to the Risk Cass of the device	String	A Valid Risk Class ID from the list reference code RISK_CLASS_ID
applicable_legislation_id	The reference to the Applicable Legislation for the device	String	A Valid Legislation ID from the list for reference code APPLICABLE_LEGISLATION_ID
placecd_on_the_market_id	The reference to the for placed on the market	String	A Valid Place on the Market ID from the list for reference code PLACED_ON_THE_MARKET_ID

Playground

European Commission