













**Filename: 2024-09-13 - 13.33.26.HSRNA**


**Sample Info**

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	-	-	3130	Ladder		Caution! Expired ScreenTape device; Ladder
B1	-	-	333	4		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
C1	-	-	271	5		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
D1	-	-	246	8		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
E1	-	-	288	9		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
F1	-	-	275	15		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
G1	-	-	263	16		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
H1	-	-	272	20		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay
A2	-	-	339	21		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
B2	-	-	283	26		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited
C2	-	-	211	27		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited



Default image (Contrast 50%), Image is Scaled to Sample

A1: Ladder




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	-	-	3130	Ladder		Caution! Expired ScreenTape device; Ladder

Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
200	91.8	-	1350	3.72		
500	642	-	3780	26.05		
1000	516	-	1520	20.94		
2000	603	-	887	24.48		
4000	474	-	348	19.24		
6000	137	-	67.2	5.57		

B1: 4




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
B1	-	-	333	4	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
2031	44.5	-	64.5	58.31		18S edited
7672	31.9	-	12.2	41.69		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	5329	199	110	59.70	dv200	
-----	-------	------	-----	-----	-------	-------	---

C1: 5




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
C1	-	-	271	5	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
2330	53.2	-	67.1	70.74		18S edited
8355	22.0	-	7.74	29.26		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	5053	167	97.0	61.63	dv200	
-----	-------	------	-----	------	-------	-------	---

D1: 8




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
D1	-	-	246	8	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited

Peak Table


Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
2323	37.5	-	47.5	68.43		18S edited
6403	17.3	-	7.95	31.57		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------



200	10000	4491	166	109	67.53	dv200	
-----	-------	------	-----	-----	-------	-------	---

E1: 9




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
E1	-	-	288	9	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1682	52.8	-	92.3	72.36		18S edited
5947	20.2	-	9.97	27.64		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4845	182	111	63.35	dv200	
-----	-------	------	-----	-----	-------	-------	---

F1: 15




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
F1	-	-	275	15	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
2137	39.6	-	54.5	65.20		18S edited
6714	21.1	-	9.26	34.80		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4775	163	101	59.40	dv200	
-----	-------	------	-----	-----	-------	-------	---

G1: 16




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
G1	-	-	263	16	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1894	45.1	-	70.1	71.05		18S edited
5983	18.4	-	9.04	28.95		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4442	176	116	66.72	dv200	
-----	-------	------	-----	-----	-------	-------	---

H1: 20




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
H1	-	-	272	20		Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1594	55.8	-	103	78.02		18S
5136	15.7	-	9.00	21.98		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
200	10000	4006	180	132	66.19	dv200	



A2: 21




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
A2	-	-	339	21	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1467	66.2	-	133	70.24		18S edited
6290	28.0	-	13.1	29.76		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4861	204	124	60.31	dv200	
-----	-------	------	-----	-----	-------	-------	---

B2: 26




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
B2	-	-	283	26	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1584	51.6	-	95.8	70.54		18S edited
6988	21.6	-	9.07	29.46		28S edited




Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4797	174	107	61.44	dv200	
-----	-------	------	-----	-----	-------	-------	---

C2: 27




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
C2	-	-	211	27	<div></div>	Caution! Expired ScreenTape device; Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
2461	45.3	-	54.1	72.80		18S edited
5214	16.9	-	9.55	27.20		28S edited



Region Table

From [nt]	To [nt]	Average Size [nt]	Conc. [pg/ul]	Region Molarity [pmol/l]	% of Total	Region Comment	Color
-----------	---------	-------------------	---------------	--------------------------	------------	----------------	-------

200	10000	4371	152	102	72.20	dv200	
-----	-------	------	-----	-----	-------	-------	---