

# zinit-additional.zsh(1)

## NAME

zinit-additional.zsh - a shell script

## SYNOPSIS

Documentation automatically generated with `zshelldoc`

## FUNCTIONS

```
:zi::tmp-subst-source  
_zi::clear-debug-report  
_zi::debug-start  
_zi::debug-stop  
_zi::debug-unload  
_zi::service  
_zi::wrap-track-functions
```

## DETAILS

### Script Body

Has 1 line(s). No functions are called (may set up e.g. a hook, a Zle widget bound to a key, etc.).

### **:zi::tmp-subst-source**

Has 25 line(s). Calls functions:

```
:zi::tmp-subst-source  
'-- zinit.zsh/+zi::message
```

Uses feature(s): *a*

Not called by script or any function (may be e.g. a hook, a Zle widget, etc.).

### **\_zi::clear-debug-report**

Forgets dtrace report gathered up to this moment.

Has 1 line(s). Calls functions:

```
_zi::clear-debug-report  
'-- zinit-autoload.zsh/_zi::clear-report-for
```

Called by:

```
zinit-autoload.zsh/_zi::unload  
zinit.zsh/zinit
```

## **\_zi::debug-start**

Starts Dtrace, i.e. session tracking for changes in Zsh state.

Has 9 line(s). Calls functions:

```
_zi::debug-start  
|-- zinit.zsh/+zi::message  
|-- zinit.zsh/_zi::diff  
'-- zinit.zsh/_zi::tmp-subst-on
```

Called by:

```
zinit.zsh/zinit
```

## **\_zi::debug-stop**

Stops Dtrace (i.e., session tracking for changes in Zsh state).

Has 3 line(s). Calls functions:

```
_zi::debug-stop  
|-- zinit.zsh/_zi::diff  
'-- zinit.zsh/_zi::tmp-subst-off
```

Called by:

```
zinit.zsh/zinit
```

## **zi::debug-unload**

Reverts changes detected by dtrace run.

Has 6 line(s). Calls functions:

```
_zi::debug-unload
|-- zinit-autoload.zsh/_zi::unload
`-- zinit.zsh/+zi::message
```

Uses feature(s): `c`

Called by:

zinit.zsh/zinit

## **zi::service**

Handles given service, i.e. obtains lock, runs it, or waits if no lock

```
$1 - type "p" or "s" (plugin or snippet)
$2 - mode - for plugin (light or load)
$3 - id - URL or plugin ID or alias name (from id-as'')
```

Has 37 line(s). Calls functions:

```
_zi::service
|-- zinit.zsh/_zi::load
`-- zinit.zsh/_zi::load-snippet
```

Uses feature(s): `, ad,`

Not called by script or any function (may be e.g. a hook, a Zle widget, etc.).

## **zi::wrap-track-functions**

Has 19 line(s). Doesn't call other functions.

Uses feature(s): `a`

Not called by script or any function (may be e.g. a hook, a Zle widget, etc.).