

Resolving Zimbra Monitor Server Status Discrepancies

Zimbra Collaboration includes the **Zimbra Logger** package, which captures and displays server statistics and statuses in the Admin Console.

The **Server Status** page lists all servers and services, their current status, and the time of the last status check.

However, in some cases, particularly in multi-server environments, the Server Status page may display incorrect information.

For example, a central Logger host might fail to collect statistics from other servers, falsely reporting that services are down, even though a manual check using the *zmcontrol* status command confirms that they are running correctly.

This article provides a checklist to help resolve such inconsistencies in the Admin Console display.


For more details, you can also refer to the official documentation:

[Zimbra Multi-Server Installation Guide](#).

How Zimbra Logger works:

Zimbra can be configured to send logs to a syslog server on port 514, allowing centralized logging and analysis.

Zimbra Centralized Logging Architecture



Troubleshooting scenario:

In the **Zimbra Web Administration Console**, some or all services may be incorrectly displayed as **stopped**. However, when running the following command in the terminal, all Zimbra services appear to be running:



```
$ sudo su - zimbra -c 'zmcontrol status'
```

Example Output:

Host mail.example.com

amavis	Running
antispam	Running
antivirus	Running
dnscache	Running
ldap	Running
logger	Running
mailbox	Running
memcached	Running
mta	Running
opendkim	Running
proxy	Running
service webapp	Running
snmp	Running
spell	Running
stats	Running
zimbra webapp	Running
zimbraAdmin webapp	Running
zimlet webapp	Running
zmconfigd	Running

Resolution Steps

1. Fix File Permissions

On the client host where Ensure Zimbra file permissions are correctly set:

```
sudo /opt/zimbra/libexec/zmfixperms -extended
```

2. Install and Enable rsyslog

Zimbra relies on rsyslog for service monitoring. Make sure it is installed and enabled:

For Debian / Ubuntu:

```
sudo apt update
sudo apt install rsyslog
sudo systemctl enable rsyslog
```

For RHEL / CentOS / Rocky Linux:

```
sudo dnf install rsyslog -y
sudo systemctl enable rsyslog
```

3. Configure Remote Rsyslog (if applicable)

If using a **remote rsyslog server**, update the configuration:

```
sudo vim /etc/rsyslog.conf
```

Uncomment the following lines:

```
module(load="imudp")
input(type="imudp" port="514")
```

Note: The format may vary depending on the version.

```
$ModLoad imudp
$UDPServerRun 514
```

Restart the rsyslog service:

```
sudo systemctl restart rsyslog
```

4. Verify UDP Port 514 Accessibility

Confirm that the logger server's UDP port 514 is reachable from the source hosts.

5. Enable Zimbra to Output System Logs

Run the following script to set up logging:

```
sudo /opt/zimbra/libexec/zmsyslogsetup
```

6. Verify and Configure zimbraLogHostname

Check the current log hostname:

```
sudo su - zimbra -c 'zmprov gacf | grep zimbraLogHostname'
```

If it does not match the hostname of the logger monitor, update it:

```
sudo su - zimbra -c 'zmprov mcf zimbraLogHostname <logger-monitor-hostname>'
```

7. Initialize Logger Services

Re-initialize the logger services:

```
sudo su - zimbra -c /opt/zimbra/libexec/zmloggerinit
```

```
sudo systemctl restart rsyslog
```

8. Update Zimbra Authentication Keys

```
sudo su - zimbra -c 'zmupdateauthkeys'
```

9. Restart Zimbra Services

You can restart all Zimbra services:

```
sudo su - zimbra -c 'zmcontrol restart'
```

Or just restart the logger-related services:

```
sudo su - zimbra -c 'zmloggerctl restart'
```

```
sudo su - zimbra -c 'zmlogswatchctl restart'
```

10. Verify in Zimbra Web Administration

Log in to the **Zimbra Web Administration Console** and verify that service statuses are now correctly displayed.