

INDEX (CAMS1PO1)

WEEK NO.	PROBLEMS WITH DESCRIPTION				PAGE NO.	SIGNATURE OF THE TEACHER WITH DATE																																			
1	1)	Open a new document and type the following letter. 1. Save the document as “Letter.doc.” 2. Send the document to 3 recipients using Mail merge. (Use 3 different addresses) 3. Define a Macro “Decorate” which makes the text bold, Red in color and italic, font size Assign a shortcut key Alt + Z to this macro. 4. Close the document. 5. The Sample Addresses are: a. Mr. Amit Tandon, 13, New Estate, Ring Road, Chandigarh b. Mr. Rohit Saluja, 15, Karol Bagh, New Delhi c. Ms. Jyoti Parmar, Sector 16, New Building, Gurugram																																							
	2)	Create a table in Word as shown below: <table><tr><th>Roll No</th><th>Name</th><th>Marks in Physics</th><th>Marks in Chemistry</th><th>Total Marks</th></tr><tr><td>1</td><td>Sakshi</td><td>80</td><td>70</td><td></td></tr><tr><td>2</td><td>Rohit</td><td>70</td><td>80</td><td></td></tr><tr><td>3</td><td>Amit</td><td>60</td><td>50</td><td></td></tr><tr><td>4</td><td>Rakesh</td><td>40</td><td>60</td><td></td></tr><tr><td>5</td><td>Komal</td><td>30</td><td>70</td><td></td></tr><tr><td>6</td><td>Garima</td><td>80</td><td>80</td><td></td></tr></table> ▶ In the total marks’ column, entries should be calculated using formulas and it is the sum of marks in physics and marks in chemistry. ▶ Insert a new row at the end of the table and also find grand total using formula. ▶ Sort the table based on total marks. ▶ The date and heading should be centre aligned. ▶ Heading should be in bold and underlined.			Roll No	Name	Marks in Physics	Marks in Chemistry	Total Marks	1	Sakshi	80	70		2	Rohit	70	80		3	Amit	60	50		4	Rakesh	40	60		5	Komal	30	70		6	Garima	80	80			
	Roll No	Name	Marks in Physics	Marks in Chemistry	Total Marks																																				
	1	Sakshi	80	70																																					
2	Rohit	70	80																																						
3	Amit	60	50																																						
4	Rakesh	40	60																																						
5	Komal	30	70																																						
6	Garima	80	80																																						
3)	Using a spreadsheet package you have studied, construct T Morongo’s pay slip for December 2016 following the instructions below. Insert a custom footer with your name, subject, course, exam/Test & question number. Save it as Salary advice.																																								
4)	Use a new workbook & construct a worksheet with the data given & save it as LYONS a) The MARKUP%(35%) must be inserted in a separate cell under the heading. USE IT as an absolute cell reference in the formula to calculate the mark up per item. b) Calculate the mark up for each item.																																								

(CAMS1P01)

		c) Calculate the selling price for each item. d) Calculate the Total Income for each item. e) Calculate the profit for each item. f) Format the column LITRES SOLD to display the number of litres as integers. The rest of the worksheet must be formatted to display two decimals. g) Use statistical functions to calculate the AVERAGE, HIGHEST (MAX.) and LOWEST (MIN) for Selling Price column up to Profit Column. h) Show all formulas you have used in a new sheet. Adjust the column width so that the formulae are displayed in full and the sheets fits into one side of A4 landscape format and save it as formulas. i) Under the worksheet Create a pie chart titled PRODUCT COST PER UNIT for Product & Cost price per Litre columns. Data labels indicating percentages should be displayed. j) Put borders neatly on the on the work sheet & save it as LYONS2		
2	1)	Design Seasonal Greeting cards using MS-PowerPoint		
	2)	Design an AMU Magazine cover in MS PowerPoint. Use the following: 1. Select a theme for the page. 2. Insert either a picture or clipart. 3. Use WordArt.		
	3)	Design a poster inviting all students of your department to the IT Fest (using MS-Power Point).		
	4)	Create a 5-slide presentation on any topic. Use Images, Graphs, Chart, Tables, Animation, Time, Bullets, Transition, Sound, Hyperlink, Background template, Header and Footer (using MS-Power Point).		
	5)	Create a 5-slide presentation on any topic. Use Images, Graphs, Chart, Tables, Animation, Time, Bullets, Transition, Sound, Hyperlink, Background template, Header and Footer (using MS-Power Point).		
3	1)	Section 1.01 Features of Dev-C++ IDE. Section 1.02 Installing and Configuring C++ IDE. (a) Development Using Dev-C++ IDE (b) Configuring Dev C++ (c) Change Linker Setting for Debugging (d) Create a New Project (e) Add Source File(s) (f) Compile/Build & Execute Project (g) Debugging In C++ IDE		
	2)	Section 2.01 Step 1: Download Code::Blocks Section 2.02 Step 2: Install Code::Blocks Section 2.03 Step 3: Running in Code::Blocks		

(CAMS1P01)

	3)	Linux Installation: Install GCC the C++ compiler on Ubuntu 18.04		
4	1)	Write a C++ program to check whether a number is even or odd using ternary operator.		
	2)	Write a C++ program to perform the addition of two numbers without using + operator.		
	3)	Write a C++ program to evaluate the arithmetic expression $((a + b / c * d - e) * (f - g))$. Read the values a, b, c, d, e, f, g from the standard input device.		
	4)	A Fibonacci sequence is defined as follows: The first and second terms in the sequence are 0 and 1. Subsequent terms are found by adding the preceding two terms in the sequence. Write a C++ program to generate the first n terms of the sequence		
	5)	Write a C++ program to generate all the prime numbers between 1 and n, where n is a value supplied by the user.		
	6)	A character is entered through keyboard. Write a C++ program to determine whether the character entered is a capital letter, a small case letter, a digit or a special symbol using if-else and switch case. The following table shows the range of ASCII values for various characters. Characters ASCII values A– Z: 65– 90, a– z: 97– 122, 0– 9: 48– 57 Special symbols 0– 47, 58– 64, 91– 96, 123– 127		
	7)	Write a C++ program to find the roots of a quadratic equation		
	8)	Write a C++ program to check whether a given 3-digit number is an Armstrong number.		
5	1)	Write a C++ program to enter elements in the array and display the array elements.		
	2)	Write a C++ program to find the sum of all the array elements.		
	3)	Write a C++ program to find the length of the array.		
	4)	Write a C++ program to find the second-largest integer in a list of integers.		
	5)	Write a C++ Program to reverse the position of the array element (Hint: First element to the last element.)		
	6)	Write a C++ program to perform the following: a. Addition of two matrices b. Multiplication of two matrices		

(CAMS1P01)

	7)	Write a C++ program to count and display positive, negative, odd, and even numbers in an array		
	8)	Write a C++ program to merge two sorted arrays into another array in sorted order		
	9)	Write a C++ program to find the frequency of a particular number in a list of integers		
6	1)	Write a C++ Program to Add Two Numbers Using a Pointer.		
	2)	Write a C++ Example Program for swapping numbers Using Pointers		
	3)	Write a C++ Program to print the address of the Variable Using a Pointer.		
	4)	Write a C++ Program for Increment and Decrement an Integer Using a Pointer.		
	5)	Write a C++ Program to Print a String Using a Pointer.		
	6)	Write a C++ program to concatenate two strings using pointers.		
	7)	Write a program for reading elements using a pointer into an array and display the values using an array. i) Declare a set of elements. ii) Declare the pointer and initialize it to the first element's address of a set of elements(array). iii) Repeat the loop until the pointer reaches to the last element and displays each element.		
	8)	Write a program using a pointer variable to the sum of n elements from the array.		
	9)	Write a program for reading elements using a pointer into the array and display the values using an array		
	10)	Write a C++ program to reverse a string using pointers.		
7	1)	Write a C++ Program to Count vowels in a String Using a Pointer.		
	2)	Write a C++ Program for the Length of a String Using a Pointer.		
	3)	Write a C++ program using pointers to compute the sum, mean, and standard deviation of all elements stored in an array of n real numbers		
	4)	Write a C++ program to create three objects for a class named pnter_obj with data members such as roll_no & name. Create a member function set_data() for setting the data values and a print() member function to print which object has invoked it using the 'this' pointer.		

(CAMS1P01)

	5)	Develop a C++ program to find the greatest of two numbers using this pointer, which returns the member variable		
	6)	Write a C++ program to implement a flight class with data members as flight number, source, destination, and fare. Write a member function to display the flight information using this pointer		
	7)	Write a C++ program to use this pointer and return the pointer reference		
8	1)	Write a C++ program that uses functions to perform the following operations: i) To insert a substring into a given main string from a given position. ii) To delete n characters from a given position in a given string.		
	2)	Write a C++ program to determine whether the given string is a palindrome		
	3)	Write a C++ program to find a string within a sentence and replace it with another string.		
	4)	Write a C++ program that reads a line of text and counts all occurrences of a particular word		
	5)	Write a C++ program that displays the position or index in the string S where the string T begins, or 1 if S doesn't contain T		
9	1)	Write C programs that use both recursive and non-recursive functions to find: a) The factorial of a given integer. b) To find the greatest common divisor of two given integers		
	2)	Write C programs that use recursive and non-recursive functions to solve towers of Hanoi problem.		
	3)	Write a C++ program to print the transpose of a given matrix using a function.		
	4)	Write a C++ program to swap two numbers by both call by value and call by reference mechanisms, using two functions swap_value() and swap_reference respectively, by getting the choice from the user and executing the user's choice using switch-case.		
	5)	Write a C++ program to display all array elements using recursion		
	6)	Write a C++ program to find the sum of elements of an array using recursion.		
	7)	Write a C++ program to find an array's maximum and minimum elements using recursion.		

(CAMS1P01)

	8)	Consider the insurance database given below. The primary keys are made bold, and the data types are specified. PERSON (driver_id:string , name:string , address:string) CAR(regno:string , model:string , year:int) ACCIDENT(report_number:int , accd_date:date , location:string) OWNS(driver_id:string , regno:string) PARTICIPATED (driver_id: string, regno: string, report_number: int , damage_amount: int) ► Create the above tables by correctly specifying the primary keys and foreignkeys. ► Enter at least five tuples for each relation. ► Update the damage amount for the car with the specific regno in the accident with report number 12 to 25000. ► Add a new accident to the database. ► Find the total number of people who owned cars that were involved in accidents in 2008. ► Find the number of accidents in which cars belonging to a specific model were involved.		
10	1)	Write a C++ program that uses functions to perform the following operations: i) Reading a complex number ii) Writing a complex number iii) Addition and subtraction of two complex numbers iv. Multiplication of two complex numbers. Note: Represent complex numbers using a structure.		
	2)	Write a C++ program to compute the monthly pay of 100 employees using each employee's name, basic pay. The DA is calculated as 52% of the basic pay. Gross-salary (basic pay + DA). Print the employee's name and gross salary.		
	3)	Create a Book structure containing book_id, title, author name and price. Write a C++ program to pass a structure as a function argument and print the book details.		
	4)	Create a union containing 6 strings: name, home_address, hostel_address, city,state and zip. Write a C++ program to display your present address		
	5)	Write a C++ program to define a structure named D.O.B., which contains name,day, month and year. Using the concept of nested structures display your nameand date of birth.		
	6)	Consider the following database for a banking enterprise. BRANCH(branch_name: string, branch_city: string, assets: real) ACCOUNT(accno: int , branch_name: string , balance: real) DEPOSITOR(customer_name:string , accno:int) CUSTOMER(customer_name:string, customer_street:string , customer_city:string) LOAN (loan_number:int , branch_name:string , amount:real) BORROWER(customer_name:string , loan_number:int) a) Create the above tables by properly specifying the primary keys and foreign keys. b) Enter at least five tuples for each relation.		

(CAMS1P01)

		c) Find all the customers who have at least two accounts at the main branch. d) Find all the customers who have an account at all branches in a specific city. e) Demonstrate how you delete all account tuples at every branch located in a specific city		
11	1)	Write a program in C++ to display your name, Branch, and Year on the computer screen without using classes and objects. All information should be displayed in a separate line.		
	2)	Write a menu-driven program in C++ to perform all basic arithmetic operations: addition, subtraction, multiplication, and division of two given values. The program receives two values and the required operation to be performed from the keyboard, and displays the particular result of the necessary operation.		
	3)	Write a menu-driven program in C++ that receives a 4-digit integer value from the keyboard and performs following operations: i) Reverse of that number. ii) sum of number with its reverse. iii) sum of alternative digits (1 digit+3 digit and 2 digit+4 digit)		
	4)	Write a menu-driven program in C++ to receive integer numbers and convert equivalent binary, octal, and hexadecimal numbers		
	5)	Write a menu-driven program in C++ to perform all basic arithmetic operations: addition, subtraction, multiplication, and division of two given values using functions and switch case. The program receives two numbers; the required operation to be performed from the keyboard, and displays the particular result of the required operation.		
	6)	Define a class Bank Account to represent a bank account. Include the following members: Data Members: o Name of the depositor o Account Number o Type of account o Balance amount in the account Member Functions: o To assign an initial value o To deposit an amount o To withdraw an amount after checking.		
	7)	Write a C++ program to implement the Bubble Sort algorithm to sort an array of integers in ascending order.		
	8)	Write a C++ program to implement the Binary Search algorithm on a sorted array of integers and return the index of a target element.		

(CAMS1P01)

12	1)	Write a program in C++ to demonstrate default constructor. Create a class with two data members in the private section. Define a default constructor to initialize these data members to their initial value and display these values with the help of a member function.								
	2)	Write a program in C++ to demonstrate parameterized/constructor overloading. Create a class calculator that contains four data members. Initialize data members with different values using a parameterized constructor and perform various arithmetic operations over these values and display results on the computer screen.								
	3)	Create a class called Triangle that stores the length of the base and height of a right triangle in two private instance variables. Include a constructor that sets these values. Define two functions. The first is hypo(), which returns the length of the hypotenuse. The second is area (), which returns the area of the triangle.								
	4)	Create a class for counting the number of objects created and destroyed within various blocks using constructor and destructors.								
	5)	Create an inter University Database with the following relations. Include at least four attributes for each table. <table><tr><td>► University</td><td>► Department</td></tr><tr><td>► Program</td><td>► Course</td></tr><tr><td>► Syllabus</td><td>► Faculty(Teacher)</td></tr></table> a) Create the above tables and mention primary keys and foreign keys. Also, create a secondary index for each table. b) Insert at least five relevant records in each of the created tables. c) Write the following SQL queries based on the created database: i) List of Universities situated in Delhi. ii) List of all Departments of AMU. iii) Find the location of JNU. iv) List of all Programs run by the University of Jammu. v) List of Universities that run the Program “MCA”. vi) List of Courses of “MCA” run by AMU. vii) List of Faculties specialized in “Information Security” across different universities. viii) Syllabus of “Computer Architecture” of different Universities.	► University	► Department	► Program	► Course	► Syllabus	► Faculty(Teacher)		
	► University	► Department								
► Program	► Course									
► Syllabus	► Faculty(Teacher)									
6)	Write a C++ program to create a singly linked list and perform basic operations: insertion (at the beginning, end, and a given position) and deletion (at the beginning, end, and a given position).									

(CAMS1P01)

13	1)	Declare a class Number that contains two data members value1 and value2 of the type of integer, define a constructor to give an initial value, and perform addition, subtraction, multiplication and division of these two numbers using operating overloading of +, -, *, / operator respectively [hint- binary operator overloading using member function]		
	2)	Declare a class Number1 that contains two data members value1 and value2 of the type of integer, define a constructor to give an initial value, and perform addition, subtraction, multiplication and division of these two numbers using operating overloading of +, -, *, / operator respectively [hint- binary operator overloading using friend function]		
	3)	Declare a class Number3 that contains a data member value of the type of integer, define a constructor to give an initial value, and perform unary minus, increment, and decrement this number using operator overloading of -, ++, -- operator respectively [hint- Unary operator overloading using member function]		
	4)	Write a program to demonstrate explicit type conversion o from basic type to user-defined data type. o from User Defined data type to Basic data type data type		
	5)	Create a class publication which has title of book and writer's name. Create other class sales which account no. of sales for every month (up to 3 months) and then calculate total sales.		
	6)	Write a program to demonstrate the following: STAFF Teaching Non-Teaching Officer Regular Casual		
	7)	Write a program to solve the ambiguity problem in inheritance where two different classes are inherited from a single base class and a new class is derived from these two derived classes. How is this problem solved with the help of the virtual base class concept?		
	8)	Write a C++ program to implement a stack using arrays and perform basic stack operations (push, pop, peek, and isEmpty).		
	9)	Write a C++ program to implement a queue using arrays and perform basic queue operations (enqueue, dequeue, front, rear, and isEmpty).		

(CAMS1P01)

14	1)	Write a program to use 'this' pointer to find the elder from two person. Define a class Person to store age of the person. Define constructor/member function to give initial value to the data member age. And then define a function elder to compare ages of two different persons using this pointer to find out the elder person.		
	2)	Create a simple "shape" hierarchy: a base class called Shape and derived classes called Circle, Square, and Triangle. In the base class, make a virtual function called draw (), and override this in the derived classes. Make an array of pointers to Shape objects that you create on the heap (and thus perform up casting of the pointers), and call draw () through the base-class pointers, to verify the behavior of the virtual function. If your debugger supports it, single-step through the code.		
	3)	Write a small program to show the difference between calling a virtual function inside a normal member function and calling a virtual function inside a constructor. The program should prove that the two calls produce different results.		
	4)	Write a program in C++ to calculate mean value of n numbers using friend function.		
	5)	Write a program to accept five different numbers by creating a class called friend func1 and friend func2 taking 2 and 3 arguments respectively and calculate the average of these numbers by passing object of the class to friendfunction.		
	6)	Write a program in C++ to display student's information using friend function.7# Write a C++ program to write text in the file. Read the text from the file from end of file. Display the contents of the file in reverse order.		
	7)	Write a C++ program to count the no. of characters present in the file.		
	8)	Create a class with a main () that throws an object of class Exception inside a try block. Give the constructor for Exception a String argument. Catch the exception inside a catch clause and print the String argument. Add a finally clause and print a message to prove you were there.		
	9)	Write a C++ program to create a Binary Search Tree (BST) and perform basic operations: insertion, deletion, and search		