Python Chapter 3: Dictionaries and Sets

Ezequiel Torres

June 28, 2024

Table of contents

Dictionary

Dictionary Removal Dictionary Addition Dictionary Looping

Sets

Sets Deletion
Sets Addition

Exercise Two Sum

Dictionary

Here we will discuss the most basic example of a Dictionary. They are for key value pairs. Now in python, dictionaries are ordered meaning you can iterate them easily

```
 \begin{aligned} & x = \{\text{"Jim": 1, "Tom": 2}\} \\ & x[\text{"Jim"]} \ \# \ \text{this will return a 1} \\ & x[\text{"Tom"]} \ \# \ \text{this will return a 2} \end{aligned}
```

Dictionary Removal

```
x = {"Jim": 1, "Tom": 2}
x.pop("Jim")
if "Jim" not in x:
   print("Jim has left")
```

Dictionary Addition

```
x = {"Tom": 2}
x["Jim"] = 1
if "Jim" in x:
    print("Jim is back")
```

Dictionary Looping

```
x = {"Jim": 1, "Tom": 2, "Kerrie": 3}
for p in x:
    print(p) # prints all keys
for v in x:
    print(v) # prints all values
```

Sets

Sets are a lot like dictionaries, but they contain only one key! Great for checking when you have visited something.

```
mySet = "apple", "banana", "cherry"
if "apple" in myset:
    print("There is an apple in myset")
```

Sets Deletion

```
mySet = {"apple", "banana", "cherry"}
mySet.remove("apple")
if "apple" not in mySet:
    print("There are no apples in the set")
```

Sets Addition

```
mySet = {"banana", "cherry"}
mySet.add("apple")
if "apple" in mySet:
    print("Apple is back!")
```

Exercise Two Sum

Given an array of integers and a target t, find two numbers whose sum is t